

Liftcrane Luffing Jib Capacities

Luffing Jib No. 135 on Boom No. 74
55 110 kg Crane Counterweight
16 010 kg Carbody Counterweight
360 Degree Rating



MLC165 SERIES 2



LIFTING CAPACITIES: Lifting capacities for various boom lengths, boom angles, luffing jib lengths, and luffing jib operating radii are for freely suspended loads and are calculated to comply with EN 13000, ISO 4305 and include factors based on a 4,0 degree tipping angle. Capacities based on structural competence are denoted by an asterisk (*).

Luffing Jib Backward Stability: Capacities indicated by (b) require 1 280 kg minimum weight suspended beneath luffing jib point. Capacities indicated by (c) require 2 720 kg minimum weight suspended beneath luffing jib point. Capacities indicated by (d) require 4 990 kg minimum weight suspended beneath luffing jib point. **Caution: Do not luff into areas indicated by (b), (c), or (d) without required minimum weights.** Luffing jib will not luff down and luffing hoist wire rope may overhaul luffing jib and cause luffing hoist to go slack causing wire rope damage or failure.

Lower boom point must be completely removed from 51,0 m boom length.

Weight of all load blocks, hooks, weight ball, slings, hoist lines, etc., beneath boom and luffing jib point sheaves is considered part of luffing jib load. Boom and luffing jib are not to be lowered beyond radii where combined weights are greater than rated capacity. Where no capacity is shown, operation is not intended or approved.

OPERATING CONDITIONS: Machine to operate on a firm uniformly supporting surface and bearing turntable level within a tolerance of 13 mm in 3 m and properly supported. During operation, boom must be maintained at one of the selected angles shown in chart. Refer to Luffing Jib Assembly **No. 81022481**, Wire Rope Specification chart **No. 9313-A** and Luffing Jib Raising Procedure chart **No. 9320-AM**. Crane operator judgment must be used to allow for dynamic load effects of swinging, hoisting or lowering, travel, wind conditions, as well as adverse operating conditions and physical machine depreciation. Refer to Operator's Manual for operating guidelines.

WIND CONDITIONS: Machine may operate with full working load in wind speeds up to the maximum wind speed value provided crane operator judgment is used to allow for wind effect on lifted load and other considerations noted on capacity chart are followed. Wind speed to be measured at luffing jib point elevation. Refer to Wind Conditions Chart **No. 9289-A**

for effect of wind on lifted load, additional maximum wind speeds when lifting percentage of full working load, and instructions for parking when wind speed exceeds maximum operating wind speed.

MACHINE TRAVEL: Machine to travel on a firm, level, and uniformly supporting surface. *Travel with 100 percent of rated load prohibited.* Travel restricted to 90 percent of rated capacity with speed not to exceed 0,4 m/s. Boom and luffing jib must be within angle range shown in capacity chart. Refer to Maximum Allowable Travel Specification chart **No. 9329-A**.

MAX PERMISSIBLE SLEWING SPEED: Slewing operation with working load shall not exceed 0,4 m/s as measured at the operating radius. The amount of time to brake or start slewing a working load shall not be less than 2,5 seconds.

OPERATING RADIUS: Operating radius is horizontal distance from axis of rotation to center of vertical hoist line or load block.



BOOM ANGLE: Boom angle in degrees (°) is angle between horizontal and centerline of boom butt and inserts.




LUFFING JIB ANGLE: Luffing jib angle in degrees (°) is angle between horizontal and centerline of luffing jib butt and inserts, and is an indication of operating radius. In all cases, operating radius shall govern capacity.



LUFFING JIB POINT ELEVATION: Luffing jib point elevation is vertical distance from ground level to centerline of luffing jib point shaft.



MACHINE EQUIPMENT: Machine equipped with 7 986 mm crawlers, 1 100 mm treads, 7 200 mm live mast, 18 part boom hoist reeving, four 28 mm boom pendants, 8 part luffing jib hoist reeving, two 38 mm luffing jib pendants and backstays, 55 110 kg crane counterweight, and two 8 005 kg carbody counterweights.




55 110 kg Crane Counterweight
8 Side Boxes

Lower Boom Point Sheave Deduct


Deduct 300 kg from capacities for boom lengths 45,0 m thru 48,0 m when lower boom point is equipped with outer sheave clusters.

WARNING: Free fall operation is limited to 5 900 kg per part of line when lowering load with free fall clutch/brake pedal. Hydraulic power must be used for full line pull.

Explanation of Symbols



Luffing Jib No. 135
+
Boom No. 74




Crane Counterweight
+
Carbody Counterweight




360 Degree Rating



Boom Length



Luffing Jib Length




Maximum Wind Speed
(see page 1)

Explanation of Symbols (continued)




Boom Angle
(see page 1)



Operating Radius
(see page 1)



Luffing Jib Angle
(see page 1)



Luffing Jib Point Elevation
(see page 1)





Lifting Capacities
(see page 1)




REFERENCE ONLY!

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
9,1	73,8	43,5	50 000 *d							9,1
10,0	71,4	43,2	50 000 *d							10,0
12,0	65,7	42,5	47 000 *c							12,0
14,0	59,6	41,4	41 700 *c	64,0	42,0	43 700 b				14,0
16,0	53,1	40,1	37 300 *b	57,9	40,9	38 000 b	61,3	41,4	37 300 b	16,0
18,0	46,1	38,4	32 900 *b	51,3	39,5	33 700	54,9	40,1	32 900	18,0
20,0	38,1	36,2	28 500 *b	44,0	37,7	29 700	48,1	38,5	29 100	20,0
22,0	28,2	33,1	25 200 *	35,6	35,3	26 300	40,4	36,5	25 700	22,0
24,0	12,9	27,8	21 100 *	25,0	31,9	23 500	31,2	33,7	23 000	24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,1										9,1
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	54,2	39,5	28 000							20,0
22,0	47,2	37,9	24 800	53,3	38,7	23 900				22,0
24,0	39,4	35,7	22 200	46,3	37,0	21 300				24,0
26,0	30,0	32,9	20 000	38,3	34,8	19 200	45,0	35,9	18 500	26,0
28,0				28,5	31,8	17 500	36,8	33,6	16 800	28,0
30,0				13,4	26,5	15 900	26,6	30,4	15 300	30,0
32,0							8,8	24,1	14 000	32,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
9,8	74,4	46,5	46 900 *d							9,8
10,0	73,8	46,4	46 900 *d							10,0
12,0	68,9	45,8	44 900 *c							12,0
14,0	63,7	44,9	40 600 *c	67,5	45,4	42 800 b				14,0
16,0	58,3	43,8	36 500 *b	62,3	44,4	37 300 b	65,1	44,8	36 500 b	16,0
18,0	52,6	42,4	33 100 *b	56,8	43,3	33 000	59,8	43,7	32 200	18,0
20,0	46,5	40,7	30 000 *	51,0	41,8	29 600	54,2	42,4	28 800	20,0
22,0	39,6	38,6	27 100	44,7	40,0	26 200	48,2	40,8	25 600	22,0
24,0	31,5	35,8	24 200	37,5	37,7	23 400	41,5	38,8	22 900	24,0
26,0	20,8	31,7	21 700	28,9	34,6	21 200	33,8	36,2	20 700	26,0
28,0				16,8	29,9	19 000	24,1	32,6	18 800	28,0
30,0										30,0
32,0										32,0
34,0										34,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	59,2	43,1	27 700							20,0
22,0	53,6	41,8	24 600							22,0
24,0	47,5	40,2	22 000	52,8	41,0	21 200				24,0
26,0	40,7	38,1	19 900	46,6	39,3	19 100	51,8	40,0	18 300	26,0
28,0	32,9	35,4	18 100	39,7	37,2	17 300	45,5	38,2	16 600	28,0
30,0	22,8	31,6	16 500	31,7	34,4	15 800	38,5	36,0	15 200	30,0
32,0				21,1	30,4	14 500	30,2	33,1	13 900	32,0
34,0							18,8	28,7	12 800	34,0




REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	74,9	49,5	42 400 *d							10,4
12,0	71,3	49,0	40 500 *c							12,0
14,0	66,8	48,2	38 000 *c	70,1	48,6	40 000 *b				14,0
16,0	62,2	47,3	35 600 *b	65,6	47,8	36 900 b				16,0
18,0	57,4	46,1	32 500 *b	60,9	46,8	32 400	63,5	47,2	31 700	18,0
20,0	52,2	44,7	29 700 *b	56,0	45,6	29 100	58,7	46,1	28 400	20,0
22,0	46,7	43,0	27 000	50,8	44,1	26 200	53,7	44,7	25 600	22,0
24,0	40,7	40,9	24 100	45,2	42,3	23 400	48,3	43,1	22 900	24,0
26,0	33,8	38,3	21 800	38,9	40,1	21 100	42,4	41,1	20 600	26,0
28,0	25,3	34,8	19 700	31,7	37,3	19 200	35,8	38,7	18 700	28,0
30,0	12,4	28,9	16 400 *	22,5	33,4	17 500	27,8	35,5	17 100	30,0
32,0				4,7	25,1	15 500 *	16,8	30,6	15 700	32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	58,1	45,5	24 500							22,0
24,0	53,1	44,1	21 900							24,0
26,0	47,6	42,5	19 800	52,4	43,3	19 000				26,0
28,0	41,7	40,4	18 000	46,9	41,6	17 300				28,0
30,0	35,0	37,9	16 400	40,8	39,5	15 700	51,5	42,3	16 500	30,0
32,0	26,8	34,6	15 100	34,0	36,9	14 500	45,9	40,5	15 100	32,0
34,0				25,5	33,4	13 300	39,8	38,4	13 800	34,0
36,0				12,8	27,6	12 300	32,7	35,7	12 800	36,0
38,0							23,9	31,9	11 800	38,0
							9,1	25,2	10 900	

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	74,0	52,3	37 300 *d							11,6
12,0	73,2	52,2	36 800 *c							12,0
14,0	69,3	51,5	34 500 *c							14,0
16,0	65,2	50,7	32 400 *b	68,2	51,1	34 100 *b				16,0
18,0	61,0	49,7	30 500 *b	64,0	50,3	31 700				18,0
20,0	56,6	48,5	28 700 *b	59,8	49,2	28 500	62,1	49,6	27 800	20,0
22,0	51,9	47,0	26 700 *	55,3	47,9	25 800	57,8	48,4	25 200	22,0
24,0	47,0	45,3	24 000	50,6	46,4	23 300	53,2	47,1	22 800	24,0
26,0	41,6	43,3	21 700	45,6	44,6	21 000	48,3	45,4	20 500	26,0
28,0	35,6	40,7	19 700	40,0	42,4	19 100	43,1	43,5	18 600	28,0
30,0	28,5	37,5	18 000	33,8	39,8	17 500	37,3	41,1	17 000	30,0
32,0	19,1	33,0	16 300 *	26,2	36,3	16 000	30,5	38,1	15 600	32,0
34,0				15,7	31,1	14 600	22,0	34,1	14 400	34,0
36,0										36,0
38,0										38,0
40,0										40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	57,3	47,8	21 800							24,0
26,0	52,7	46,4	19 600	56,7	47,0	18 800				26,0
28,0	47,8	44,8	17 800	52,0	45,6	17 100				28,0
30,0	42,5	42,8	16 300	47,1	43,9	15 600				30,0
32,0	36,6	40,4	15 000	41,7	41,9	14 300	46,2	42,8	13 700	32,0
34,0	29,7	37,3	13 800	35,7	39,4	13 200	40,8	40,7	12 600	34,0
36,0	20,9	33,0	12 800	28,6	36,2	12 200	34,6	38,1	11 600	36,0
38,0				19,4	31,7	11 300	27,3	34,8	10 800	38,0
40,0							17,4	29,9	10 000	40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
12,2	74,4	55,3	34 000 *c							12,2
14,0	71,2	54,8	32 400 *c							14,0
16,0	67,6	54,0	30 700 *b							16,0
18,0	63,8	53,1	29 200 *b	66,6	53,6	30 500 *				18,0
20,0	59,9	52,0	27 700 *	62,8	52,7	28 100	64,8	53,0	27 500	20,0
22,0	55,9	50,8	26 100 *	58,9	51,5	25 500	61,0	52,0	24 800	22,0
24,0	51,7	49,3	24 000	54,8	50,2	23 200	57,0	50,8	22 600	24,0
26,0	47,2	47,6	21 700	50,5	48,7	21 000	52,8	49,4	20 400	26,0
28,0	42,3	45,6	19 700	45,9	46,9	19 100	48,4	47,7	18 600	28,0
30,0	36,9	43,2	18 000	40,9	44,8	17 500	43,7	45,8	17 000	30,0
32,0	30,8	40,2	16 600	35,4	42,3	16 000	38,4	43,5	15 600	32,0
34,0	23,3	36,3	15 100	28,9	39,1	14 800	32,6	40,7	14 400	34,0
36,0	12,0	30,0	12 100 *	20,8	34,8	13 700	25,5	37,1	13 300	36,0
38,0				6,1	26,4	11 500 *	15,8	31,8	12 400	38,0
40,0										40,0
42,0										42,0
44,0										44,0










MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	 m	 m	 kg	 m	 kg	 m	 m	 kg	 m	
12,2									12,2	
14,0									14,0	
16,0									16,0	
18,0									18,0	
20,0									20,0	
22,0									22,0	
24,0	60,6	51,4	21 700						24,0	
26,0	56,5	50,2	19 600						26,0	
28,0	52,3	48,7	17 800	56,0	49,4	17 100			28,0	
30,0	47,9	47,1	16 300	51,8	47,9	15 600			30,0	
32,0	43,1	45,1	15 000	47,3	46,2	14 300	51,0	46,9	13 600	
34,0	37,8	42,8	13 800	42,4	44,2	13 200	46,5	45,1	12 600	
36,0	31,8	39,9	12 800	37,1	41,8	12 200	41,6	43,1	11 600	
38,0	24,6	36,2	11 800	31,0	38,8	11 300	36,1	40,6	10 800	
40,0				23,5	34,9	10 500	29,8	37,5	10 000	
42,0				12,3	28,8	9 800	22,0	33,4	9 300	
44,0							9,3	26,3	8 700	

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	73,3	58,1	30 200 *c							13,7
14,0	72,8	58,0	30 000 *c							14,0
16,0	69,5	57,3	28 400 *b							16,0
18,0	66,1	56,5	26 900 *b	68,6	56,9	28 100 *				18,0
20,0	62,7	55,5	25 400 *	65,2	56,1	26 700 *	67,1	56,3	26 900	20,0
22,0	59,1	54,4	24 100 *	61,7	55,1	25 100 *	63,6	55,4	24 300	22,0
24,0	55,3	53,1	22 900 *	58,1	53,9	22 800	60,1	54,3	22 200	24,0
26,0	51,4	51,6	21 600	54,3	52,6	20 900	56,4	53,1	20 300	26,0
28,0	47,3	49,9	19 600	50,3	51,0	18 900	52,5	51,7	18 500	28,0
30,0	42,9	47,9	17 900	46,1	49,2	17 300	48,5	50,0	16 900	30,0
32,0	38,1	45,6	16 500	41,6	47,1	15 900	44,1	48,1	15 500	32,0
34,0	32,6	42,8	15 200	36,7	44,7	14 600	39,4	45,9	14 300	34,0
36,0	26,3	39,2	14 000 *	31,0	41,7	13 600	34,2	43,2	13 200	36,0
38,0	17,9	34,3	12 300 *	24,3	37,9	12 600	28,1	39,9	12 300	38,0
40,0				14,9	32,3	11 500	20,5	35,5	11 400	40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,6	53,8	19 500							26,0
28,0	55,9	52,5	17 700							28,0
30,0	52,1	51,0	16 100	55,4	51,7	15 400				30,0
32,0	48,0	49,4	14 800	51,5	50,2	14 100				32,0
34,0	43,6	47,4	13 700	47,4	48,5	13 000	50,9	49,2	12 400	34,0
36,0	38,9	45,1	12 600	43,0	46,5	12 000	46,7	47,5	11 400	36,0
38,0	33,5	42,4	11 700	38,2	44,2	11 200	42,2	45,4	10 600	38,0
40,0	27,4	39,0	10 900	32,8	41,4	10 400	37,3	43,0	9 900	40,0
42,0	19,5	34,4	10 200	26,4	37,9	9 700	31,8	40,1	9 200	42,0
44,0				18,2	33,0	9 000	25,2	36,4	8 600	44,0
46,0							16,4	31,2	8 000	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,6	61,2	23 500 *c							13,7
14,0	74,2	61,1	23 400 *c							14,0
16,0	71,2	60,5	22 800 *b							16,0
18,0	68,1	59,8	22 200 *b							18,0
20,0	64,9	58,9	21 700 *	67,2	59,4	22 300 *				20,0
22,0	61,7	57,9	20 700 *	64,0	58,5	21 600 *	65,8	58,8	21 900 *	22,0
24,0	58,3	56,8	19 600 *	60,8	57,4	20 500 *	62,6	57,8	21 100 *	24,0
26,0	54,9	55,4	18 500 *	57,4	56,2	19 500 *	59,3	56,7	20 000 *	26,0
28,0	51,3	53,9	17 600 *	53,9	54,9	18 400 *	55,8	55,4	18 400 *	28,0
30,0	47,4	52,2	16 700 *	50,2	53,3	17 200 *	52,2	54,0	16 800 *	30,0
32,0	43,4	50,2	15 900 *	46,4	51,5	15 800 *	48,5	52,3	15 400 *	32,0
34,0	39,0	48,0	15 100 *	42,2	49,5	14 600 *	44,5	50,4	14 200 *	34,0
36,0	34,1	45,3	14 000 *	37,7	47,1	13 500 *	40,2	48,2	13 100 *	36,0
38,0	28,6	42,0	13 000 *	32,7	44,3	12 500 *	35,5	45,7	12 200 *	38,0
40,0	21,8	37,7	11 800 *	26,9	40,8	11 700 *	30,2	42,6	11 300 *	40,0
42,0	11,7	31,1	9 600 *	19,5	36,1	10 900 *	23,8	38,6	10 600 *	42,0
44,0				6,9	27,6	9 200 *	15,1	33,0	9 900 *	44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	62,2	57,2	19 200							26,0
28,0	58,9	56,1	17 500							28,0
30,0	55,4	54,8	16 000							30,0
32,0	51,8	53,4	14 700	55,0	54,0	14 000				32,0
34,0	48,1	51,7	13 500	51,3	52,5	12 900				34,0
36,0	44,0	49,7	12 500	47,5	50,8	11 900	50,7	51,5	11 400	36,0
38,0	39,7	47,5	11 600	43,5	48,9	11 100	46,9	49,8	10 500	38,0
40,0	34,9	44,9	10 800	39,1	46,6	10 300	42,8	47,7	9 800	40,0
42,0	29,5	41,7	10 100	34,2	43,9	9 600	38,3	45,4	9 100	42,0
44,0	23,0	37,7	9 400	28,7	40,6	8 900	33,4	42,6	8 500	44,0
46,0				21,9	36,4	8 400	27,7	39,2	7 900	46,0
48,0				12,0	29,8	7 800	20,6	34,8	7 400	48,0
50,0							9,5	27,4	6 900	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2	73,6	64,0	21 600 *b							15,2
16,0	72,5	63,7	21 400 *b							16,0
18,0	69,7	63,0	20 800 *b							18,0
20,0	66,8	62,3	20 000 *	68,9	62,7	20 800 *				20,0
22,0	63,9	61,3	19 000 *	66,0	61,8	19 800 *				22,0
24,0	60,8	60,3	17 900 *	63,0	60,9	18 800 *	64,7	61,2	19 300 *	24,0
26,0	57,7	59,1	16 900 *	60,0	59,8	17 700 *	61,7	60,2	18 300 *	26,0
28,0	54,5	57,8	16 000 *	56,8	58,6	16 800 *	58,6	59,1	17 300 *	28,0
30,0	51,1	56,2	15 100 *	53,6	57,2	15 900 *	55,4	57,8	16 400 *	30,0
32,0	47,6	54,5	14 300 *	50,2	55,6	15 100 *	52,0	56,3	15 200 *	32,0
34,0	43,8	52,6	13 600 *	46,6	53,8	14 200 *	48,5	54,6	14 100	34,0
36,0	39,8	50,3	12 800 *	42,7	51,8	13 400	44,8	52,7	13 000	36,0
38,0	35,4	47,7	12 100 *	38,6	49,5	12 400	40,9	50,6	12 100	38,0
40,0	30,4	44,6	11 600 *	34,1	46,8	11 500	36,6	48,1	11 200	40,0
42,0	24,6	40,8	10 900 *	28,9	43,5	10 700	31,8	45,1	10 400	42,0
44,0	17,0	35,5	9 700 *	22,8	39,4	10 000	26,3	41,5	9 800	44,0
46,0				14,3	33,4	9 300	19,4	36,8	9 100	46,0
48,0										48,0
50,0										50,0
52,0										52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,3	59,6	17 300							28,0
30,0	58,2	58,5	15 900							30,0
32,0	55,0	57,1	14 500	57,8	57,7	13 800				32,0
34,0	51,6	55,7	13 400	54,5	56,3	12 700				34,0
36,0	48,1	54,0	12 400	51,2	54,8	11 800				36,0
38,0	44,4	52,1	11 500	47,6	53,1	10 900				38,0
40,0	40,4	49,9	10 600	43,9	51,2	10 100	47,0	52,1	9 600	40,0
42,0	36,1	47,3	9 900	39,9	48,9	9 400	43,2	50,1	8 900	42,0
44,0	31,2	44,3	9 300	35,5	46,3	8 800	39,2	47,8	8 300	44,0
46,0	25,6	40,6	8 700	30,5	43,3	8 200	34,7	45,1	7 800	46,0
48,0	18,4	35,7	8 100	24,7	39,4	7 700	29,7	41,9	7 200	48,0
50,0				17,2	34,2	7 200	23,7	38,0	6 800	50,0
52,0							15,7	32,4	6 300	52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,7	67,1	20 200 *b							15,2
16,0	73,7	66,9	20 000 *b							16,0
18,0	71,1	66,3	19 500 *b							18,0
20,0	68,4	65,5	18 500 *	70,4	65,9	19 300 *				20,0
22,0	65,7	64,7	17 500 *	67,7	65,2	18 300 *				22,0
24,0	62,9	63,7	16 500 *	65,0	64,3	17 300 *				24,0
26,0	60,1	62,7	15 600 *	62,2	63,3	16 300 *	63,7	63,6	16 800 *	26,0
28,0	57,2	61,4	14 700 *	59,3	62,2	15 400 *	60,9	62,6	15 900 *	28,0
30,0	54,1	60,1	13 800 *	56,3	60,9	14 500 *	58,0	61,4	15 000 *	30,0
32,0	51,0	58,5	13 100 *	53,3	59,5	13 700 *	54,9	60,1	14 200 *	32,0
34,0	47,7	56,8	12 200 *	50,1	57,9	12 900 *	51,8	58,6	13 400 *	34,0
36,0	44,2	54,9	11 600 *	46,7	56,1	12 200 *	48,6	56,9	12 600 *	36,0
38,0	40,4	52,7	10 900 *	43,2	54,1	11 500 *	45,1	55,0	11 900 *	38,0
40,0	36,4	50,2	10 300 *	39,4	51,9	10 800 *	41,5	52,9	11 200 *	40,0
42,0	31,9	47,2	9 700 *	35,2	49,2	10 200 *	37,5	50,5	10 400 *	42,0
44,0	26,8	43,7	9 200 *	30,6	46,1	9 700 *	33,2	47,7	9 700 *	44,0
46,0	20,6	39,1	8 700 *	25,3	42,4	9 100 *	28,3	44,3	9 100 *	46,0
48,0	11,5	32,2	7 800 *	18,6	37,4	8 700 *	22,4	40,1	8 500 *	48,0
50,0				7,4	28,7	7 500 *	14,5	34,1	8 000 *	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,5	62,0	15 700 *							30,0
32,0	57,6	60,8	14 500							32,0
34,0	54,6	59,5	13 300	57,2	60,0	12 700				34,0
36,0	51,5	58,0	12 300	54,2	58,7	11 700				36,0
38,0	48,2	56,3	11 400	51,0	57,1	10 800				38,0
40,0	44,7	54,4	10 600	47,7	55,4	10 100	50,5	56,1	9 500	40,0
42,0	41,0	52,2	9 900	44,2	53,5	9 400	47,2	54,4	8 900	42,0
44,0	37,1	49,8	9 200	40,5	51,3	8 800	43,6	52,4	8 300	44,0
46,0	32,7	46,9	8 600	36,5	48,8	8 200	39,9	50,1	7 700	46,0
48,0	27,7	43,4	8 100	32,0	45,8	7 700	35,8	47,6	7 200	48,0
50,0	21,7	39,1	7 600	27,0	42,3	7 200	31,3	44,6	6 800	50,0
52,0				20,8	37,8	6 700	26,0	40,9	6 400	52,0
54,0				11,8	30,9	6 300	19,6	36,1	5 900	54,0
56,0							9,6	28,4	5 500	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,9	69,9	18 400 *b							16,8
18,0	72,3	69,5	17 900 *b							18,0
20,0	69,9	68,8	17 000 *							20,0
22,0	67,3	68,0	16 000 *	69,2	68,4	16 700 *				22,0
24,0	64,8	67,1	15 000 *	66,6	67,6	15 700 *				24,0
26,0	62,1	66,1	14 100 *	64,0	66,7	14 800 *	65,5	67,0	15 200 *	26,0
28,0	59,4	65,0	13 300 *	61,4	65,7	13 900 *	62,8	66,0	14 400 *	28,0
30,0	56,7	63,8	12 400 *	58,7	64,5	13 100 *	60,2	65,0	13 600 *	30,0
32,0	53,8	62,4	11 700 *	55,9	63,2	12 300 *	57,4	63,7	12 700 *	32,0
34,0	50,8	60,8	10 900 *	53,0	61,8	11 500 *	54,6	62,4	12 000 *	34,0
36,0	47,7	59,1	10 200 *	50,0	60,2	10 800 *	51,7	60,9	11 200 *	36,0
38,0	44,5	57,2	9 600 *	46,9	58,4	10 100 *	48,6	59,2	10 500 *	38,0
40,0	41,0	55,0	9 000 *	43,6	56,5	9 500 *	45,4	57,4	9 900 *	40,0
42,0	37,3	52,6	8 400 *	40,0	54,2	8 900 *	42,0	55,3	9 200 *	42,0
44,0	33,2	49,7	7 900 *	36,2	51,7	8 300 *	38,3	52,9	8 600 *	44,0
46,0	28,7	46,4	7 400 *	32,0	48,7	7 800 *	34,4	50,2	8 100 *	46,0
48,0	23,3	42,3	6 900 *	27,3	45,2	7 300 *	29,9	47,0	7 600 *	48,0
50,0	16,3	36,7	6 500 *	21,6	40,8	6 900 *	24,8	43,1	7 100 *	50,0
52,0				13,9	34,6	6 400 *	18,5	38,1	6 700 *	52,0
54,0										54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,9	64,4	13 400 *							32,0
34,0	57,1	63,1	12 600 *							34,0
36,0	54,3	61,8	11 800 *							36,0
38,0	51,3	60,3	11 100 *	53,9	61,0	10 700				38,0
40,0	48,2	58,6	10 400 *	50,9	59,4	9 900				40,0
42,0	45,0	56,7	9 800	47,8	57,7	9 200	50,4	58,4	8 700	42,0
44,0	41,6	54,6	9 100	44,6	55,8	8 600	47,3	56,7	8 100	44,0
46,0	37,9	52,2	8 500	41,1	53,6	8 000	44,0	54,7	7 500	46,0
48,0	33,9	49,4	8 000	37,4	51,2	7 500	40,5	52,5	7 100	48,0
50,0	29,4	46,1	7 500	33,3	48,4	7 000	36,7	50,0	6 600	50,0
52,0	24,2	42,2	7 000	28,8	45,0	6 600	32,6	47,1	6 200	52,0
54,0	17,6	36,9	6 600	23,4	41,0	6 200	27,9	43,7	5 800	54,0
56,0				16,5	35,5	5 800	22,4	39,4	5 400	56,0
58,0							15,1	33,5	5 100	58,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,8	73,0	17 100 *b							16,8
18,0	73,4	72,7	16 500 *b							18,0
20,0	71,1	72,0	15 600 *							20,0
22,0	68,7	71,3	14 700 *							22,0
24,0	66,3	70,5	13 800 *	68,1	70,9	14 500 *				24,0
26,0	63,9	69,6	12 900 *	65,7	70,1	13 600 *	67,0	70,3	14 000 *	26,0
28,0	61,4	68,5	12 100 *	63,2	69,1	12 700 *	64,6	69,4	13 200 *	28,0
30,0	58,9	67,4	11 300 *	60,7	68,0	12 000 *	62,1	68,4	12 400 *	30,0
32,0	56,2	66,1	10 600 *	58,2	66,9	11 200 *	59,6	67,3	11 600 *	32,0
34,0	53,5	64,7	9 900 *	55,5	65,6	10 400 *	57,0	66,1	10 800 *	34,0
36,0	50,7	63,1	9 200 *	52,8	64,1	9 700 *	54,3	64,7	10 100 *	36,0
38,0	47,8	61,4	8 600 *	50,0	62,5	9 100 *	51,5	63,2	9 500 *	38,0
40,0	44,8	59,5	8 000 *	47,0	60,7	8 500 *	48,6	61,5	8 900 *	40,0
42,0	41,5	57,4	7 400 *	43,9	58,8	7 900 *	45,6	59,7	8 200 *	42,0
44,0	38,1	55,0	6 900 *	40,6	56,6	7 300 *	42,4	57,6	7 700 *	44,0
46,0	34,3	52,2	6 400 *	37,1	54,1	6 800 *	39,0	55,3	7 100 *	46,0
48,0	30,2	49,1	5 900 *	33,2	51,2	6 300 *	35,4	52,6	6 600 *	48,0
50,0	25,4	45,3	5 400 *	29,0	47,9	5 800 *	31,3	49,6	6 100 *	50,0
52,0	19,7	40,5	4 900 *	24,0	43,9	5 300 *	26,8	46,0	5 600 *	52,0
54,0	11,4	33,2	4 500 *	17,8	38,7	4 800 *	21,4	41,5	5 000 *	54,0
56,0				7,8	29,8	4 400 *	14,1	35,3	4 600 *	56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	61,8	67,9	12 200 *							32,0
34,0	59,3	66,7	11 400 *							34,0
36,0	56,7	65,5	10 700 *							36,0
38,0	54,0	64,1	10 100 *							38,0
40,0	51,2	62,6	9 400 *	53,6	63,3	9 800				40,0
42,0	48,3	60,9	8 800 *	50,8	61,7	9 100				42,0
44,0	45,2	59,0	8 200 *	47,9	60,0	8 500	50,3	60,7	8 000	44,0
46,0	42,0	56,9	7 600 *	44,8	58,1	7 900	47,4	59,0	7 400	46,0
48,0	38,6	54,5	7 100 *	41,6	56,0	7 400	44,3	57,0	6 900	48,0
50,0	34,9	51,9	6 600 *	38,1	53,6	6 900	41,0	54,9	6 500	50,0
52,0	30,9	48,8	6 100 *	34,4	50,9	6 500	37,5	52,4	6 100	52,0
54,0	26,2	45,1	5 500 *	30,3	47,7	6 000	33,7	49,6	5 700	54,0
56,0	20,7	40,5	5 000 *	25,5	43,9	5 500 *	29,5	46,4	5 300	56,0
58,0				19,8	39,1	5 000 *	24,7	42,5	5 000	58,0
60,0				11,6	32,0	4 500 *	18,7	37,4	4 700	60,0
62,0							9,6	29,5	4 300	62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
9,1	74,3	46,6	49 800 *d							9,1
10,0	71,9	46,3	49 800 *d							10,0
12,0	66,1	45,5	47 600 *c							12,0
14,0	60,1	44,5	42 400 *c	65,1	45,2	42 600 b				14,0
16,0	53,7	43,2	37 500 *b	59,0	44,1	37 100 b	62,8	44,6	36 200 b	16,0
18,0	46,7	41,5	33 200 *b	52,5	42,7	32 900	56,6	43,4	32 000 b	18,0
20,0	38,7	39,4	30 000 *b	45,4	41,0	29 500	49,9	41,9	28 700	20,0
22,0	29,1	36,4	26 600	37,3	38,7	26 200	42,5	40,0	25 500	22,0
24,0	14,7	31,4	22 400 *	27,2	35,6	23 400	33,8	37,4	22 800	24,0
26,0							22,3	33,7	20 600	26,0
28,0										28,0
30,0										30,0
32,0										32,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,1										9,1
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	56,7	42,9	27 400 b							20,0
22,0	50,0	41,4	24 400							22,0
24,0	42,6	39,5	21 800	49,9	40,7	20 900				24,0
26,0	33,9	37,0	19 700	42,5	38,8	18 800	49,6	39,8	17 900	26,0
28,0	22,5	33,3	17 900	33,8	36,3	17 100	42,1	37,9	16 300	28,0
30,0				22,4	32,5	15 600	33,4	35,3	14 900	30,0
32,0							21,7	31,4	13 600	32,0



REFERENCE ONLY

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg




	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
9,8	74,8	49,5	45 400 *d							9,8
10,0	74,2	49,5	45 400 *d							10,0
12,0	69,2	48,8	44 800 *c							12,0
14,0	64,1	47,9	41 200 *c	68,4	48,5	41 700 b				14,0
16,0	58,8	46,9	37 200 *b	63,2	47,6	36 400 b				16,0
18,0	53,1	45,5	33 400 *b	57,8	46,5	32 300	61,2	47,0	31 400 b	18,0
20,0	47,0	43,8	30 000 *b	52,1	45,1	29 000	55,7	45,7	28 200	20,0
22,0	40,1	41,7	27 100	45,9	43,3	26 100	49,8	44,2	25 400	22,0
24,0	32,2	39,0	24 200	38,9	41,1	23 300	43,3	42,3	22 700	24,0
26,0	21,8	35,1	21 700	30,7	38,2	21 000	35,9	39,9	20 500	26,0
28,0				19,6	34,0	19 100	26,9	36,6	18 600	28,0
30,0							13,2	31,2	17 000	30,0
32,0										32,0
34,0										34,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	61,3	46,5	26 900 b							20,0
22,0	55,8	45,2	24 200							22,0
24,0	49,9	43,7	21 700							24,0
26,0	43,4	41,8	19 600	49,8	43,0	18 600				26,0
28,0	36,1	39,4	17 800	43,3	41,1	16 900	49,5	42,1	16 100	28,0
30,0	27,1	36,2	16 200	36,0	38,7	15 500	43,0	40,2	14 700	30,0
32,0	13,5	30,8	14 900	27,0	35,5	14 200	35,6	37,7	13 500	32,0
34,0							26,5	34,4	12 400	34,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
11,0	73,9	52,4	41 000 *d							11,0
12,0	71,6	52,0	40 300 *c							12,0
14,0	67,2	51,3	37 900 *c							14,0
16,0	62,6	50,4	35 700 *b	66,4	51,0	35 800 b				16,0
18,0	57,7	49,2	32 900 b	61,8	50,0	31 700	64,7	50,4	30 900 b	18,0
20,0	52,7	47,8	29 600 b	56,9	48,8	28 400	59,9	49,3	27 700	20,0
22,0	47,2	46,1	26 800	51,8	47,4	25 800	55,0	48,1	25 000	22,0
24,0	41,2	44,1	24 100	46,2	45,6	23 300	49,7	46,5	22 600	24,0
26,0	34,4	41,5	21 800	40,1	43,5	21 000	44,0	44,6	20 400	26,0
28,0	26,1	38,1	19 800	33,1	40,8	19 100	37,6	42,3	18 500	28,0
30,0	13,8	32,5	17 200 *	24,4	37,2	17 500	30,1	39,3	17 000	30,0
32,0				10,5	30,8	16 000	20,2	35,1	15 600	32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	60,0	48,8	23 900							22,0
24,0	55,1	47,6	21 600							24,0
26,0	49,8	46,0	19 500	55,0	46,9	18 600				26,0
28,0	44,1	44,2	17 700	49,7	45,3	16 800				28,0
30,0	37,7	41,8	16 200	44,0	43,5	15 400	49,5	44,4	14 600	30,0
32,0	30,2	38,9	14 800	37,6	41,1	14 100	43,7	42,5	13 400	32,0
34,0	20,4	34,6	13 700	30,1	38,2	13 000	37,3	40,2	12 300	34,0
36,0				20,3	33,9	12 000	29,7	37,1	11 400	36,0
38,0							19,7	32,8	10 600	38,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	74,4	55,4	37 100 *d							11,6
12,0	73,5	55,2	36 600 *c							12,0
14,0	69,6	54,6	34 400 *c							14,0
16,0	65,5	53,7	32 300 *b	68,9	54,2	34 200 *b				16,0
18,0	61,3	52,7	30 500 *b	64,8	53,4	31 200				18,0
20,0	56,9	51,5	28 700 *b	60,6	52,4	27 900	63,2	52,8	27 100	20,0
22,0	52,3	50,1	26 300	56,2	51,1	25 300	58,9	51,7	24 500	22,0
24,0	47,4	48,4	24 000	51,5	49,7	23 100	54,4	50,4	22 400	24,0
26,0	42,0	46,4	21 700	46,5	47,9	20 900	49,6	48,8	20 300	26,0
28,0	36,1	43,9	19 700	41,1	45,8	19 000	44,5	47,0	18 400	28,0
30,0	29,1	40,8	18 000	35,0	43,3	17 300	38,8	44,7	16 800	30,0
32,0	20,0	36,4	16 500	27,7	40,0	15 900	32,4	41,9	15 500	32,0
34,0				18,1	35,3	14 700	24,5	38,2	14 200	34,0
36,0							12,7	32,3	13 100	36,0
38,0										38,0
40,0										40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	59,0	51,2	21 300							24,0
26,0	54,5	49,9	19 300							26,0
28,0	49,7	48,3	17 500	54,4	49,2	16 700				28,0
30,0	44,6	46,5	16 000	49,7	47,6	15 200				30,0
32,0	38,9	44,2	14 700	44,5	45,8	14 000	49,4	46,7	13 200	32,0
34,0	32,5	41,5	13 600	38,9	43,5	12 900	44,3	44,8	12 100	34,0
36,0	24,6	37,8	12 500	32,4	40,7	11 900	38,6	42,6	11 200	36,0
38,0	12,9	31,9	11 600	24,5	37,0	11 000	32,1	39,7	10 400	38,0
40,0							24,1	36,0	9 700	40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
12,2	74,7	58,4	33 700 *c							12,2
14,0	71,5	57,8	32 200 *c							14,0
16,0	67,9	57,1	30 600 *b							16,0
18,0	64,1	56,2	29 100 *b	67,2	56,7	30 400				18,0
20,0	60,2	55,1	27 700 *b	63,5	55,8	27 500	65,8	56,2	26 700	20,0
22,0	56,2	53,9	26 000 *	59,6	54,7	24 900	62,0	55,2	24 200	22,0
24,0	52,0	52,4	23 700	55,5	53,5	22 700	58,1	54,0	22 100	24,0
26,0	47,5	50,7	21 600	51,3	52,0	20 900	53,9	52,7	20 200	26,0
28,0	42,7	48,7	19 700	46,7	50,2	18 900	49,6	51,1	18 400	28,0
30,0	37,4	46,4	18 000	41,8	48,2	17 300	44,9	49,3	16 800	30,0
32,0	31,3	43,4	16 600	36,4	45,7	15 900	39,9	47,1	15 500	32,0
34,0	24,0	39,6	15 200	30,2	42,7	14 700	34,2	44,4	14 200	34,0
36,0	13,2	33,7	13 000 *	22,5	38,6	13 600	27,5	41,1	13 200	36,0
38,0				10,4	31,9	12 600	18,8	36,4	12 200	38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000








55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	58,1	53,5	19 200							26,0
28,0	54,0	52,2	17 500							28,0
30,0	49,6	50,6	16 000	53,9	51,5	15 200				30,0
32,0	45,0	48,8	14 700	49,6	49,9	13 900				32,0
34,0	39,9	46,6	13 500	44,9	48,1	12 900	49,4	49,0	12 200	34,0
36,0	34,3	44,0	12 500	39,9	45,9	11 900	44,7	47,1	11 200	36,0
38,0	27,6	40,6	11 600	34,2	43,2	11 000	39,6	44,9	10 400	38,0
40,0	19,0	36,0	10 800	27,5	39,9	10 200	33,9	42,2	9 700	40,0
42,0				18,8	35,2	9 500	27,2	38,9	9 000	42,0
44,0							18,4	34,1	8 400	44,0

MLC165 S-2


EN 13000




	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7	73,6	61,1	30 000 *c							13,7
14,0	73,1	61,0	29 800 *c							14,0
16,0	69,8	60,3	28 200 *b							16,0
18,0	66,4	59,5	26 800 *b							18,0
20,0	62,9	58,6	25 400 *	65,8	59,2	26 700 *				20,0
22,0	59,4	57,5	24 200 *	62,3	58,2	24 500	64,5	58,6	23 700	22,0
24,0	55,6	56,2	22 900 *	58,7	57,1	22 300	61,0	57,6	21 600	24,0
26,0	51,8	54,7	21 300	55,0	55,8	20 500	57,3	56,4	19 800	26,0
28,0	47,6	53,0	19 600	51,1	54,3	18 800	53,5	55,0	18 300	28,0
30,0	43,3	51,1	17 900	46,9	52,5	17 200	49,5	53,4	16 700	30,0
32,0	38,5	48,8	16 400	42,5	50,5	15 800	45,3	51,6	15 300	32,0
34,0	33,1	46,0	15 200	37,6	48,1	14 600	40,7	49,4	14 100	34,0
36,0	26,8	42,5	14 000	32,1	45,3	13 500	35,6	46,9	13 100	36,0
38,0	18,7	37,7	12 600 *	25,6	41,6	12 500	29,8	43,8	12 100	38,0
40,0				17,0	36,5	11 600	22,7	39,7	11 300	40,0
42,0							12,3	33,4	10 500	42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	61,0	57,1	18 800							26,0
28,0	57,4	55,9	17 300							28,0
30,0	53,6	54,5	15 800							30,0
32,0	49,6	52,9	14 500	53,5	53,8	13 700				32,0
34,0	45,3	51,1	13 400	49,5	52,2	12 700				34,0
36,0	40,7	49,0	12 400	45,3	50,4	11 700	49,4	51,3	11 000	36,0
38,0	35,7	46,4	11 500	40,7	48,2	10 900	45,1	49,4	10 200	38,0
40,0	29,9	43,3	10 700	35,6	45,7	10 100	40,5	47,3	9 500	40,0
42,0	22,8	39,3	10 000	29,8	42,6	9 400	35,4	44,7	8 900	42,0
44,0	12,5	33,0	9 300	22,7	38,5	8 800	29,5	41,6	8 300	44,0
46,0							22,4	37,5	7 700	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,9	64,3	23 200 *c							13,7
14,0	74,4	64,2	23 100 *c							14,0
16,0	71,4	63,6	22 500 *b							16,0
18,0	68,3	62,8	21 900 *b							18,0
20,0	65,2	62,0	21 400 *b	67,8	62,5	22 000 *				20,0
22,0	61,9	61,0	20 700 *	64,6	61,6	21 600 *	66,6	62,0	21 800 *	22,0
24,0	58,6	59,8	19 600 *	61,4	60,6	20 600 *	63,4	61,0	21 200 *	24,0
26,0	55,2	58,5	18 600 *	58,0	59,4	19 600 *	60,1	59,9	19 500 *	26,0
28,0	51,5	57,0	17 700 *	54,6	58,1	18 500 *	56,7	58,7	18 000 *	28,0
30,0	47,8	55,3	16 800 *	50,9	56,6	17 100 *	53,2	57,3	16 600 *	30,0
32,0	43,7	53,4	15 900 *	47,1	54,8	15 700 *	49,5	55,7	15 200 *	32,0
34,0	39,4	51,1	15 100 *	43,0	52,8	14 500 *	45,6	53,9	14 000 *	34,0
36,0	34,5	48,5	13 900 *	38,6	50,5	13 400 *	41,4	51,8	13 000 *	36,0
38,0	29,0	45,2	13 000 *	33,7	47,8	12 400 *	36,8	49,3	12 100 *	38,0
40,0	22,4	41,1	12 000 *	28,0	44,4	11 600 *	31,6	46,4	11 200 *	40,0
42,0	12,8	34,8	10 300 *	21,1	40,1	10 800 *	25,6	42,7	10 500 *	42,0
44,0				10,4	32,9	10 100 *	17,7	37,7	9 800 *	44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	60,2	59,5	17 100							28,0
30,0	56,8	58,2	15 700							30,0
32,0	53,2	56,8	14 400	56,7	57,5	13 600				32,0
34,0	49,5	55,2	13 300	53,2	56,1	12 500				34,0
36,0	45,6	53,4	12 300	49,5	54,5	11 600				36,0
38,0	41,4	51,3	11 400	45,6	52,7	10 700	49,3	53,6	10 100	38,0
40,0	36,8	48,8	10 600	41,4	50,6	10 000	45,4	51,8	9 400	40,0
42,0	31,7	45,9	9 900	36,8	48,1	9 300	41,2	49,6	8 700	42,0
44,0	25,7	42,3	9 200	31,6	45,2	8 700	36,6	47,1	8 100	44,0
46,0	17,9	37,2	8 600	25,6	41,5	8 100	31,4	44,2	7 600	46,0
48,0				17,8	36,5	7 600	25,3	40,5	7 100	48,0
50,0							17,3	35,4	6 600	50,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2	73,8	67,0	21 300 *c							15,2
16,0	72,8	66,8	21 100 *c							16,0
18,0	69,9	66,1	20 600 *b							18,0
20,0	67,0	65,3	20 000 *	69,5	65,8	20 600 *				20,0
22,0	64,1	64,4	18 900 *	66,6	65,0	19 900 *				22,0
24,0	61,1	63,4	17 900 *	63,6	64,0	18 900 *	65,4	64,4	19 500 *	24,0
26,0	58,0	62,2	17 000 *	60,6	63,0	17 900 *	62,4	63,4	18 500 *	26,0
28,0	54,7	60,8	16 100 *	57,4	61,8	17 000 *	59,4	62,3	17 500 *	28,0
30,0	51,4	59,3	15 200 *	54,2	60,4	16 000 *	56,2	61,1	16 300	30,0
32,0	47,8	57,6	14 400 *	50,8	58,9	15 200 *	52,9	59,6	15 100	32,0
34,0	44,1	55,7	13 600 *	47,2	57,1	14 300 *	49,5	58,0	13 900	34,0
36,0	40,1	53,5	12 900 *	43,5	55,2	13 300	45,8	56,2	12 800	36,0
38,0	35,7	50,9	12 200 *	39,4	52,9	12 300	41,9	54,1	11 900	38,0
40,0	30,8	47,9	11 600 *	34,9	50,3	11 500	37,8	51,7	11 100	40,0
42,0	25,1	44,1	11 100	29,9	47,1	10 700	33,1	48,9	10 300	42,0
44,0	17,8	39,0	10 000 *	24,0	43,2	10 000	27,8	45,5	9 600	44,0
46,0				16,2	37,7	9 300	21,4	41,1	9 000	46,0
48,0							12,0	34,5	8 400	48,0
50,0										50,0
52,0										52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	59,4	61,8	15 400							30,0
32,0	56,2	60,6	14 200							32,0
34,0	53,0	59,1	13 100	56,2	59,9	12 400				34,0
36,0	49,5	57,5	12 100	52,9	58,4	11 400				36,0
38,0	45,9	55,7	11 200	49,5	56,8	10 600				38,0
40,0	42,0	53,6	10 400	45,8	55,0	9 800	49,3	55,9	9 200	40,0
42,0	37,8	51,2	9 700	42,0	52,9	9 100	45,7	54,1	8 600	42,0
44,0	33,2	48,4	9 100	37,8	50,5	8 500	41,8	52,0	8 000	44,0
46,0	27,9	45,1	8 500	33,1	47,7	7 900	37,6	49,6	7 400	46,0
48,0	21,5	40,7	8 000	27,8	44,3	7 400	32,9	46,7	6 900	48,0
50,0	12,2	34,1	7 400	21,4	40,0	7 000	27,6	43,3	6 500	50,0
52,0							21,1	38,9	6 100	52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,9	70,2	19 900 *c							15,2
16,0	73,9	69,9	19 700 *c							16,0
18,0	71,3	69,3	19 200 *b							18,0
20,0	68,7	68,6	18 500 *							20,0
22,0	65,9	67,8	17 500 *	68,2	68,3	18 300 *				22,0
24,0	63,2	66,8	16 500 *	65,5	67,4	17 400 *				24,0
26,0	60,3	65,7	15 600 *	62,7	66,4	16 400 *	64,4	66,8	17 000 *	26,0
28,0	57,4	64,5	14 700 *	59,8	65,3	15 600 *	61,6	65,8	16 100 *	28,0
30,0	54,4	63,2	13 900 *	56,9	64,1	14 700 *	58,7	64,7	15 200 *	30,0
32,0	51,2	61,6	13 100 *	53,8	62,7	13 900 *	55,7	63,4	14 400 *	32,0
34,0	47,9	59,9	12 300 *	50,7	61,2	13 100 *	52,6	61,9	13 600 *	34,0
36,0	44,4	58,0	11 600 *	47,3	59,4	12 300 *	49,4	60,3	12 800 *	36,0
38,0	40,7	55,8	11 000 *	43,8	57,5	11 600 *	46,0	58,5	11 900 *	38,0
40,0	36,7	53,4	10 400 *	40,1	55,3	10 900 *	42,4	56,4	11 000 *	40,0
42,0	32,3	50,4	9 800 *	36,0	52,7	10 400 *	38,6	54,1	10 300 *	42,0
44,0	27,3	47,0	9 300 *	31,5	49,7	9 800 *	34,4	51,4	9 600 *	44,0
46,0	21,1	42,5	8 800 *	26,3	46,1	9 300 *	29,6	48,2	9 000 *	46,0
48,0	12,5	35,9	8 200 *	19,9	41,4	8 800 *	24,1	44,2	8 400 *	48,0
50,0				10,3	34,0	8 100 *	16,9	38,9	7 900 *	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	58,8	64,2	14 100							32,0
34,0	55,8	62,9	13 100							34,0
36,0	52,7	61,4	12 100	55,7	62,2	11 400				36,0
38,0	49,5	59,8	11 200	52,7	60,7	10 500				38,0
40,0	46,1	58,0	10 400	49,4	59,1	9 800				40,0
42,0	42,5	56,0	9 700	46,0	57,3	9 100	49,3	58,2	8 500	42,0
44,0	38,6	53,6	9 000	42,5	55,3	8 500	45,9	56,4	7 900	44,0
46,0	34,4	50,9	8 400	38,6	52,9	7 900	42,3	54,3	7 400	46,0
48,0	29,7	47,7	7 900	34,4	50,2	7 400	38,4	51,9	6 900	48,0
50,0	24,2	43,8	7 400	29,7	47,0	6 900	34,2	49,2	6 400	50,0
52,0	17,1	38,5	6 900	24,1	43,1	6 500	29,4	46,0	6 000	52,0
54,0				17,0	37,7	6 100	23,8	42,0	5 700	54,0
56,0							16,6	36,6	5 300	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,1	72,9	18 200 *b							16,8
18,0	72,5	72,5	17 800 *b							18,0
20,0	70,0	71,8	16 900 *							20,0
22,0	67,5	71,1	15 900 *	69,6	71,5	16 700 *				22,0
24,0	65,0	70,2	15 000 *	67,1	70,7	15 800 *				24,0
26,0	62,3	69,2	14 200 *	64,5	69,8	14 900 *	66,1	70,2	15 400 *	26,0
28,0	59,7	68,1	13 300 *	61,9	68,8	14 100 *	63,5	69,2	14 600 *	28,0
30,0	56,9	66,9	12 500 *	59,2	67,7	13 200 *	60,9	68,2	13 700 *	30,0
32,0	54,0	65,5	11 700 *	56,4	66,4	12 400 *	58,1	67,0	12 900 *	32,0
34,0	51,1	63,9	11 000 *	53,5	65,0	11 700 *	55,3	65,7	12 200 *	34,0
36,0	48,0	62,2	10 300 *	50,6	63,5	11 000 *	52,4	64,2	11 400 *	36,0
38,0	44,7	60,3	9 600 *	47,5	61,7	10 200 *	49,4	62,6	10 700 *	38,0
40,0	41,3	58,2	9 000 *	44,2	59,8	9 600 *	46,2	60,8	10 000 *	40,0
42,0	37,6	55,8	8 500 *	40,7	57,6	9 000 *	42,9	58,8	9 400 *	42,0
44,0	33,6	53,0	7 900 *	36,9	55,1	8 400 *	39,3	56,5	8 800 *	44,0
46,0	29,0	49,7	7 500 *	32,8	52,3	7 900 *	35,4	53,9	8 300 *	46,0
48,0	23,7	45,6	7 000 *	28,2	48,9	7 400 *	31,1	50,8	7 700 *	48,0
50,0	17,0	40,3	6 600 *	22,7	44,7	7 000 *	26,2	47,2	7 300 *	50,0
52,0				15,6	38,9	6 600 *	20,3	42,5	6 800 *	52,0
54,0							11,8	35,6	6 400 *	54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	60,9	67,7	13 600 *							32,0
34,0	58,2	66,5	12 900 *							34,0
36,0	55,4	65,2	11 900							36,0
38,0	52,5	63,8	11 000	55,3	64,5	10 300				38,0
40,0	49,4	62,1	10 200	52,4	63,1	9 600				40,0
42,0	46,3	60,3	9 500	49,4	61,4	8 900				42,0
44,0	42,9	58,3	8 900	46,2	59,6	8 300	49,3	60,5	7 800	44,0
46,0	39,4	56,0	8 300	42,9	57,6	7 800	46,1	58,7	7 200	46,0
48,0	35,5	53,4	7 800	39,3	55,3	7 200	42,7	56,6	6 800	48,0
50,0	31,2	50,4	7 300	35,4	52,7	6 800	39,1	54,3	6 300	50,0
52,0	26,3	46,7	6 800	31,2	49,6	6 400	35,3	51,7	5 900	52,0
54,0	20,4	42,1	6 400	26,3	46,0	6 000	31,0	48,6	5 500	54,0
56,0	12,0	35,2	6 000	20,3	41,3	5 600	26,0	44,9	5 100	56,0
58,0							20,0	40,2	4 800	58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	73,3	75,6	16 300 *b							18,3
20,0	71,3	75,1	15 600 *							20,0
22,0	68,9	74,4	14 700 *							22,0
24,0	66,5	73,5	13 800 *	68,5	74,0	14 500 *				24,0
26,0	64,1	72,6	13 000 *	66,1	73,2	13 700 *	67,6	73,5	14 100 *	26,0
28,0	61,6	71,6	12 200 *	63,7	72,3	12 900 *	65,2	72,6	13 300 *	28,0
30,0	59,1	70,4	11 400 *	61,2	71,2	12 100 *	62,7	71,6	12 500 *	30,0
32,0	56,4	69,2	10 700 *	58,6	70,1	11 300 *	60,2	70,6	11 700 *	32,0
34,0	53,7	67,8	10 000 *	56,0	68,8	10 600 *	57,6	69,4	11 000 *	34,0
36,0	51,0	66,2	9 300 *	53,3	67,3	9 900 *	55,0	68,0	10 300 *	36,0
38,0	48,0	64,5	8 600 *	50,5	65,8	9 200 *	52,2	66,5	9 600 *	38,0
40,0	45,0	62,6	8 100 *	47,5	64,0	8 600 *	49,4	64,9	9 000 *	40,0
42,0	41,8	60,5	7 500 *	44,5	62,1	8 000 *	46,4	63,1	8 400 *	42,0
44,0	38,3	58,2	7 000 *	41,2	60,0	7 500 *	43,3	61,1	7 800 *	44,0
46,0	34,6	55,4	6 500 *	37,7	57,5	7 000 *	39,9	58,8	7 300 *	46,0
48,0	30,5	52,3	6 000 *	34,0	54,8	6 400 *	36,3	56,3	6 800 *	48,0
50,0	25,8	48,6	5 400 *	29,8	51,5	5 900 *	32,4	53,4	6 300 *	50,0
52,0	20,2	43,9	4 900 *	25,0	47,7	5 400 *	28,0	49,9	5 700 *	52,0
54,0	12,2	37,0	4 500 *	19,1	42,7	4 900 *	22,9	45,7	5 200 *	54,0
56,0				10,3	35,1	4 500 *	16,3	40,1	4 700 *	56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,8	71,2	12 400 *							32,0
34,0	60,3	70,1	11 700 *							34,0
36,0	57,7	68,9	11 000 *							36,0
38,0	55,0	67,5	10 300 *							38,0
40,0	52,3	66,1	9 600 *	55,0	66,8	9 500				40,0
42,0	49,4	64,4	9 000 *	52,2	65,4	8 800				42,0
44,0	46,4	62,6	8 400 *	49,4	63,7	8 200				44,0
46,0	43,3	60,6	7 900 *	46,4	61,9	7 600	49,3	62,8	7 100	46,0
48,0	40,0	58,4	7 300 *	43,3	59,9	7 100	46,3	61,0	6 600	48,0
50,0	36,4	55,8	6 800 *	39,9	57,7	6 700	43,1	59,0	6 200	50,0
52,0	32,5	52,9	6 300 *	36,4	55,1	6 300	39,8	56,7	5 800	52,0
54,0	28,1	49,5	5 800 *	32,4	52,2	5 800	36,2	54,1	5 400	54,0
56,0	23,0	45,3	5 200 *	28,0	48,8	5 500	32,3	51,2	5 100	56,0
58,0	16,4	39,7	4 700 *	22,9	44,6	5 100	27,8	47,7	4 700	58,0
60,0				16,3	38,9	4 700 *	22,6	43,5	4 400	60,0
62,0							15,9	37,8	4 100	62,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
9,1	74,7	49,6	47 900 *d							9,1
10,0	72,3	49,3	47 900 *d							10,0
12,0	66,6	48,6	47 000 *c							12,0
14,0	60,6	47,6	41 200 *c	66,2	48,3	41 500 c				14,0
16,0	54,2	46,3	35 900 *b	60,2	47,3	36 200 b	64,4	47,8	35 200 c	16,0
18,0	47,3	44,7	32 000 *b	53,8	46,0	32 200	58,3	46,7	31 200 b	18,0
20,0	39,4	42,6	28 900 *b	46,8	44,4	28 900	51,7	45,3	28 000	20,0
22,0	30,0	39,7	26 500 *	38,9	42,2	26 100	44,5	43,5	25 300	22,0
24,0	16,3	35,0	24 000 *	29,3	39,2	23 300	36,2	41,2	22 600	24,0
26,0							25,8	37,8	20 400	26,0
28,0										28,0
30,0										30,0
32,0										32,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,1										9,1
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	59,2	46,3	26 500 b							20,0
22,0	52,7	45,0	23 900 b							22,0
24,0	45,6	43,2	21 500	53,5	44,4	20 400				24,0
26,0	37,5	41,0	19 400	46,5	42,7	18 400				26,0
28,0	27,5	37,8	17 600	38,5	40,5	16 700	47,0	41,9	15 800	28,0
30,0				28,8	37,5	15 200	39,1	39,7	14 400	30,0
32,0				14,0	32,4	13 900	29,6	36,8	13 200	32,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4	73,7	52,4	43 900 *d							10,4
12,0	69,6	51,9	43 900 *c							12,0
14,0	64,5	51,0	40 900 *c	69,3	51,6	40 600 c				14,0
16,0	59,2	50,0	36 200 *b	64,2	50,8	35 500 b				16,0
18,0	53,6	48,6	32 000 *b	58,9	49,7	31 500	62,6	50,2	30 600 b	18,0
20,0	47,5	47,0	28 800 *b	53,2	48,3	28 300	57,2	49,1	27 400	20,0
22,0	40,7	44,9	26 300 *	47,1	46,7	25 600	51,4	47,6	24 800	22,0
24,0	32,9	42,2	24 100	40,3	44,6	23 200	45,1	45,8	22 500	24,0
26,0	22,8	38,5	21 700	32,3	41,8	20 900	38,0	43,6	20 300	26,0
28,0				22,0	37,9	19 000	29,5	40,6	18 400	28,0
30,0							17,8	36,0	16 800	30,0
32,0										32,0
34,0										34,0
36,0										36,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	58,0	48,7	23 500 b							22,0
24,0	52,2	47,3	21 300							24,0
26,0	46,0	45,5	19 200	52,9	46,7	18 200				26,0
28,0	39,1	43,4	17 500	46,8	45,0	16 500				28,0
30,0	30,9	40,5	15 900	39,9	42,9	15 100	47,3	44,2	14 200	30,0
32,0	19,9	36,3	14 600	31,9	40,1	13 800	40,5	42,1	13 100	32,0
34,0				21,4	36,1	12 700	32,6	39,4	12 000	34,0
36,0							22,4	35,6	11 100	36,0




REFERENCE ONLY

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





	87°			83°			80°			
11,0	74,2	55,4	39 700 *d							11,0
12,0	72,0	55,1	39 700 *c							12,0
14,0	67,5	54,4	37 700 *c							14,0
16,0	62,9	53,4	35 500 *b	67,2	54,1	34 900 b				16,0
18,0	58,1	52,3	32 400 *b	62,6	53,2	31 000				18,0
20,0	53,1	50,9	28 900 *b	57,8	52,0	27 800	61,2	52,6	26 900	20,0
22,0	47,6	49,3	26 300 *	52,7	50,6	25 200	56,3	51,4	24 400	22,0
24,0	41,7	47,3	24 000	47,3	49,0	23 000	51,1	49,9	22 200	24,0
26,0	35,0	44,7	21 700	41,3	46,9	20 900	45,5	48,1	20 200	26,0
28,0	26,8	41,4	19 700	34,5	44,3	18 900	39,3	46,0	18 400	28,0
30,0	15,1	36,2	17 500 *	26,2	40,9	17 300	32,2	43,2	16 800	30,0
32,0				14,1	35,5	15 900	23,2	39,4	15 400	32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	57,0	51,0	21 000							24,0
26,0	51,9	49,6	19 100	57,6	50,4	18 100				26,0
28,0	46,4	47,8	17 400	52,5	49,0	16 400				28,0
30,0	40,3	45,7	15 900	47,0	47,3	15 000				30,0
32,0	33,3	43,1	14 600	41,0	45,2	13 700	47,5	46,5	12 900	32,0
34,0	24,7	39,4	13 400	34,2	42,6	12 700	41,5	44,4	11 900	34,0
36,0				25,8	39,2	11 700	34,7	41,9	11 000	36,0
38,0				13,3	33,5	10 800	26,5	38,5	10 200	38,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	74,7	58,4	35 900 *d							11,6
12,0	73,8	58,3	35 900 *c							12,0
14,0	69,9	57,6	34 300 *c							14,0
16,0	65,8	56,8	32 300 *b							16,0
18,0	61,6	55,8	30 500 *b	65,6	56,6	30 400				18,0
20,0	57,3	54,7	28 500 b	61,4	55,6	27 300	64,3	56,0	26 400	20,0
22,0	52,7	53,3	25 800	57,0	54,4	24 700	60,1	55,0	23 900	22,0
24,0	47,8	51,6	23 600	52,4	52,9	22 500	55,6	53,7	21 800	24,0
26,0	42,5	49,6	21 600	47,5	51,3	20 700	50,9	52,2	20 000	26,0
28,0	36,6	47,2	19 700	42,1	49,2	18 900	45,9	50,4	18 200	28,0
30,0	29,7	44,1	18 000	36,2	46,8	17 200	40,4	48,3	16 700	30,0
32,0	20,9	39,9	16 500	29,2	43,7	15 800	34,2	45,7	15 300	32,0
34,0				20,2	39,3	14 500	26,8	42,3	14 100	34,0
36,0							16,6	37,2	13 000	36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	56,3	53,3	18 800							26,0
28,0	51,6	51,9	17 200							28,0
30,0	46,6	50,2	15 700	52,2	51,3	14 800				30,0
32,0	41,2	48,1	14 400	47,2	49,6	13 600	52,5	50,5	12 700	32,0
34,0	35,1	45,5	13 300	41,9	47,6	12 500	47,6	48,8	11 700	34,0
36,0	27,9	42,3	12 300	35,9	45,1	11 600	42,3	46,8	10 800	36,0
38,0	18,4	37,6	11 400	28,8	41,9	10 700	36,4	44,3	10 000	38,0
40,0				19,7	37,5	9 900	29,4	41,3	9 300	40,0
42,0							20,5	37,0	8 700	42,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	72,3	61,0	32 100 *c							13,7
14,0	71,8	60,9	31 900 *c							14,0
16,0	68,1	60,1	30 400 *b							16,0
18,0	64,4	59,3	28 900 *b	67,9	59,9	29 800				18,0
20,0	60,6	58,2	27 600 *b	64,2	59,0	26 900	66,8	59,4	26 000	20,0
22,0	56,5	57,0	25 500	60,3	57,9	24 300	63,0	58,4	23 500	22,0
24,0	52,3	55,6	23 300	56,3	56,7	22 200	59,1	57,3	21 500	24,0
26,0	47,9	53,9	21 400	52,1	55,3	20 400	55,0	56,0	19 700	26,0
28,0	43,1	51,9	19 700	47,6	53,6	18 800	50,7	54,5	18 200	28,0
30,0	37,8	49,6	18 000	42,8	51,6	17 200	46,2	52,8	16 700	30,0
32,0	31,8	46,7	16 500	37,5	49,2	15 800	41,2	50,7	15 300	32,0
34,0	24,6	43,0	15 200	31,4	46,3	14 600	35,7	48,1	14 100	34,0
36,0	14,3	37,3	13 700 *	24,1	42,5	13 500	29,4	45,0	13 100	36,0
38,0				13,4	36,6	12 500	21,4	40,8	12 100	38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,7	56,9	18 600							26,0
28,0	55,6	55,7	17 100							28,0
30,0	51,4	54,2	15 700							30,0
32,0	46,9	52,5	14 400	51,9	53,6	13 600				32,0
34,0	42,0	50,4	13 300	47,4	51,9	12 500				34,0
36,0	36,6	48,0	12 300	42,5	49,9	11 500	47,7	51,1	10 800	36,0
38,0	30,4	44,9	11 400	37,2	47,5	10 700	42,9	49,1	10 000	38,0
40,0	22,7	40,9	10 600	31,1	44,6	10 000	37,6	46,8	9 300	40,0
42,0				23,7	40,7	9 300	31,6	43,9	8 700	42,0
44,0				12,8	34,6	8 600	24,3	40,1	8 100	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	73,8	64,1	29 700 *c							13,7
14,0	73,3	64,1	29 500 *c							14,0
16,0	70,0	63,4	28 000 *b							16,0
18,0	66,7	62,6	26 600 *b							18,0
20,0	63,2	61,7	25 300 *b	66,5	62,3	26 400				20,0
22,0	59,6	60,6	24 100 *	63,0	61,4	23 900	65,4	61,8	23 100	22,0
24,0	55,9	59,3	22 800	59,4	60,3	21 800	61,9	60,8	21 100	24,0
26,0	52,1	57,9	21 000	55,7	59,0	20 100	58,3	59,7	19 300	26,0
28,0	48,0	56,2	19 400	51,8	57,6	18 500	54,5	58,4	17 800	28,0
30,0	43,6	54,2	17 900	47,7	55,9	17 100	50,6	56,8	16 500	30,0
32,0	38,9	52,0	16 400	43,3	53,9	15 700	46,4	55,1	15 100	32,0
34,0	33,6	49,2	15 100	38,5	51,6	14 500	41,9	53,0	14 000	34,0
36,0	27,4	45,8	14 000	33,2	48,8	13 400	37,0	50,6	12 900	36,0
38,0	19,5	41,2	12 800 *	26,9	45,4	12 400	31,4	47,6	12 000	38,0
40,0				18,9	40,6	11 500	24,8	43,9	11 100	40,0
42,0							15,7	38,4	10 400	42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	62,4	60,4	18 200							26,0
28,0	58,8	59,3	16 800							28,0
30,0	55,1	58,0	15 500							30,0
32,0	51,2	56,5	14 200	55,5	57,4	13 400				32,0
34,0	47,0	54,8	13 100	51,6	55,9	12 300				34,0
36,0	42,6	52,7	12 100	47,5	54,2	11 400				36,0
38,0	37,7	50,4	11 300	43,1	52,2	10 600	47,8	53,4	9 800	38,0
40,0	32,3	47,5	10 500	38,3	49,9	9 800	43,5	51,4	9 100	40,0
42,0	25,8	43,9	9 800	32,9	47,1	9 100	38,7	49,1	8 500	42,0
44,0	17,3	38,8	9 100	26,6	43,6	8 500	33,4	46,4	7 900	44,0
46,0				18,4	38,8	7 900	27,1	43,0	7 400	46,0
48,0							19,2	38,3	6 900	48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2	72,8	66,9	22 400 *c							15,2
16,0	71,6	66,6	22 200 *c							16,0
18,0	68,6	65,9	21 600 *b							18,0
20,0	65,4	65,1	21 100 *b	68,4	65,6	21 800 *				20,0
22,0	62,2	64,1	20 600 *	65,2	64,8	21 400 *				22,0
24,0	58,9	62,9	19 600 *	62,0	63,8	20 700 *	64,2	64,3	20 600	24,0
26,0	55,4	61,6	18 600 *	58,7	62,7	19 700 *	61,0	63,2	19 000	26,0
28,0	51,8	60,2	17 700 *	55,2	61,3	18 200	57,6	62,0	17 500	28,0
30,0	48,1	58,5	16 800 *	51,6	59,9	16 800	54,1	60,7	16 200	30,0
32,0	44,0	56,6	16 000 *	47,8	58,2	15 600	50,5	59,1	15 100	32,0
34,0	39,7	54,3	15 100	43,8	56,2	14 400	46,6	57,4	13 900	34,0
36,0	34,9	51,7	14 000	39,4	54,0	13 300	42,5	55,3	12 800	36,0
38,0	29,5	48,5	12 900	34,6	51,3	12 300	38,0	53,0	11 900	38,0
40,0	23,0	44,5	12 000	29,1	48,1	11 500	33,0	50,2	11 100	40,0
42,0	13,8	38,5	10 800 *	22,5	44,0	10 700	27,3	46,7	10 300	42,0
44,0				13,0	37,7	10 000	20,1	42,2	9 600	44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,5	62,8	16 500							28,0
30,0	58,1	61,6	15 200							30,0
32,0	54,6	60,3	14 100							32,0
34,0	51,0	58,8	13 000	55,0	59,7	12 200				34,0
36,0	47,2	57,1	12 000	51,4	58,2	11 300				36,0
38,0	43,1	55,1	11 200	47,6	56,5	10 400				38,0
40,0	38,7	52,8	10 400	43,6	54,5	9 700	47,9	55,7	9 000	40,0
42,0	33,8	50,0	9 700	39,2	52,3	9 000	43,9	53,8	8 400	42,0
44,0	28,2	46,7	9 000	34,4	49,6	8 400	39,6	51,5	7 800	44,0
46,0	21,3	42,4	8 400	28,9	46,4	7 900	34,8	48,9	7 300	46,0
48,0				22,1	42,2	7 300	29,3	45,7	6 800	48,0
50,0				12,4	35,7	6 900	22,7	41,6	6 400	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,1	70,0	21 000 *c							15,2
16,0	73,0	69,8	20 700 *c							16,0
18,0	70,2	69,2	20 200 *b							18,0
20,0	67,3	68,4	19 800 *b	70,0	68,9	20 300 *				20,0
22,0	64,3	67,5	19 000 *	67,1	68,1	19 900 *				22,0
24,0	61,3	66,5	17 900 *	64,1	67,2	19 000 *	66,2	67,6	19 500 *	24,0
26,0	58,2	65,3	17 000 *	61,1	66,2	18 000 *	63,2	66,7	18 600 *	26,0
28,0	55,0	64,0	16 100 *	58,0	65,0	17 100 *	60,2	65,6	17 200 *	28,0
30,0	51,6	62,5	15 200 *	54,8	63,7	16 200 *	57,0	64,4	15 900 *	30,0
32,0	48,1	60,8	14 500 *	51,4	62,2	15 300 *	53,8	63,0	14 800 *	32,0
34,0	44,4	58,9	13 700 *	47,9	60,5	14 200 *	50,4	61,4	13 700 *	34,0
36,0	40,4	56,7	13 000 *	44,2	58,5	13 200 *	46,8	59,7	12 700 *	36,0
38,0	36,1	54,2	12 300 *	40,2	56,3	12 200 *	43,0	57,7	11 700 *	38,0
40,0	31,2	51,2	11 700 *	35,8	53,8	11 400 *	38,9	55,4	10 900 *	40,0
42,0	25,6	47,5	11 100 *	30,9	50,7	10 600 *	34,4	52,7	10 200 *	42,0
44,0	18,4	42,5	10 100 *	25,2	47,0	9 900 *	29,3	49,4	9 500 *	44,0
46,0				17,9	41,9	9 300 *	23,2	45,4	8 900 *	46,0
48,0							15,0	39,6	8 300 *	48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,6	65,2	14 900							30,0
32,0	57,5	64,0	13 800							32,0
34,0	54,3	62,6	12 900							34,0
36,0	50,9	61,1	11 900	54,6	62,0	11 100				36,0
38,0	47,3	59,4	11 000	51,3	60,5	10 200				38,0
40,0	43,5	57,4	10 200	47,7	58,8	9 500	51,5	59,7	8 800	40,0
42,0	39,5	55,1	9 500	44,0	56,9	8 800	48,0	58,0	8 200	42,0
44,0	35,1	52,5	8 900	40,0	54,6	8 300	44,3	56,1	7 600	44,0
46,0	30,1	49,4	8 300	35,6	52,1	7 700	40,3	53,9	7 100	46,0
48,0	24,2	45,5	7 800	30,7	49,0	7 200	35,9	51,3	6 600	48,0
50,0	16,4	40,1	7 300	24,9	45,2	6 700	31,1	48,3	6 200	50,0
52,0				17,5	40,1	6 300	25,4	44,6	5 800	52,0
54,0							18,2	39,6	5 400	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,2	72,8	19 200 *b							16,8
18,0	71,5	72,4	19 000 *b							18,0
20,0	68,9	71,7	18 400 *b							20,0
22,0	66,2	70,8	17 400 *	68,7	71,4	18 300 *				22,0
24,0	63,4	69,9	16 500 *	66,0	70,6	17 400 *				24,0
26,0	60,5	68,8	15 600 *	63,2	69,6	16 500 *	65,1	70,0	17 100 *	26,0
28,0	57,6	67,6	14 700 *	60,4	68,5	15 700 *	62,4	69,1	16 300 *	28,0
30,0	54,6	66,3	13 900 *	57,4	67,3	14 800 *	59,5	68,0	15 400 *	30,0
32,0	51,5	64,8	13 200 *	54,4	66,0	14 000 *	56,5	66,7	14 600 *	32,0
34,0	48,2	63,1	12 400 *	51,3	64,5	13 200 *	53,5	65,3	13 600 *	34,0
36,0	44,7	61,2	11 700 *	48,0	62,8	12 500 *	50,3	63,7	12 600 *	36,0
38,0	41,0	59,0	11 100 *	44,5	60,9	11 700 *	46,9	62,0	11 700 *	38,0
40,0	37,1	56,6	10 400 *	40,8	58,7	11 100 *	43,4	60,0	10 900 *	40,0
42,0	32,7	53,7	9 900 *	36,8	56,2	10 500 *	39,6	57,7	10 200 *	42,0
44,0	27,7	50,3	9 300 *	32,4	53,3	9 900 *	35,5	55,1	9 500 *	44,0
46,0	21,7	45,9	8 900 *	27,4	49,8	9 300 *	30,9	52,1	8 900 *	46,0
48,0	13,4	39,6	8 400 *	21,3	45,4	8 700 *	25,6	48,4	8 300 *	48,0
50,0				12,7	38,8	8 100 *	19,1	43,5	7 800 *	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,9	67,5	13 700							32,0
34,0	57,0	66,3	12 700							34,0
36,0	53,9	64,9	11 800							36,0
38,0	50,7	63,4	11 000	54,3	64,3	10 200				38,0
40,0	47,4	61,7	10 100	51,1	62,8	9 500				40,0
42,0	43,9	59,7	9 500	47,8	61,1	8 800	51,4	62,0	8 100	42,0
44,0	40,2	57,5	8 900	44,3	59,2	8 200	48,1	60,3	7 600	44,0
46,0	36,1	54,9	8 300	40,6	57,0	7 600	44,6	58,4	7 000	46,0
48,0	31,6	52,0	7 700	36,6	54,5	7 200	40,9	56,2	6 600	48,0
50,0	26,5	48,4	7 200	32,2	51,6	6 700	36,9	53,7	6 200	50,0
52,0	20,1	43,7	6 800	27,1	48,1	6 300	32,5	50,9	5 800	52,0
54,0				20,9	43,6	5 900	27,5	47,4	5 400	54,0
56,0				12,1	36,8	5 500	21,5	43,0	5 000	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,2	75,9	17 900 *b							16,8
18,0	72,7	75,6	17 600 *b							18,0
20,0	70,2	74,9	16 800 *							20,0
22,0	67,7	74,1	15 900 *	70,1	74,7	16 800 *				22,0
24,0	65,2	73,3	15 000 *	67,6	73,9	15 900 *				24,0
26,0	62,5	72,3	14 200 *	65,0	73,0	15 000 *	66,8	73,4	15 500 *	26,0
28,0	59,9	71,2	13 300 *	62,4	72,0	14 200 *	64,2	72,5	14 700 *	28,0
30,0	57,1	70,0	12 500 *	59,7	70,9	13 300 *	61,6	71,5	13 900 *	30,0
32,0	54,3	68,6	11 700 *	56,9	69,7	12 600 *	58,9	70,3	13 100 *	32,0
34,0	51,3	67,1	11 000 *	54,1	68,3	11 800 *	56,1	69,0	12 300 *	34,0
36,0	48,2	65,4	10 400 *	51,1	66,8	11 100 *	53,2	67,6	11 600 *	36,0
38,0	45,0	63,5	9 700 *	48,0	65,1	10 400 *	50,2	66,0	10 900 *	38,0
40,0	41,6	61,4	9 100 *	44,8	63,2	9 800 *	47,1	64,3	10 300 *	40,0
42,0	37,9	59,0	8 500 *	41,4	61,0	9 100 *	43,8	62,3	9 600 *	42,0
44,0	33,9	56,2	8 000 *	37,7	58,6	8 500 *	40,3	60,1	9 000 *	44,0
46,0	29,4	53,0	7 500 *	33,6	55,8	8 000 *	36,5	57,6	8 400 *	46,0
48,0	24,2	49,0	7 100 *	29,1	52,5	7 600 *	32,3	54,6	7 900 *	48,0
50,0	17,6	43,8	6 600 *	23,8	48,5	7 100 *	27,6	51,2	7 400 *	50,0
52,0				17,1	43,2	6 700 *	22,0	46,8	7 000 *	52,0
54,0							14,5	40,8	6 500 *	54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,0	71,0	13 300							32,0
34,0	59,3	69,9	12 400							34,0
36,0	56,5	68,7	11 500							36,0
38,0	53,6	67,3	10 800							38,0
40,0	50,6	65,7	10 000	53,9	66,7	9 300				40,0
42,0	47,5	64,0	9 300	51,0	65,1	8 600				42,0
44,0	44,3	62,0	8 700	47,9	63,4	8 000				44,0
46,0	40,8	59,8	8 100	44,6	61,5	7 500	48,1	62,6	6 900	46,0
48,0	37,0	57,4	7 600	41,2	59,3	7 000	44,9	60,7	6 400	48,0
50,0	32,9	54,5	7 100	37,5	56,9	6 500	41,5	58,6	6 000	50,0
52,0	28,3	51,1	6 700	33,4	54,1	6 100	37,8	56,1	5 600	52,0
54,0	22,9	47,0	6 300	28,9	50,8	5 700	33,8	53,4	5 200	54,0
56,0	15,8	41,3	5 800	23,6	46,7	5 400	29,3	50,1	4 900	56,0
58,0				16,7	41,3	5 000	24,0	46,1	4 600	58,0
60,0							17,4	40,8	4 300	60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
18,3	73,4	78,7	16 200 *b							18,3
20,0	71,5	78,1	15 500 *b							20,0
22,0	69,1	77,4	14 600 *							22,0
24,0	66,7	76,6	13 800 *	69,0	77,2	14 600 *				24,0
26,0	64,3	75,7	13 000 *	66,6	76,3	13 800 *				26,0
28,0	61,8	74,7	12 200 *	64,1	75,4	13 000 *	65,8	75,8	13 400 *	28,0
30,0	59,3	73,6	11 400 *	61,6	74,4	12 200 *	63,4	74,9	12 700 *	30,0
32,0	56,7	72,3	10 700 *	59,1	73,3	11 400 *	60,9	73,8	12 000 *	32,0
34,0	54,0	70,9	10 000 *	56,5	72,0	10 700 *	58,3	72,7	11 200 *	34,0
36,0	51,2	69,4	9 300 *	53,8	70,6	10 000 *	55,7	71,4	10 500 *	36,0
38,0	48,3	67,7	8 700 *	51,0	69,1	9 400 *	53,0	69,9	9 800 *	38,0
40,0	45,2	65,8	8 100 *	48,1	67,4	8 700 *	50,1	68,3	9 200 *	40,0
42,0	42,0	63,7	7 600 *	45,0	65,5	8 200 *	47,2	66,6	8 600 *	42,0
44,0	38,6	61,4	7 000 *	41,8	63,4	7 600 *	44,1	64,6	8 000 *	44,0
46,0	34,9	58,7	6 600 *	38,4	61,0	7 000 *	40,8	62,4	7 400 *	46,0
48,0	30,9	55,6	6 100 *	34,7	58,3	6 600 *	37,3	60,0	6 900 *	48,0
50,0	26,2	51,9	5 500 *	30,6	55,2	6 000 *	33,5	57,2	6 500 *	50,0
52,0	20,7	47,3	5 000 *	25,9	51,4	5 500 *	29,2	53,9	5 900 *	52,0
54,0	13,0	40,7	4 500 *	20,3	46,8	5 000 *	24,3	49,9	5 400 *	54,0
56,0				12,4	39,9	4 500 *	18,2	44,8	4 800 *	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	61,2	73,4	11 900 *							34,0
36,0	58,7	72,3	11 300 *							36,0
38,0	56,1	71,0	10 600							38,0
40,0	53,4	69,6	9 900	56,4	70,4	9 100				40,0
42,0	50,5	68,0	9 200	53,7	69,0	8 500				42,0
44,0	47,6	66,3	8 600	50,9	67,4	7 900				44,0
46,0	44,5	64,3	8 000	48,0	65,7	7 400	51,1	66,6	6 700	46,0
48,0	41,3	62,2	7 500	44,9	63,8	6 900	48,2	64,9	6 300	48,0
50,0	37,8	59,8	7 000	41,7	61,7	6 400	45,1	63,0	5 900	50,0
52,0	34,1	57,0	6 500	38,2	59,3	6 000	41,9	60,9	5 400	52,0
54,0	29,9	53,8	6 000 *	34,5	56,6	5 600	38,5	58,5	5 100	54,0
56,0	25,1	50,0	5 500 *	30,4	53,4	5 200	34,8	55,8	4 800	56,0
58,0	19,2	45,0	4 900 *	25,7	49,7	4 900	30,7	52,7	4 400	58,0
60,0				20,0	44,9	4 600	26,1	49,0	4 100	60,0
62,0				11,9	37,9	4 300	20,5	44,4	3 900	62,0
64,0							12,7	37,7	3 600	64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
9,8	73,4	52,5	46 200 *d							9,8
10,0	72,8	52,4	46 200 *d							10,0
12,0	67,0	51,6	46 200 *c							12,0
14,0	61,1	50,7	40 600 *c	67,3	51,5	40 400 c				14,0
16,0	54,7	49,4	35 500 *b	61,3	50,5	35 300 b				16,0
18,0	47,8	47,8	31 700 *b	55,0	49,2	31 400 b	59,9	50,0	30 300 b	18,0
20,0	40,1	45,7	28 700 *b	48,1	47,7	28 200	53,5	48,7	27 200 b	20,0
22,0	30,8	42,9	26 400 *	40,4	45,6	25 600	46,5	47,0	24 700	22,0
24,0	17,7	38,5	24 100	31,2	42,8	23 200	38,5	44,8	22 400	24,0
26,0							28,8	41,8	20 200	26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg




	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0	61,6	49,6	25 600 b							20,0
22,0	55,3	48,4	23 200 b							22,0
24,0	48,4	46,8	21 100							24,0
26,0	40,8	44,8	19 000	50,1	46,4	17 900				26,0
28,0	31,7	42,1	17 300	42,7	44,5	16 200				28,0
30,0	19,1	37,9	15 800	34,0	42,0	14 800	44,2	43,9	13 900	30,0
32,0				22,7	38,3	13 600	35,9	41,5	12 700	32,0
34,0							25,3	38,1	11 700	34,0



REFERENCE ONLY

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	74,1	55,5	42 300 *d							10,4
12,0	70,0	54,9	42 300 *c							12,0
14,0	64,9	54,1	41 200 *c	70,2	54,7	39 500 c				14,0
16,0	59,6	53,0	35 600 *b	65,2	53,9	34 600 b				16,0
18,0	54,0	51,7	31 600 *b	59,9	52,9	30 700 b	64,0	53,4	29 700 b	18,0
20,0	48,0	50,1	28 600 *b	54,3	51,6	27 600	58,6	52,3	26 600 b	20,0
22,0	41,3	48,1	26 100 *	48,2	50,0	25 000	52,9	51,0	24 100	22,0
24,0	33,5	45,5	24 000	41,6	47,9	22 900	46,8	49,3	22 000	24,0
26,0	23,7	41,8	21 700	33,9	45,4	20 800	39,9	47,2	20 100	26,0
28,0				24,2	41,8	18 900	31,9	44,4	18 200	28,0
30,0							21,4	40,4	16 600	30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	60,1	52,0	22 700 b							22,0
24,0	54,5	50,7	20 700							24,0
26,0	48,5	49,1	18 900	55,9	50,2	17 700				26,0
28,0	41,9	47,2	17 200	50,0	48,7	16 100				28,0
30,0	34,2	44,6	15 700	43,5	46,8	14 700				30,0
32,0	24,7	41,1	14 400	36,2	44,4	13 500	44,9	46,2	12 600	32,0
34,0				27,2	41,2	12 400	37,7	43,9	11 600	34,0
36,0				13,8	35,9	11 400	29,2	40,9	10 700	36,0
38,0							17,3	36,2	9 800	38,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,0	74,6	58,5	38 400 *d							11,0
12,0	72,3	58,1	38 300 *c							12,0
14,0	67,9	57,4	37 500 *c							14,0
16,0	63,3	56,5	35 200 *c	68,1	57,2	34 000 b				16,0
18,0	58,5	55,4	31 800 b	63,5	56,3	30 200 b				18,0
20,0	53,5	54,0	28 500 b	58,7	55,2	27 200	62,4	55,8	26 200 b	20,0
22,0	48,1	52,4	25 900	53,7	53,9	24 600	57,6	54,7	23 700	22,0
24,0	42,2	50,4	23 700	48,3	52,3	22 500	52,5	53,3	21 700	24,0
26,0	35,5	47,9	21 700	42,4	50,3	20 700	47,0	51,6	19 900	26,0
28,0	27,5	44,7	19 700	35,8	47,8	18 900	41,0	49,5	18 200	28,0
30,0	16,3	39,7	18 000	27,9	44,6	17 200	34,2	46,9	16 600	30,0
32,0				16,9	39,8	15 800	25,8	43,4	15 200	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	58,9	54,4	20 300							24,0
26,0	53,9	53,1	18 600							26,0
28,0	48,6	51,4	17 100	55,1	52,5	16 000				28,0
30,0	42,7	49,5	15 600	49,9	51,0	14 600				30,0
32,0	36,1	47,1	14 300	44,2	49,1	13 400	50,9	50,3	12 400	32,0
34,0	28,3	43,9	13 200	37,8	46,8	12 300	45,3	48,5	11 400	34,0
36,0	17,5	39,2	12 200	30,3	43,9	11 400	39,1	46,3	10 600	36,0
38,0				20,6	39,7	10 500	31,9	43,5	9 800	38,0
40,0							22,8	39,6	9 100	40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	75,0	61,4	34 800 *d							11,6
12,0	74,1	61,3	34 800 *c							12,0
14,0	70,2	60,7	34 100 *c							14,0
16,0	66,1	59,9	32 100 *c							16,0
18,0	62,0	58,9	30 400 *b	66,3	59,7	29 700 b				18,0
20,0	57,6	57,7	28 000 b	62,1	58,7	26 600	65,4	59,2	25 700 b	20,0
22,0	53,0	56,4	25 400	57,8	57,6	24 100	61,2	58,2	23 200	22,0
24,0	48,2	54,7	23 200	53,2	56,2	22 000	56,8	57,0	21 200	24,0
26,0	42,9	52,8	21 400	48,4	54,6	20 200	52,2	55,6	19 500	26,0
28,0	37,1	50,4	19 700	43,1	52,6	18 700	47,2	53,9	17 900	28,0
30,0	30,3	47,4	18 000	37,3	50,2	17 100	41,9	51,8	16 500	30,0
32,0	21,7	43,3	16 500	30,6	47,3	15 700	35,9	49,4	15 100	32,0
34,0				22,1	43,2	14 500	28,8	46,2	13 900	34,0
36,0							19,7	41,8	12 900	36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	58,0	56,7	18 200							26,0
28,0	53,4	55,4	16 800							28,0
30,0	48,6	53,7	15 400	54,5	54,9	14 400				30,0
32,0	43,4	51,8	14 100	49,8	53,3	13 200				32,0
34,0	37,6	49,5	13 000	44,7	51,5	12 100	50,8	52,6	11 300	34,0
36,0	30,9	46,5	12 100	39,0	49,2	11 200	45,7	50,8	10 400	36,0
38,0	22,5	42,6	11 200	32,6	46,5	10 400	40,2	48,6	9 600	38,0
40,0				24,8	42,8	9 700	34,0	46,0	8 900	40,0
42,0				13,2	37,0	8 900	26,5	42,6	8 300	42,0
44,0							16,1	37,4	7 700	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
13,7	72,6	64,0	31 700 *c							13,7
14,0	72,1	63,9	31 500 *c							14,0
16,0	68,4	63,2	30 100 *c							16,0
18,0	64,7	62,3	28 800 *b	68,6	63,0	29 200 b				18,0
20,0	60,9	61,3	27 400 *b	64,9	62,1	26 200				20,0
22,0	56,9	60,1	25 100	61,0	61,1	23 800	64,0	61,6	23 000	22,0
24,0	52,7	58,7	22 900	57,0	59,9	21 800	60,1	60,6	20 900	24,0
26,0	48,2	57,0	21 100	52,9	58,5	20 000	56,1	59,3	19 200	26,0
28,0	43,5	55,1	19 500	48,4	56,9	18 500	51,9	57,9	17 700	28,0
30,0	38,3	52,8	18 000	43,7	54,9	17 100	47,4	56,2	16 400	30,0
32,0	32,3	49,9	16 500	38,5	52,6	15 700	42,6	54,2	15 100	32,0
34,0	25,2	46,3	15 200	32,6	49,8	14 500	37,2	51,8	13 900	34,0
36,0	15,4	40,9	14 000 *	25,6	46,2	13 400	31,1	48,8	12 900	36,0
38,0				15,9	41,0	12 400	23,7	45,0	12 000	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	61,2	60,3	18 000							26,0
28,0	57,2	59,1	16 600							28,0
30,0	53,0	57,7	15 300							30,0
32,0	48,6	56,0	14 100	54,1	57,2	13 200				32,0
34,0	43,9	54,1	13 000	49,7	55,6	12 100				34,0
36,0	38,7	51,9	12 100	45,1	53,8	11 200	50,6	54,9	10 400	36,0
38,0	32,9	49,1	11 200	40,0	51,6	10 400	46,0	53,1	9 600	38,0
40,0	25,9	45,5	10 400	34,4	49,0	9 700	41,1	51,0	8 900	40,0
42,0	16,4	40,4	9 700	27,7	45,6	9 000	35,5	48,5	8 300	42,0
44,0				19,1	41,0	8 400	29,1	45,3	7 700	44,0
46,0							21,1	41,0	7 200	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
13,7	74,1	67,2	29 000 *c							13,7
14,0	73,6	67,1	28 900 *c							14,0
16,0	70,3	66,4	27 900 *c							16,0
18,0	66,9	65,7	26 500 *b							18,0
20,0	63,5	64,7	25 200 *b	67,1	65,5	25 800				20,0
22,0	59,9	63,7	24 000 *	63,6	64,5	23 300	66,3	65,0	22 500	22,0
24,0	56,2	62,4	22 500	60,1	63,5	21 300	62,8	64,0	20 500	24,0
26,0	52,4	61,0	20 600	56,4	62,2	19 600	59,3	62,9	18 800	26,0
28,0	48,3	59,3	19 100	52,5	60,8	18 100	55,5	61,7	17 400	28,0
30,0	44,0	57,4	17 700	48,5	59,2	16 800	51,6	60,2	16 100	30,0
32,0	39,2	55,1	16 400	44,1	57,2	15 600	47,5	58,5	15 000	32,0
34,0	34,0	52,5	15 100	39,4	55,0	14 400	43,1	56,5	13 800	34,0
36,0	27,9	49,1	14 000	34,2	52,3	13 300	38,3	54,2	12 800	36,0
38,0	20,2	44,6	12 800 *	28,2	49,0	12 300	32,9	51,4	11 800	38,0
40,0				20,6	44,6	11 500	26,6	47,9	11 000	40,0
42,0							18,4	43,1	10 300	42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	60,2	62,6	16 200							28,0
30,0	56,6	61,4	15 000							30,0
32,0	52,7	60,0	13 900	57,5	60,9	12 900				32,0
34,0	48,7	58,3	12 900	53,7	59,5	11 900				34,0
36,0	44,3	56,4	11 900	49,7	57,9	11 000				36,0
38,0	39,7	54,2	11 000	45,4	56,1	10 200				38,0
40,0	34,5	51,6	10 200	40,8	53,9	9 500	46,3	55,4	8 700	40,0
42,0	28,5	48,3	9 600	35,8	51,4	8 800	41,8	53,3	8 100	42,0
44,0	21,0	44,0	8 900	30,0	48,3	8 200	36,8	50,9	7 500	44,0
46,0				23,0	44,3	7 700	31,2	47,9	7 100	46,0
48,0				12,7	38,1	7 100	24,5	44,1	6 600	48,0
50,0							15,3	38,6	6 100	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	73,0	69,9	22 000 *c							15,2
16,0	71,9	69,7	21 800 *c							16,0
18,0	68,8	68,9	21 300 *b							18,0
20,0	65,7	68,1	20 800 *b	68,9	68,7	21 500 *				20,0
22,0	62,5	67,1	20 400 *	65,8	67,9	21 100 *				22,0
24,0	59,1	66,0	19 600 *	62,6	66,9	20 700 *	65,1	67,4	20 100	24,0
26,0	55,7	64,7	18 600 *	59,3	65,8	19 200	61,8	66,4	18 500	26,0
28,0	52,1	63,3	17 700 *	55,8	64,6	17 800	58,5	65,3	17 100	28,0
30,0	48,4	61,6	16 900 *	52,3	63,1	16 500	55,1	64,0	15 800	30,0
32,0	44,4	59,7	16 100 *	48,5	61,5	15 300	51,4	62,5	14 700	32,0
34,0	40,1	57,5	15 100	44,5	59,6	14 300	47,6	60,8	13 700	34,0
36,0	35,3	54,9	13 900	40,2	57,4	13 200	43,6	58,8	12 700	36,0
38,0	30,0	51,8	12 900	35,5	54,8	12 200	39,2	56,6	11 700	38,0
40,0	23,5	47,8	12 000	30,2	51,7	11 400	34,4	53,9	10 900	40,0
42,0	14,7	42,1	10 900 *	23,8	47,8	10 600	28,9	50,6	10 200	42,0
44,0				15,2	42,1	9 900	22,2	46,5	9 500	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0

MLC165 S-2

EN 13000








55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	59,4	65,0	14 700							30,0
32,0	56,0	63,7	13 700							32,0
34,0	52,4	62,3	12 700	56,8	63,2	11 800				34,0
36,0	48,7	60,6	11 800	53,3	61,8	10 900				36,0
38,0	44,7	58,8	10 900	49,6	60,2	10 100				38,0
40,0	40,4	56,6	10 200	45,7	58,4	9 300	50,4	59,5	8 600	40,0
42,0	35,8	54,0	9 500	41,5	56,3	8 700	46,5	57,7	8 000	42,0
44,0	30,5	51,0	8 800	36,9	53,8	8 100	42,4	55,7	7 400	44,0
46,0	24,2	47,1	8 200	31,8	50,9	7 600	37,9	53,3	6 900	46,0
48,0	15,6	41,6	7 700	25,8	47,3	7 100	32,9	50,5	6 500	48,0
50,0				18,0	42,3	6 600	27,1	47,0	6 000	50,0
52,0							19,8	42,4	5 600	52,0

MLC165 S-2


EN 13000






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,3	73,1	20 600 *c							15,2
16,0	73,2	72,9	20 400 *c							16,0
18,0	70,4	72,2	20 000 *b							18,0
20,0	67,5	71,4	19 500 *b	70,5	72,0	20 000 *				20,0
22,0	64,6	70,5	18 900 *	67,6	71,2	19 700 *				22,0
24,0	61,6	69,5	17 900 *	64,7	70,3	19 000 *				24,0
26,0	58,5	68,4	17 000 *	61,7	69,3	18 100 *	64,0	69,9	18 100	26,0
28,0	55,2	67,1	16 100 *	58,6	68,2	17 200 *	61,0	68,8	16 700	28,0
30,0	51,9	65,6	15 300 *	55,4	66,9	16 200	57,9	67,6	15 500	30,0
32,0	48,4	63,9	14 500 *	52,0	65,4	15 000	54,6	66,3	14 400	32,0
34,0	44,7	62,0	13 700 *	48,6	63,8	14 000	51,3	64,8	13 400	34,0
36,0	40,8	59,9	13 000 *	44,9	61,9	13 100	47,7	63,1	12 500	36,0
38,0	36,4	57,4	12 400 *	40,9	59,7	12 100	44,0	61,1	11 600	38,0
40,0	31,6	54,4	11 800 *	36,6	57,2	11 300	40,0	58,9	10 800	40,0
42,0	26,1	50,8	11 100	31,9	54,3	10 500	35,6	56,3	10 000	42,0
44,0	19,1	46,0	10 100 *	26,3	50,7	9 800	30,7	53,3	9 400	44,0
46,0				19,4	46,0	9 200	24,9	49,5	8 800	46,0
48,0							17,5	44,3	8 200	48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	58,7	67,3	13 300							32,0
34,0	55,5	66,1	12 400							34,0
36,0	52,2	64,6	11 600	56,3	65,5	10 700				36,0
38,0	48,7	62,9	10 700	53,0	64,1	9 900				38,0
40,0	45,0	61,1	10 000	49,6	62,5	9 200				40,0
42,0	41,1	58,9	9 300	45,9	60,7	8 500	50,3	61,8	7 800	42,0
44,0	36,8	56,5	8 700	42,1	58,6	7 900	46,7	60,0	7 300	44,0
46,0	32,1	53,5	8 100	37,9	56,2	7 400	42,9	58,0	6 700	46,0
48,0	26,6	50,0	7 600	33,3	53,4	6 900	38,7	55,7	6 300	48,0
50,0	19,8	45,3	7 100	28,0	50,1	6 500	34,2	53,0	5 900	50,0
52,0				21,6	45,7	6 000	29,1	49,7	5 500	52,0
54,0				12,4	39,2	5 700	23,0	45,6	5 100	54,0
56,0							14,7	39,8	4 800	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,4	75,8	19 000 *b							16,8
18,0	71,7	75,4	18 700 *b							18,0
20,0	69,1	74,7	18 300 *b							20,0
22,0	66,4	73,9	17 400 *	69,2	74,5	18 200 *				22,0
24,0	63,6	73,0	16 500 *	66,5	73,7	17 500 *				24,0
26,0	60,8	71,9	15 600 *	63,7	72,8	16 600 *	65,9	73,2	17 200 *	26,0
28,0	57,9	70,7	14 800 *	60,9	71,7	15 800 *	63,1	72,3	16 300 *	28,0
30,0	54,8	69,4	14 000 *	58,0	70,5	14 900 *	60,2	71,2	15 300 *	30,0
32,0	51,7	67,9	13 200 *	55,0	69,2	14 100 *	57,3	70,0	14 100 *	32,0
34,0	48,4	66,2	12 500 *	51,8	67,7	13 400 *	54,3	68,6	13 200 *	34,0
36,0	45,0	64,3	11 700 *	48,6	66,1	12 600 *	51,1	67,1	12 300 *	36,0
38,0	41,3	62,2	11 100 *	45,1	64,2	11 900 *	47,8	65,4	11 600 *	38,0
40,0	37,4	59,8	10 500 *	41,5	62,1	11 200 *	44,3	63,5	10 700 *	40,0
42,0	33,0	56,9	9 900 *	37,6	59,6	10 500 *	40,6	61,3	10 000 *	42,0
44,0	28,1	53,5	9 400 *	33,2	56,8	9 800 *	36,6	58,8	9 400 *	44,0
46,0	22,2	49,3	8 900 *	28,3	53,5	9 200 *	32,2	55,9	8 800 *	46,0
48,0	14,2	43,2	8 600 *	22,5	49,3	8 600 *	27,1	52,3	8 200 *	48,0
50,0				14,6	43,3	8 100 *	21,0	47,9	7 700 *	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	61,0	70,9	13 100							32,0
34,0	58,1	69,7	12 200							34,0
36,0	55,1	68,4	11 400							36,0
38,0	52,0	66,9	10 700	55,8	67,9	9 800				38,0
40,0	48,7	65,2	9 900	52,7	66,4	9 100				40,0
42,0	45,3	63,4	9 200	49,5	64,8	8 500				42,0
44,0	41,7	61,3	8 600	46,1	63,0	7 900	50,2	64,1	7 200	44,0
46,0	37,7	58,9	8 000	42,6	61,0	7 400	46,8	62,3	6 700	46,0
48,0	33,4	56,1	7 500	38,7	58,6	6 900	43,3	60,3	6 200	48,0
50,0	28,6	52,7	7 100	34,5	55,9	6 400	39,5	58,1	5 800	50,0
52,0	22,8	48,6	6 600	29,8	52,8	6 000	35,4	55,4	5 500	52,0
54,0	15,0	42,7	6 200	24,3	48,8	5 600	30,8	52,4	5 100	54,0
56,0				17,2	43,5	5 300	25,4	48,6	4 700	56,0
58,0							18,8	43,7	4 400	58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,4	79,0	17 600 *b							16,8
18,0	72,9	78,6	17 300 *b							18,0
20,0	70,4	78,0	16 800 *b							20,0
22,0	67,9	77,2	15 900 *							22,0
24,0	65,4	76,3	15 000 *	68,0	77,0	15 900 *				24,0
26,0	62,8	75,4	14 200 *	65,5	76,1	15 100 *	67,5	76,5	15 600 *	26,0
28,0	60,1	74,3	13 400 *	62,9	75,2	14 300 *	64,9	75,7	14 800 *	28,0
30,0	57,3	73,1	12 600 *	60,2	74,1	13 500 *	62,3	74,7	14 100 *	30,0
32,0	54,5	71,7	11 800 *	57,4	72,9	12 700 *	59,6	73,6	13 300 *	32,0
34,0	51,5	70,2	11 100 *	54,6	71,5	11 900 *	56,8	72,3	12 600 *	34,0
36,0	48,5	68,5	10 400 *	51,7	70,0	11 200 *	54,0	70,9	11 800 *	36,0
38,0	45,3	66,6	9 800 *	48,6	68,4	10 500 *	51,0	69,4	11 100 *	38,0
40,0	41,9	64,5	9 200 *	45,4	66,5	9 900 *	47,9	67,7	10 400 *	40,0
42,0	38,2	62,2	8 600 *	42,0	64,4	9 300 *	44,6	65,8	9 800 *	42,0
44,0	34,2	59,4	8 100 *	38,4	62,0	8 700 *	41,2	63,6	9 200 *	44,0
46,0	29,8	56,2	7 600 *	34,4	59,3	8 100 *	37,5	61,2	8 600 *	46,0
48,0	24,6	52,3	7 100 *	30,0	56,1	7 700 *	33,4	58,4	8 000 *	48,0
50,0	18,2	47,2	6 700 *	24,9	52,3	7 200 *	28,9	55,1	7 500 *	50,0
52,0				18,5	47,3	6 800 *	23,6	51,0	7 100 *	52,0
54,0							16,8	45,6	6 700 *	54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	63,0	74,3	12 800							32,0
34,0	60,3	73,2	11 900							34,0
36,0	57,6	72,0	11 100							36,0
38,0	54,7	70,7	10 400							38,0
40,0	51,8	69,2	9 700	55,4	70,2	8 900				40,0
42,0	48,7	67,5	9 100	52,5	68,7	8 300				42,0
44,0	45,5	65,7	8 500	49,5	67,1	7 700				44,0
46,0	42,2	63,6	7 900	46,3	65,3	7 200	50,1	66,4	6 500	46,0
48,0	38,5	61,3	7 400	43,0	63,3	6 700	47,0	64,6	6 000	48,0
50,0	34,6	58,6	6 900	39,4	61,0	6 300	43,7	62,6	5 600	50,0
52,0	30,2	55,4	6 500	35,5	58,4	5 900	40,1	60,4	5 300	52,0
54,0	25,1	51,6	6 100	31,3	55,4	5 500	36,3	57,9	4 900	54,0
56,0	18,8	46,6	5 700	26,4	51,7	5 100	32,2	54,9	4 600	56,0
58,0				20,5	47,1	4 800	27,4	51,4	4 300	58,0
60,0				12,1	40,3	4 500	21,8	47,1	4 000	60,0
62,0							14,2	40,9	3 700	62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	73,6	81,7	16 100 *b							18,3
20,0	71,6	81,2	15 400 *b							20,0
22,0	69,3	80,5	14 600 *							22,0
24,0	66,9	79,7	13 800 *	69,4	80,3	14 600 *				24,0
26,0	64,5	78,8	13 000 *	67,0	79,5	13 800 *				26,0
28,0	62,0	77,8	12 200 *	64,6	78,6	13 100 *	66,5	79,0	13 600 *	28,0
30,0	59,5	76,6	11 500 *	62,1	77,6	12 300 *	64,0	78,1	12 800 *	30,0
32,0	56,9	75,4	10 700 *	59,6	76,5	11 600 *	61,5	77,1	12 100 *	32,0
34,0	54,2	74,0	10 000 *	57,0	75,2	10 800 *	59,0	75,9	11 400 *	34,0
36,0	51,4	72,5	9 400 *	54,3	73,8	10 200 *	56,4	74,6	10 700 *	36,0
38,0	48,5	70,8	8 800 *	51,5	72,3	9 500 *	53,7	73,2	10 000 *	38,0
40,0	45,5	69,0	8 200 *	48,6	70,7	8 900 *	50,9	71,7	9 400 *	40,0
42,0	42,3	66,9	7 700 *	45,6	68,8	8 300 *	48,0	70,0	8 800 *	42,0
44,0	38,9	64,5	7 100 *	42,4	66,7	7 700 *	44,9	68,1	8 200 *	44,0
46,0	35,2	61,9	6 600 *	39,0	64,4	7 200 *	41,7	66,0	7 600 *	46,0
48,0	31,2	58,8	6 100 *	35,4	61,8	6 700 *	38,2	63,6	7 100 *	48,0
50,0	26,6	55,2	5 600 *	31,4	58,7	6 200 *	34,5	60,9	6 600 *	50,0
52,0	21,1	50,7	5 000 *	26,8	55,1	5 600 *	30,4	57,7	6 000 *	52,0
54,0	13,8	44,3	4 600 *	21,4	50,7	5 100 *	25,7	54,0	5 500 *	54,0
56,0				14,1	44,4	4 600 *	20,0	49,2	5 000 *	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	62,2	76,7	11 600							34,0
36,0	59,7	75,6	10 800							36,0
38,0	57,1	74,4	10 100							38,0
40,0	54,4	73,0	9 500							40,0
42,0	51,6	71,5	8 900	55,1	72,5	8 100				42,0
44,0	48,8	69,8	8 300	52,3	71,0	7 600				44,0
46,0	45,8	68,0	7 800	49,5	69,4	7 100				46,0
48,0	42,6	65,9	7 200	46,5	67,6	6 600	50,0	68,7	5 900	48,0
50,0	39,2	63,6	6 800	43,4	65,6	6 100	47,1	66,9	5 500	50,0
52,0	35,6	61,0	6 400	40,0	63,4	5 800	44,0	65,0	5 100	52,0
54,0	31,6	58,0	6 000	36,5	60,8	5 400	40,7	62,8	4 800	54,0
56,0	27,0	54,4	5 600	32,5	57,9	5 000	37,2	60,3	4 500	56,0
58,0	21,7	50,0	5 100*	28,2	54,5	4 700	33,3	57,5	4 200	58,0
60,0	14,5	43,9	4 700*	23,1	50,3	4 400	29,1	54,2	3 900	60,0
62,0				16,5	44,8	4 100	24,1	50,2	3 600	62,0
64,0				4,2	33,8	3 800	18,0	45,0	3 400	64,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
9,8	73,9	55,5	44 400 *d							9,8
10,0	73,2	55,4	44 400 *d							10,0
12,0	67,5	54,7	44 400 *c							12,0
14,0	61,5	53,8	39 900 *c	68,3	54,6	39 300 c				14,0
16,0	55,2	52,5	35 000 *b	62,4	53,7	34 400 b				16,0
18,0	48,4	51,0	31 300 *b	56,2	52,5	30 600 b	61,5	53,2	29 500 b	18,0
20,0	40,7	48,9	28 400 *b	49,4	51,0	27 500	55,2	52,0	26 500 b	20,0
22,0	31,6	46,2	26 200 *	41,9	49,0	25 000	48,4	50,4	24 000	22,0
24,0	19,0	42,0	24 000	33,1	46,4	22 900	40,7	48,4	21 900	24,0
26,0				21,3	42,5	20 700	31,6	45,7	20 000	26,0
28,0							19,0	41,4	18 100	28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	57,8	51,8	22 400 b							22,0
24,0	51,2	50,4	20 400							24,0
26,0	43,9	48,6	18 700	53,6	50,1	17 400 b				26,0
28,0	35,5	46,2	17 000	46,6	48,4	15 800				28,0
30,0	24,8	42,7	15 500	38,7	46,2	14 500	49,0	47,8	13 400	30,0
32,0				29,1	43,2	13 200	41,4	45,8	12 300	32,0
34,0							32,4	43,2	11 300	34,0
36,0							20,3	39,1	10 400	36,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	
10,4	74,5	58,5	40 700 *d							10,4
12,0	70,4	58,0	40 700 *c							12,0
14,0	65,4	57,2	40 200 *c							14,0
16,0	60,1	56,1	35 000 *b	66,1	57,1	33 800 b				16,0
18,0	54,5	54,9	31 200 *b	60,9	56,1	30 000 b				18,0
20,0	48,5	53,3	28 200 *b	55,3	54,8	27 000	60,1	55,6	25 900 b	20,0
22,0	41,8	51,3	25 800 *	49,4	53,3	24 500	54,5	54,3	23 500	22,0
24,0	34,2	48,7	23 700	42,8	51,3	22 400	48,4	52,7	21 400	24,0
26,0	24,6	45,2	21 700	35,4	48,9	20 600	41,8	50,7	19 700	26,0
28,0				26,2	45,5	18 700	34,2	48,2	18 000	28,0
30,0				11,7	39,7	17 000	24,6	44,6	16 400	30,0
32,0							7,5	37,7	15 100	32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	56,7	54,2	20 000							24,0
26,0	50,9	52,7	18 300							26,0
28,0	44,6	50,9	16 800	53,1	52,4	15 600				28,0
30,0	37,4	48,6	15 400	46,9	50,7	14 300				30,0
32,0	28,8	45,5	14 100	40,1	48,6	13 100	48,9	50,1	12 100	32,0
34,0				32,1	45,8	12 000	42,4	48,2	11 100	34,0
36,0				21,8	41,9	11 100	34,9	45,7	10 300	36,0
38,0							25,5	42,2	9 500	38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,0	74,9	61,5	36 800 *d							11,0
12,0	72,7	61,2	36 700 *c							12,0
14,0	68,2	60,5	36 300 *c							14,0
16,0	63,7	59,6	34 200 *c	68,9	60,4	33 200 b				16,0
18,0	58,9	58,5	31 200 b	64,3	59,5	29 400 b				18,0
20,0	53,9	57,2	28 000 b	59,6	58,4	26 500	63,7	59,1	25 400 b	20,0
22,0	48,5	55,6	25 400	54,6	57,1	24 000	58,9	58,0	23 100	22,0
24,0	42,7	53,6	23 300	49,3	55,6	22 000	53,9	56,6	21 100	24,0
26,0	36,1	51,2	21 400	43,6	53,7	20 200	48,5	55,0	19 300	26,0
28,0	28,2	48,0	19 700	37,1	51,3	18 600	42,7	53,1	17 900	28,0
30,0	17,5	43,2	18 000	29,5	48,3	17 100	36,1	50,6	16 400	30,0
32,0				19,4	43,9	15 600	28,2	47,4	15 100	32,0
34,0							17,4	42,7	13 900	34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	55,9	56,5	18 000							26,0
28,0	50,7	55,0	16 600							28,0
30,0	45,1	53,2	15 300	52,6	54,7	14 200				30,0
32,0	38,8	51,0	14 000	47,2	53,0	13 000				32,0
34,0	31,6	48,2	12 900	41,2	50,9	12 000	49,0	52,4	11 000	34,0
36,0	22,3	44,2	11 900	34,4	48,4	11 000	43,2	50,5	10 200	36,0
38,0				26,0	44,9	10 200	36,7	48,1	9 400	38,0
40,0							28,9	45,0	8 700	40,0
42,0							18,5	40,4	8 100	42,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
12,2	74,1	64,3	33 600 *d							12,2
14,0	70,5	63,7	33 400 *c							14,0
16,0	66,5	63,0	32 000 *c							16,0
18,0	62,3	62,0	30 300 b	67,1	62,8	28 900 b				18,0
20,0	58,0	60,9	27 400 b	62,9	61,9	26 000	66,5	62,4	24 900 b	20,0
22,0	53,4	59,5	24 900	58,6	60,8	23 500	62,3	61,5	22 600	22,0
24,0	48,6	57,9	22 800	54,1	59,5	21 500	58,0	60,3	20 600	24,0
26,0	43,3	55,9	21 000	49,3	57,9	19 800	53,4	58,9	18 900	26,0
28,0	37,5	53,6	19 400	44,1	56,0	18 300	48,6	57,3	17 500	28,0
30,0	30,8	50,6	17 900	38,4	53,7	16 900	43,3	55,4	16 200	30,0
32,0	22,5	46,7	16 400	31,9	50,9	15 600	37,5	53,0	14 900	32,0
34,0				23,9	47,1	14 400	30,8	50,1	13 700	34,0
36,0				11,4	40,8	13 200	22,4	46,1	12 700	36,0
38,0							8,1	38,8	11 700	38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,7	60,1	17 600							26,0
28,0	55,2	58,8	16 200							28,0
30,0	50,5	57,3	15 000							30,0
32,0	45,5	55,5	13 800	52,3	57,0	12 800				32,0
34,0	39,9	53,4	12 800	47,4	55,3	11 800				34,0
36,0	33,6	50,7	11 800	42,0	53,3	10 900	49,0	54,7	10 000	36,0
38,0	26,1	47,2	10 900	36,0	50,8	10 100	43,8	52,8	9 200	38,0
40,0				29,0	47,7	9 300	38,0	50,5	8 500	40,0
42,0				20,0	43,3	8 700	31,4	47,6	8 000	42,0
44,0							23,2	43,7	7 400	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	72,9	67,0	30 800 *c							13,7
14,0	72,3	67,0	30 700 *c							14,0
16,0	68,7	66,3	29 900 *c							16,0
18,0	65,0	65,4	28 500 *b							18,0
20,0	61,2	64,4	27 100 b	65,6	65,3	25 600				20,0
22,0	57,2	63,2	24 600	61,7	64,3	23 300	65,0	64,9	22 300	22,0
24,0	53,0	61,8	22 500	57,8	63,1	21 300	61,2	63,8	20 300	24,0
26,0	48,6	60,2	20 700	53,6	61,8	19 500	57,2	62,7	18 700	26,0
28,0	43,9	58,3	19 200	49,3	60,2	18 100	53,0	61,3	17 300	28,0
30,0	38,7	56,0	17 800	44,6	58,3	16 800	48,6	59,6	16 000	30,0
32,0	32,8	53,2	16 500	39,5	56,1	15 600	43,9	57,7	14 900	32,0
34,0	25,9	49,6	15 200	33,8	53,4	14 400	38,7	55,4	13 700	34,0
36,0	16,4	44,5	14 000	27,0	50,0	13 300	32,8	52,7	12 700	36,0
38,0				18,1	45,2	12 300	25,8	49,1	11 800	38,0
40,0							16,3	43,9	11 000	40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000








55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	62,7	63,6	17 400							26,0
28,0	58,8	62,5	16 000							28,0
30,0	54,7	61,2	14 800							30,0
32,0	50,4	59,6	13 800	56,2	60,7	12 700				32,0
34,0	45,8	57,8	12 700	52,0	59,3	11 700				34,0
36,0	40,8	55,7	11 800	47,5	57,6	10 800				36,0
38,0	35,3	53,2	10 900	42,7	55,6	10 100	49,0	57,0	9 200	38,0
40,0	28,8	50,0	10 200	37,4	53,2	9 300	44,3	55,1	8 500	40,0
42,0	20,6	45,6	9 500	31,3	50,3	8 700	39,1	52,9	7 900	42,0
44,0				23,9	46,5	8 100	33,3	50,1	7 400	44,0
46,0							26,5	46,7	6 900	46,0
48,0							17,3	41,7	6 400	48,0

MLC165 S-2



EN 13000





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
13,7	74,3	70,2	28 200 *c							13,7
14,0	73,9	70,1	28 200 *c							14,0
16,0	70,6	69,5	27 600 *c							16,0
18,0	67,2	68,7	26 300 *b							18,0
20,0	63,8	67,8	25 100 *b	67,7	68,6	25 100				20,0
22,0	60,2	66,8	23 900 *	64,3	67,7	22 800				22,0
24,0	56,5	65,5	22 100	60,7	66,7	20 800	63,8	67,3	19 900	24,0
26,0	52,7	64,1	20 300	57,1	65,5	19 200	60,2	66,2	18 300	26,0
28,0	48,6	62,5	18 800	53,3	64,1	17 700	56,5	65,0	16 900	28,0
30,0	44,3	60,6	17 400	49,2	62,5	16 400	52,7	63,6	15 600	30,0
32,0	39,6	58,3	16 300	45,0	60,6	15 300	48,6	61,9	14 600	32,0
34,0	34,4	55,7	15 100	40,3	58,4	14 300	44,3	60,0	13 600	34,0
36,0	28,4	52,4	13 900	35,2	55,9	13 200	39,6	57,8	12 600	36,0
38,0	20,9	48,1	13 000	29,4	52,7	12 200	34,4	55,1	11 700	38,0
40,0				22,1	48,6	11 400	28,4	51,9	10 900	40,0
42,0				11,2	41,9	10 600	20,9	47,5	10 100	42,0
44,0							8,5	39,9	9 400	44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,6	66,0	15 600							28,0
30,0	58,0	64,8	14 400							30,0
32,0	54,2	63,5	13 400							32,0
34,0	50,3	61,9	12 500	55,6	63,1	11 500				34,0
36,0	46,1	60,1	11 600	51,7	61,6	10 700				36,0
38,0	41,5	58,1	10 800	47,6	59,9	9 900				38,0
40,0	36,6	55,6	10 000	43,2	57,9	9 200	49,0	59,3	8 300	40,0
42,0	30,9	52,6	9 300	38,4	55,6	8 500	44,7	57,4	7 700	42,0
44,0	24,2	48,8	8 700	33,1	52,8	7 900	40,0	55,2	7 200	44,0
46,0				26,8	49,4	7 400	34,9	52,6	6 700	46,0
48,0				18,7	44,6	6 900	28,9	49,4	6 300	48,0
50,0							21,6	45,2	5 800	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	73,3	73,0	21 600 *c							15,2
16,0	72,1	72,7	21 400 *c							16,0
18,0	69,0	72,0	20 900 *b							18,0
20,0	65,9	71,2	20 500 *b	69,5	71,9	21 100 *				20,0
22,0	62,7	70,2	20 000 *	66,4	71,1	20 800 *				22,0
24,0	59,4	69,1	19 500 *	63,2	70,1	20 300	65,9	70,6	19 600	24,0
26,0	56,0	67,9	18 600 *	59,9	69,0	18 800	62,7	69,7	18 000	26,0
28,0	52,4	66,4	17 700 *	56,5	67,8	17 300	59,4	68,6	16 600	28,0
30,0	48,7	64,8	16 900 *	52,9	66,4	16 100	56,0	67,3	15 400	30,0
32,0	44,7	62,9	16 000 *	49,2	64,8	15 000	52,4	65,9	14 300	32,0
34,0	40,4	60,7	14 800 *	45,3	62,9	14 000	48,7	64,2	13 300	34,0
36,0	35,7	58,2	13 700 *	41,1	60,8	13 100	44,7	62,3	12 500	36,0
38,0	30,4	55,1	12 700 *	36,4	58,3	12 100	40,4	60,2	11 600	38,0
40,0	24,1	51,2	11 800 *	31,2	55,3	11 300	35,7	57,6	10 800	40,0
42,0	15,6	45,7	10 900 *	25,1	51,6	10 500	30,4	54,5	10 000	42,0
44,0				17,1	46,4	9 900	24,1	50,6	9 400	44,0
46,0							15,6	45,1	8 800	46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,7	68,4	14 200							30,0
32,0	57,4	67,2	13 200							32,0
34,0	53,8	65,8	12 300							34,0
36,0	50,2	64,2	11 500	55,1	65,4	10 500				36,0
38,0	46,3	62,4	10 700	51,5	63,9	9 700				38,0
40,0	42,2	60,4	9 900	47,7	62,2	9 000				40,0
42,0	37,6	58,0	9 200	43,7	60,2	8 400	49,0	61,6	7 600	42,0
44,0	32,6	55,2	8 600	39,3	58,0	7 800	45,0	59,7	7 100	44,0
46,0	26,8	51,6	8 000	34,5	55,3	7 300	40,8	57,6	6 600	46,0
48,0	19,4	47,0	7 500	29,0	52,1	6 800	36,1	55,1	6 100	48,0
50,0				22,4	47,9	6 400	30,9	52,0	5 700	50,0
52,0							24,7	48,3	5 400	52,0
54,0							16,4	42,9	5 000	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,5	76,1	20 200 *c							15,2
16,0	73,4	75,9	20 000 *c							16,0
18,0	70,6	75,3	19 600 *b							18,0
20,0	67,7	74,5	19 200 *b							20,0
22,0	64,8	73,6	18 800 *	68,2	74,4	19 400 *				22,0
24,0	61,8	72,6	17 900 *	65,2	73,5	19 000 *				24,0
26,0	58,7	71,5	17 000 *	62,2	72,5	18 100 *	64,8	73,1	17 600	26,0
28,0	55,5	70,2	16 200 *	59,2	71,4	17 000	61,8	72,1	16 200	28,0
30,0	52,2	68,7	15 300 *	56,0	70,1	15 700	58,7	70,9	15 000	30,0
32,0	48,7	67,1	14 600 *	52,7	68,7	14 600	55,5	69,6	14 000	32,0
34,0	45,0	65,2	13 800 *	49,2	67,1	13 700	52,2	68,2	13 000	34,0
36,0	41,1	63,1	13 100 *	45,6	65,2	12 800	48,7	66,5	12 200	36,0
38,0	36,8	60,6	12 400 *	41,7	63,1	12 000	45,0	64,7	11 400	38,0
40,0	32,0	57,7	11 500 *	37,4	60,7	11 200	41,1	62,5	10 600	40,0
42,0	26,6	54,1	10 800 *	32,8	57,9	10 400	36,8	60,0	9 900	42,0
44,0	19,7	49,4	10 100 *	27,4	54,4	9 700	32,0	57,1	9 300	44,0
46,0				20,9	50,0	9 100	26,5	53,5	8 600	46,0
48,0				11,1	43,0	8 500	19,7	48,9	8 100	48,0
50,0							8,8	41,0	7 600	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	59,9	70,7	12 800							32,0
34,0	56,8	69,5	11 900							34,0
36,0	53,5	68,1	11 100							36,0
38,0	50,1	66,5	10 400	54,7	67,7	9 500				38,0
40,0	46,5	64,7	9 800	51,4	66,2	8 900				40,0
42,0	42,7	62,7	9 100	47,8	64,5	8 200				42,0
44,0	38,5	60,4	8 400	44,1	62,6	7 700	49,0	63,9	6 900	44,0
46,0	34,0	57,7	7 900	40,1	60,4	7 100	45,3	62,1	6 400	46,0
48,0	28,9	54,4	7 400	35,7	57,8	6 700	41,4	59,9	6 000	48,0
50,0	22,7	50,2	6 900	30,8	54,7	6 200	37,2	57,5	5 500	50,0
52,0				25,1	51,0	5 800	32,5	54,6	5 200	52,0
54,0				17,7	45,9	5 400	27,0	51,1	4 800	54,0
56,0							20,4	46,6	4 500	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,6	78,9	18 500 *b							16,8
18,0	71,9	78,5	18 300 *b							18,0
20,0	69,3	77,8	18 000 *b							20,0
22,0	66,6	77,0	17 300 *	69,7	77,6	18 000 *				22,0
24,0	63,8	76,0	16 500 *	67,0	76,8	17 500 *				24,0
26,0	61,0	75,0	15 600 *	64,2	75,9	16 700 *	66,6	76,4	17 200 *	26,0
28,0	58,1	73,8	14 800 *	61,4	74,9	15 900 *	63,8	75,5	16 000	28,0
30,0	55,1	72,5	14 000 *	58,5	73,8	15 000 *	61,0	74,5	14 800	30,0
32,0	52,0	71,0	13 200 *	55,5	72,5	14 200 *	58,1	73,3	13 700	32,0
34,0	48,7	69,4	12 500 *	52,4	71,0	13 500 *	55,1	72,0	12 800	34,0
36,0	45,3	67,5	11 800 *	49,2	69,4	12 600	52,0	70,5	12 000	36,0
38,0	41,6	65,4	11 200 *	45,8	67,5	11 800	48,7	68,8	11 200	38,0
40,0	37,7	63,0	10 600 *	42,2	65,5	11 100	45,3	67,0	10 600	40,0
42,0	33,4	60,2	10 000 *	38,3	63,1	10 400	41,6	64,8	9 900	42,0
44,0	28,5	56,9	9 400 *	34,1	60,4	9 700	37,7	62,4	9 200	44,0
46,0	22,7	52,7	9 000 *	29,3	57,1	9 100	33,4	59,6	8 600	46,0
48,0	15,0	46,8	8 600 *	23,7	53,1	8 500	28,5	56,3	8 100	48,0
50,0				16,3	47,6	8 000	22,7	52,1	7 600	50,0
52,0							14,9	46,3	7 100	52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,1	74,2	12 600							32,0
34,0	59,3	73,1	11 700							34,0
36,0	56,3	71,8	11 000							36,0
38,0	53,2	70,4	10 200							38,0
40,0	50,0	68,8	9 600	54,4	70,0	8 700				40,0
42,0	46,7	67,1	9 000	51,2	68,5	8 200				42,0
44,0	43,1	65,0	8 400	47,9	66,8	7 600				44,0
46,0	39,3	62,8	7 900	44,4	64,9	7 100	49,0	66,2	6 400	46,0
48,0	35,2	60,1	7 300	40,7	62,7	6 600	45,6	64,4	5 900	48,0
50,0	30,5	57,0	6 900	36,7	60,2	6 200	41,9	62,3	5 500	50,0
52,0	25,2	53,2	6 400	32,3	57,3	5 800	38,0	59,9	5 100	52,0
54,0	18,4	48,2	6 000	27,2	53,8	5 400	33,8	57,1	4 800	54,0
56,0				21,1	49,4	5 100	28,9	53,8	4 500	56,0
58,0							23,2	49,8	4 200	58,0
60,0							15,7	44,1	3 900	60,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,6	82,0	17 300 *b							16,8
18,0	73,1	81,7	17 100 *b							18,0
20,0	70,6	81,0	16 700 *b							20,0
22,0	68,1	80,3	15 800 *							22,0
24,0	65,6	79,4	15 000 *	68,5	80,1	15 900 *				24,0
26,0	63,0	78,5	14 200 *	65,9	79,3	15 100 *				26,0
28,0	60,3	77,4	13 400 *	63,3	78,4	14 400 *	65,6	78,9	14 900 *	28,0
30,0	57,5	76,2	12 600 *	60,7	77,3	13 600 *	63,0	77,9	14 200 *	30,0
32,0	54,7	74,8	11 900 *	58,0	76,1	12 800 *	60,3	76,8	13 400 *	32,0
34,0	51,8	73,3	11 200 *	55,1	74,8	12 100 *	57,5	75,6	12 500 *	34,0
36,0	48,7	71,7	10 500 *	52,2	73,3	11 400 *	54,7	74,3	11 700 *	36,0
38,0	45,5	69,8	9 800 *	49,2	71,7	10 700 *	51,8	72,8	11 000 *	38,0
40,0	42,1	67,7	9 200 *	46,0	69,8	10 000 *	48,7	71,1	10 300 *	40,0
42,0	38,5	65,4	8 700 *	42,6	67,8	9 400 *	45,5	69,3	9 700 *	42,0
44,0	34,5	62,7	8 100 *	39,0	65,5	8 800 *	42,1	67,2	9 100 *	44,0
46,0	30,2	59,5	7 600 *	35,1	62,8	8 300 *	38,5	64,8	8 500 *	46,0
48,0	25,1	55,7	7 200 *	30,8	59,8	7 800 *	34,5	62,1	7 900 *	48,0
50,0	18,8	50,7	6 800 *	25,9	56,1	7 300 *	30,1	59,0	7 400 *	50,0
52,0				19,8	51,3	6 900 *	25,1	55,1	7 000 *	52,0
54,0				11,0	44,0	6 400 *	18,8	50,2	6 500 *	54,0
56,0							9,0	42,1	6 100 *	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	61,4	76,6	11 400							34,0
36,0	58,6	75,4	10 700							36,0
38,0	55,9	74,2	10 000							38,0
40,0	53,0	72,7	9 300	56,9	73,7	8 400				40,0
42,0	50,0	71,1	8 700	54,0	72,3	7 900				42,0
44,0	46,8	69,4	8 200	51,1	70,8	7 400				44,0
46,0	43,5	67,4	7 700	48,0	69,1	6 900	52,0	70,2	6 200	46,0
48,0	40,0	65,1	7 200	44,7	67,2	6 400	49,0	68,5	5 700	48,0
50,0	36,2	62,6	6 700	41,3	65,0	6 000	45,8	66,7	5 300	50,0
52,0	32,0	59,6	6 300	37,6	62,6	5 600	42,4	64,6	5 000	52,0
54,0	27,2	56,1	5 900	33,5	59,8	5 200	38,8	62,3	4 600	54,0
56,0	21,5	51,7	5 500	29,0	56,5	4 900	34,9	59,6	4 300	56,0
58,0				23,7	52,5	4 600	30,5	56,5	4 000	58,0
60,0				17,0	47,1	4 300	25,5	52,7	3 700	60,0
62,0							19,4	47,9	3 500	62,0
64,0							10,1	40,3	3 200	64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
18,3	73,8	84,8	15 800 *b							18,3
20,0	71,8	84,2	15 400 *b							20,0
22,0	69,5	83,5	14 600 *							22,0
24,0	67,1	82,7	13 700 *							24,0
26,0	64,7	81,9	13 000 *	67,4	82,6	13 900 *				26,0
28,0	62,2	80,9	12 200 *	65,0	81,7	13 100 *	67,1	82,2	13 600 *	28,0
30,0	59,7	79,7	11 500 *	62,6	80,8	12 400 *	64,7	81,3	13 000 *	30,0
32,0	57,1	78,5	10 800 *	60,0	79,7	11 700 *	62,2	80,3	12 200 *	32,0
34,0	54,4	77,1	10 100 *	57,5	78,4	11 000 *	59,7	79,2	11 600 *	34,0
36,0	51,6	75,6	9 500 *	54,8	77,1	10 300 *	57,1	78,0	10 900 *	36,0
38,0	48,7	74,0	8 800 *	52,0	75,6	9 600 *	54,4	76,6	10 200 *	38,0
40,0	45,7	72,1	8 200 *	49,2	74,0	9 000 *	51,6	75,1	9 600 *	40,0
42,0	42,6	70,1	7 700 *	46,2	72,2	8 400 *	48,7	73,4	8 900 *	42,0
44,0	39,2	67,7	7 200 *	43,0	70,1	7 800 *	45,7	71,6	8 400 *	44,0
46,0	35,5	65,1	6 700 *	39,7	67,9	7 300 *	42,5	69,5	7 800 *	46,0
48,0	31,5	62,1	6 200 *	36,1	65,3	6 800 *	39,2	67,2	7 300 *	48,0
50,0	27,0	58,5	5 600 *	32,1	62,3	6 300 *	35,5	64,6	6 800 *	50,0
52,0	21,6	54,1	5 100 *	27,7	58,9	5 700 *	31,5	61,6	6 200 *	52,0
54,0	14,5	48,0	4 700 *	22,5	54,6	5 200 *	27,0	58,0	5 700 *	54,0
56,0				15,7	48,8	4 700 *	21,6	53,6	5 100 *	56,0
58,0							14,5	47,4	4 700 *	58,0
60,0										60,0
62,0										62,0
64,0										64,0
66,0										66,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
18,3										18,3
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0	60,7	79,0	10 400							36,0
38,0	58,1	77,8	9 700							38,0
40,0	55,5	76,5	9 100							40,0
42,0	52,7	75,0	8 500	56,4	76,0	7 700				42,0
44,0	49,9	73,4	8 000	53,7	74,7	7 200				44,0
46,0	46,9	71,7	7 500	50,9	73,1	6 700				46,0
48,0	43,8	69,7	7 100	48,0	71,4	6 300	51,8	72,5	5 600	48,0
50,0	40,5	67,5	6 600	45,0	69,5	5 900	49,0	70,8	5 200	50,0
52,0	37,0	65,0	6 200	41,8	67,4	5 500	46,0	69,0	4 800	52,0
54,0	33,2	62,1	5 800	38,3	65,0	5 100	42,8	66,9	4 500	54,0
56,0	28,9	58,8	5 400	34,6	62,3	4 800	39,5	64,6	4 200	56,0
58,0	23,9	54,8	5 100	30,5	59,2	4 500	35,8	62,0	3 900	58,0
60,0	17,7	49,5	4 800	25,8	55,4	4 200	31,9	59,1	3 600	60,0
62,0				20,1	50,7	3 900	27,4	55,5	3 400	62,0
64,0				12,2	43,8	3 600	22,1	51,2	3 100	64,0
66,0							15,2	45,3	2 900	66,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
9,8	74,3	58,5	42 500 *d							9,8
10,0	73,6	58,5	42 500 *d							10,0
12,0	67,9	57,8	42 500 *c							12,0
14,0	62,0	56,8	39 100 *c	69,4	57,7	38 200 c				14,0
16,0	55,7	55,6	34 300 *c	63,5	56,8	33 500 c				16,0
18,0	48,9	54,1	30 800 *b	57,3	55,7	29 800 b	63,1	56,4	28 600 b	18,0
20,0	41,4	52,1	28 100 *b	50,7	54,2	26 900	56,9	55,3	25 700 b	20,0
22,0	32,4	49,4	25 800 *	43,4	52,4	24 400	50,2	53,8	23 300 b	22,0
24,0	20,3	45,4	23 900	34,8	49,9	22 400	42,8	51,9	21 300	24,0
26,0				23,9	46,4	20 600	34,2	49,4	19 600	26,0
28,0							22,9	45,7	17 900	28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0	60,2	55,2	21 600 b							22,0
24,0	53,8	53,9	19 600 b							24,0
26,0	46,8	52,2	18 100	57,0	53,6	16 600 b				26,0
28,0	38,9	50,1	16 600	50,3	52,1	15 300				28,0
30,0	29,3	47,1	15 200	42,9	50,2	14 000				30,0
32,0	15,1	42,2	13 900	34,3	47,7	12 800	46,3	49,8	11 700	32,0
34,0				23,1	44,1	11 800	38,3	47,6	10 800	34,0
36,0							28,5	44,6	10 000	36,0
38,0							13,5	39,4	9 200	38,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
10,4	74,8	61,5	39 100 *d							10,4
12,0	70,8	61,0	39 100 *c							12,0
14,0	65,8	60,2	38 600 *c							14,0
16,0	60,5	59,2	34 300 *c	67,0	60,2	32 900 c				16,0
18,0	54,9	58,0	30 600 *b	61,8	59,2	29 300 b				18,0
20,0	49,0	56,4	27 800 *b	56,3	58,0	26 300	61,4	58,8	25 200 b	20,0
22,0	42,4	54,4	25 500 *	50,5	56,5	23 900	55,9	57,6	22 800 b	22,0
24,0	34,8	51,9	23 300	44,1	54,7	21 900	50,1	56,1	20 800	24,0
26,0	25,5	48,5	21 500	36,8	52,4	20 100	43,6	54,2	19 200	26,0
28,0				28,1	49,2	18 600	36,3	51,8	17 700	28,0
30,0				15,4	44,2	17 000	27,4	48,6	16 300	30,0
32,0							14,0	43,3	14 900	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	58,9	57,6	19 200							24,0
26,0	53,2	56,2	17 600							26,0
28,0	47,1	54,5	16 300	56,0	55,9	14 900				28,0
30,0	40,3	52,4	15 000	50,2	54,4	13 800				30,0
32,0	32,3	49,7	13 800	43,7	52,5	12 700	52,8	53,8	11 600	32,0
34,0	22,0	45,8	12 700	36,4	50,2	11 600	46,6	52,1	10 600	34,0
36,0				27,5	46,9	10 700	39,8	50,0	9 800	36,0
38,0				14,3	41,7	9 900	31,7	47,2	9 100	38,0
40,0							21,1	43,2	8 400	40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6	73,9	64,4	35 400 *d							11,6
12,0	73,0	64,2	35 300 *d							12,0
14,0	68,6	63,5	35 200 *c							14,0
16,0	64,0	62,7	33 900 *c							16,0
18,0	59,3	61,6	30 600 b	65,2	62,6	28 700 b				18,0
20,0	54,3	60,3	27 500 b	60,5	61,6	25 900 b	64,9	62,3	24 700 b	20,0
22,0	49,0	58,7	25 000	55,6	60,4	23 500	60,1	61,2	22 400 b	22,0
24,0	43,2	56,8	22 900	50,3	58,8	21 500	55,2	59,9	20 500	24,0
26,0	36,6	54,4	21 100	44,7	57,0	19 700	49,9	58,4	18 800	26,0
28,0	28,9	51,3	19 500	38,3	54,8	18 300	44,2	56,6	17 400	28,0
30,0	18,5	46,7	18 000	31,0	51,9	16 900	37,9	54,3	16 100	30,0
32,0				21,6	47,8	15 600	30,4	51,3	14 900	32,0
34,0							20,7	47,1	13 700	34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	57,8	59,9	17 300							26,0
28,0	52,8	58,5	16 000							28,0
30,0	47,3	56,8	14 800	55,3	58,2	13 500				30,0
32,0	41,3	54,8	13 700	50,0	56,7	12 600				32,0
34,0	34,5	52,2	12 600	44,3	54,8	11 600				34,0
36,0	26,3	48,8	11 700	38,0	52,6	10 700	46,9	54,4	9 700	36,0
38,0	14,1	43,4	10 800	30,5	49,6	9 900	40,9	52,4	9 000	38,0
40,0				20,9	45,5	9 200	34,0	49,8	8 300	40,0
42,0							25,6	46,3	7 700	42,0
44,0							12,8	40,5	7 100	44,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
12,2	74,4	67,4	32 500 *d							12,2
14,0	70,8	66,8	32 300 *c							14,0
16,0	66,8	66,0	31 700 *c							16,0
18,0	62,6	65,1	29 800 b	67,8	66,0	28 200 b				18,0
20,0	58,3	63,9	27 000 b	63,7	65,1	25 300	67,5	65,6	24 200 b	20,0
22,0	53,8	62,6	24 500	59,4	64,0	23 000	63,4	64,7	21 900 b	22,0
24,0	49,0	61,0	22 400	54,9	62,7	21 000	59,1	63,6	20 000	24,0
26,0	43,8	59,1	20 600	50,2	61,1	19 300	54,6	62,3	18 400	26,0
28,0	38,0	56,8	19 100	45,1	59,3	17 900	49,8	60,7	17 000	28,0
30,0	31,4	53,9	17 800	39,5	57,1	16 600	44,7	58,9	15 700	30,0
32,0	23,2	50,0	16 300 *	33,2	54,4	15 500	39,1	56,6	14 600	32,0
34,0				25,5	50,8	14 200	32,7	53,9	13 600	34,0
36,0				14,5	45,3	13 100	24,9	50,2	12 600	36,0
38,0							13,4	44,5	11 600	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	61,4	63,4	16 900							26,0
28,0	57,0	62,2	15 600							28,0
30,0	52,4	60,8	14 400							30,0
32,0	47,5	59,1	13 400	54,7	60,5	12 200				32,0
34,0	42,1	57,1	12 500	49,9	59,0	11 300				34,0
36,0	36,2	54,7	11 500	44,8	57,2	10 500				36,0
38,0	29,2	51,6	10 600	39,2	54,9	9 700	47,1	56,8	8 700	38,0
40,0	20,2	47,2	9 900	32,8	52,2	9 000	41,7	54,7	8 100	40,0
42,0				25,0	48,6	8 400	35,7	52,2	7 500	42,0
44,0				13,6	42,8	7 800	28,7	49,0	7 000	44,0
46,0							19,4	44,6	6 500	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	73,1	70,1	29 800 *c							13,7
14,0	72,6	70,0	29 700 *c							14,0
16,0	69,0	69,3	29 300 *c							16,0
18,0	65,3	68,5	28 200 *b							18,0
20,0	61,5	67,5	26 600 b	66,2	68,4	25 000				20,0
22,0	57,5	66,3	24 200	62,4	67,5	22 700	66,0	68,0	21 600	22,0
24,0	53,4	64,9	22 100	58,5	66,3	20 700	62,2	67,1	19 800	24,0
26,0	49,0	63,3	20 400	54,4	65,0	19 100	58,2	65,9	18 200	26,0
28,0	44,3	61,4	18 900	50,1	63,4	17 700	54,1	64,6	16 800	28,0
30,0	39,1	59,2	17 500	45,5	61,6	16 400	49,8	63,0	15 600	30,0
32,0	33,3	56,4	16 100 *	40,5	59,5	15 300	45,1	61,2	14 500	32,0
34,0	26,5	52,9	14 800 *	34,9	56,9	14 300	40,1	59,0	13 500	34,0
36,0	17,3	48,0	13 600 *	28,3	53,6	13 200	34,4	56,4	12 600	36,0
38,0				20,0	49,2	12 200	27,8	53,1	11 700	38,0
40,0							19,2	48,5	10 800	40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	60,3	65,8	15 400							28,0
30,0	56,3	64,6	14 200							30,0
32,0	52,1	63,1	13 200							32,0
34,0	47,6	61,4	12 400	54,2	62,9	11 200				34,0
36,0	42,8	59,5	11 500	49,8	61,3	10 400				36,0
38,0	37,5	57,1	10 600	45,2	59,5	9 700				38,0
40,0	31,5	54,2	9 900	40,2	57,3	9 000	47,3	59,1	8 100	40,0
42,0	24,1	50,4	9 200	34,5	54,7	8 400	42,4	57,0	7 500	42,0
44,0	13,5	44,5	8 600	27,9	51,4	7 800	37,1	54,6	7 000	44,0
46,0				19,4	46,8	7 300	31,0	51,7	6 500	46,0
48,0							23,5	47,8	6 100	48,0
50,0							12,4	41,6	5 600	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,6	73,3	22 900 *c							13,7
14,0	74,1	73,2	22 900 *c							14,0
16,0	70,8	72,5	22 300 *c							16,0
18,0	67,5	71,8	21 800 *b							18,0
20,0	64,0	70,9	21 300 *b	68,3	71,7	22 200 *				20,0
22,0	60,5	69,8	20 800 *	64,9	70,9	21 700 *				22,0
24,0	56,8	68,6	20 400 *	61,4	69,8	20 400	64,7	70,5	19 300	24,0
26,0	53,0	67,2	19 800 *	57,8	68,7	18 700	61,1	69,5	17 800	26,0
28,0	49,0	65,6	18 300 *	54,0	67,3	17 300	57,5	68,3	16 400	28,0
30,0	44,7	63,7	16 900 *	50,0	65,7	16 000	53,7	66,9	15 200	30,0
32,0	40,0	61,5	15 600 *	45,8	63,9	14 900	49,7	65,3	14 100	32,0
34,0	34,9	58,9	14 400 *	41,2	61,8	13 900	45,5	63,5	13 200	34,0
36,0	28,9	55,7	13 300 *	36,2	59,3	13 000	40,9	61,4	12 400	36,0
38,0	21,6	51,5	12 300 *	30,5	56,3	12 200	35,8	58,8	11 500	38,0
40,0				23,6	52,4	11 300	30,1	55,7	10 700	40,0
42,0				13,8	46,5	10 500	23,1	51,7	10 000	42,0
44,0							12,9	45,6	9 300	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	59,4	68,2	13 900							30,0
32,0	55,7	66,9	12 900							32,0
34,0	51,8	65,4	12 000							34,0
36,0	47,7	63,7	11 200	53,8	65,2	10 100				36,0
38,0	43,3	61,8	10 500	49,8	63,6	9 500				38,0
40,0	38,6	59,5	9 800	45,5	61,8	8 800	51,5	63,1	7 900	40,0
42,0	33,2	56,7	9 100	41,0	59,7	8 200	47,4	61,4	7 300	42,0
44,0	27,0	53,3	8 500	35,9	57,1	7 600	43,0	59,4	6 800	44,0
46,0	18,9	48,5	7 900	30,2	54,1	7 100	38,2	57,0	6 300	46,0
48,0				23,2	50,1	6 600	32,8	54,2	5 900	48,0
50,0				13,1	44,0	6 200	26,5	50,7	5 500	50,0
52,0							18,2	45,8	5 100	52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2	73,5	76,0	21 200 *c							15,2
16,0	72,4	75,8	21 000 *c							16,0
18,0	69,3	75,1	20 600 *b							18,0
20,0	66,2	74,2	20 100 *b	70,1	75,0	20 800 *				20,0
22,0	63,0	73,3	19 700 *	67,0	74,2	20 400 *				22,0
24,0	59,7	72,2	19 300 *	63,8	73,3	19 900				24,0
26,0	56,3	70,9	18 600 *	60,5	72,2	18 300	63,5	72,9	17 400	26,0
28,0	52,7	69,5	17 500 *	57,1	71,0	17 000	60,3	71,8	16 100	28,0
30,0	49,0	67,9	16 300 *	53,6	69,6	15 700	56,9	70,6	14 900	30,0
32,0	45,0	66,0	15 100 *	49,9	68,0	14 600	53,3	69,2	13 900	32,0
34,0	40,8	63,9	14 000 *	46,0	66,2	13 700	49,7	67,6	12 900	34,0
36,0	36,1	61,4	13 000 *	41,9	64,2	12 800	45,7	65,8	12 100	36,0
38,0	30,9	58,3	12 100 *	37,3	61,8	12 000	41,5	63,7	11 400	38,0
40,0	24,7	54,5	11 200 *	32,2	58,9	11 200	37,0	61,3	10 600	40,0
42,0	16,4	49,2	10 500 *	26,3	55,3	10 400	31,9	58,3	9 900	42,0
44,0				18,8	50,5	9 800	25,9	54,7	9 200	44,0
46,0							18,1	49,8	8 600	46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	58,7	70,5	12 600							32,0
34,0	55,2	69,2	11 700							34,0
36,0	51,6	67,7	11 000							36,0
38,0	47,8	66,0	10 300	53,4	67,5	9 200				38,0
40,0	43,8	64,1	9 600	49,7	65,9	8 600				40,0
42,0	39,4	61,9	9 000	45,8	64,1	8 100	51,4	65,4	7 200	42,0
44,0	34,6	59,2	8 400	41,6	62,0	7 500	47,5	63,7	6 700	44,0
46,0	29,2	56,0	7 800	37,0	59,6	7 000	43,5	61,7	6 200	46,0
48,0	22,5	51,9	7 300	31,9	56,6	6 500	39,1	59,4	5 800	48,0
50,0	13,0	45,6	6 800	26,0	53,0	6 100	34,3	56,7	5 400	50,0
52,0				18,3	48,1	5 700	28,7	53,5	5 000	52,0
54,0							22,0	49,2	4 700	54,0
56,0							12,1	42,7	4 300	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,7	79,2	19 800 *c							15,2
16,0	73,7	78,9	19 700 *c							16,0
18,0	70,8	78,3	19 200 *b							18,0
20,0	68,0	77,6	18 800 *b							20,0
22,0	65,0	76,7	18 500 *	68,7	77,5	19 000 *				22,0
24,0	62,0	75,7	17 900 *	65,8	76,6	18 800 *				24,0
26,0	58,9	74,6	17 000 *	62,8	75,7	18 000	65,6	76,3	17 000	26,0
28,0	55,8	73,3	16 100 *	59,7	74,6	16 600	62,6	75,3	15 700	28,0
30,0	52,4	71,8	15 400 *	56,6	73,3	15 400	59,5	74,2	14 500	30,0
32,0	49,0	70,2	14 500 *	53,3	71,9	14 300	56,3	72,9	13 500	32,0
34,0	45,3	68,3	13 600 *	49,9	70,3	13 300	53,0	71,5	12 600	34,0
36,0	41,4	66,2	12 600 *	46,2	68,6	12 500	49,6	69,9	11 800	36,0
38,0	37,2	63,8	11 800 *	42,4	66,5	11 700	46,0	68,1	11 100	38,0
40,0	32,4	60,9	11 000 *	38,2	64,1	11 000	42,1	66,0	10 400	40,0
42,0	27,0	57,4	10 300 *	33,7	61,4	10 300	37,9	63,7	9 700	42,0
44,0	20,3	52,8	9 600 *	28,5	58,1	9 600	33,3	60,9	9 100	44,0
46,0				22,2	53,8	9 000	28,1	57,5	8 500	46,0
48,0				13,4	47,6	8 400	21,7	53,2	8 000	48,0
50,0							12,5	46,7	7 500	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	61,1	74,0	12 300							32,0
34,0	58,0	72,9	11 400							34,0
36,0	54,8	71,5	10 700							36,0
38,0	51,4	70,0	10 000							38,0
40,0	47,9	68,3	9 300	53,1	69,8	8 300				40,0
42,0	44,2	66,4	8 800	49,7	68,2	7 800				42,0
44,0	40,2	64,2	8 200	46,0	66,4	7 300				44,0
46,0	35,8	61,7	7 700	42,2	64,3	6 800	47,7	66,0	6 000	46,0
48,0	30,9	58,6	7 200	38,0	62,0	6 400	43,9	64,0	5 600	48,0
50,0	25,2	54,9	6 700	33,4	59,2	6 000	39,9	61,8	5 200	50,0
52,0	17,9	49,8	6 300	28,1	55,8	5 500	35,5	59,2	4 900	52,0
54,0				21,8	51,5	5 200	30,6	56,1	4 500	54,0
56,0				12,7	45,1	4 800	24,8	52,3	4 200	56,0
58,0							17,3	47,1	3 900	58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,8	81,9	18 200 *b							16,8
18,0	72,2	81,5	18 000 *b							18,0
20,0	69,5	80,8	17 600 *b							20,0
22,0	66,8	80,0	17 200 *							22,0
24,0	64,0	79,1	16 400 *	67,5	80,0	17 400 *				24,0
26,0	61,2	78,1	15 600 *	64,7	79,1	16 700 *	67,3	79,6	16 800	26,0
28,0	58,3	76,9	14 800 *	61,9	78,1	15 900 *	64,5	78,7	15 500	28,0
30,0	55,3	75,6	14 000 *	59,1	76,9	15 100	61,7	77,7	14 300	30,0
32,0	52,2	74,1	13 300 *	56,1	75,7	14 100	58,8	76,5	13 300	32,0
34,0	49,0	72,5	12 500 *	53,0	74,2	13 200	55,9	75,3	12 400	34,0
36,0	45,6	70,6	11 900 *	49,8	72,7	12 300	52,8	73,8	11 600	36,0
38,0	41,9	68,6	11 200 *	46,4	70,9	11 600	49,6	72,2	10 900	38,0
40,0	38,0	66,2	10 600 *	42,9	68,8	10 900	46,2	70,4	10 200	40,0
42,0	33,8	63,4	10 100 *	39,0	66,5	10 300	42,6	68,4	9 600	42,0
44,0	28,9	60,1	9 500 *	34,9	63,9	9 600	38,8	66,0	9 100	44,0
46,0	23,2	56,0	8 900 *	30,2	60,7	9 000	34,6	63,3	8 500	46,0
48,0	15,7	50,4	8 400 *	24,8	56,9	8 400	29,8	60,2	7 900	48,0
50,0				17,9	51,8	7 900	24,3	56,3	7 500	50,0
52,0							17,3	51,0	7 000	52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	60,4	76,4	11 200							34,0
36,0	57,4	75,2	10 500							36,0
38,0	54,4	73,9	9 800							38,0
40,0	51,3	72,3	9 200	55,9	73,5	8 200				40,0
42,0	48,0	70,6	8 600	52,8	72,1	7 700				42,0
44,0	44,5	68,7	8 100	49,6	70,5	7 200				44,0
46,0	40,8	66,6	7 600	46,2	68,7	6 800	51,0	70,0	5 900	46,0
48,0	36,8	64,1	7 100	42,7	66,7	6 300	47,7	68,3	5 600	48,0
50,0	32,4	61,2	6 700	38,8	64,3	5 900	44,3	66,3	5 200	50,0
52,0	27,4	57,7	6 300	34,6	61,7	5 500	40,5	64,1	4 800	52,0
54,0	21,3	53,3	5 800	29,9	58,5	5 100	36,5	61,6	4 500	54,0
56,0	12,7	46,7	5 500	24,4	54,6	4 800	32,1	58,7	4 200	56,0
58,0				17,4	49,4	4 500	27,0	55,2	3 900	58,0
60,0							20,8	50,6	3 600	60,0
62,0							11,8	43,8	3 300	62,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
16,8	74,8	85,1	17 000 *b							16,8
18,0	73,3	84,7	16 700 *b							18,0
20,0	70,8	84,1	16 400 *b							20,0
22,0	68,3	83,3	15 700 *							22,0
24,0	65,8	82,5	14 900 *	69,0	83,2	15 900 *				24,0
26,0	63,2	81,5	14 200 *	66,4	82,4	15 200 *				26,0
28,0	60,5	80,4	13 300 *	63,8	81,5	14 400 *	66,2	82,1	14 900 *	28,0
30,0	57,8	79,3	12 600 *	61,2	80,5	13 700 *	63,6	81,1	14 100	30,0
32,0	54,9	77,9	11 900 *	58,5	79,3	12 900 *	61,0	80,1	13 000	32,0
34,0	52,0	76,4	11 200 *	55,7	78,0	12 200 *	58,3	78,9	12 100	34,0
36,0	49,0	74,8	10 500 *	52,8	76,6	11 500 *	55,5	77,6	11 300	36,0
38,0	45,8	72,9	9 900 *	49,7	75,0	10 800 *	52,5	76,1	10 600	38,0
40,0	42,4	70,9	9 300 *	46,6	73,2	10 200 *	49,5	74,5	9 900	40,0
42,0	38,8	68,6	8 700 *	43,3	71,2	9 500 *	46,4	72,7	9 400	42,0
44,0	34,9	65,9	8 200 *	39,7	68,9	8 900 *	43,0	70,7	8 800	44,0
46,0	30,5	62,8	7 700 *	35,9	66,3	8 400 *	39,5	68,4	8 300	46,0
48,0	25,5	59,0	7 200 *	31,7	63,3	7 900 *	35,6	65,8	7 800	48,0
50,0	19,4	54,2	6 800 *	26,8	59,8	7 400 *	31,3	62,8	7 300	50,0
52,0				21,1	55,2	7 000 *	26,5	59,2	6 800	52,0
54,0				13,0	48,7	6 600 *	20,6	54,6	6 400	54,0
56,0							12,3	47,8	6 000	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0	59,7	78,8	10 200							36,0
38,0	56,9	77,6	9 500							38,0
40,0	54,1	76,2	8 900							40,0
42,0	51,1	74,7	8 300	55,5	75,9	7 400				42,0
44,0	48,0	72,9	7 800	52,6	74,4	6 900				44,0
46,0	44,8	71,0	7 400	49,6	72,8	6 500				46,0
48,0	41,4	68,9	7 000	46,4	71,0	6 100	50,9	72,3	5 300	48,0
50,0	37,7	66,5	6 500	43,1	69,0	5 700	47,8	70,6	4 900	50,0
52,0	33,6	63,7	6 100	39,5	66,7	5 400	44,6	68,6	4 600	52,0
54,0	29,1	60,4	5 700	35,7	64,1	5 000	41,1	66,5	4 300	54,0
56,0	23,9	56,4	5 300	31,4	61,1	4 600	37,4	64,0	4 000	56,0
58,0	17,1	51,1	5 000	26,6	57,5	4 300	33,3	61,2	3 700	58,0
60,0				20,7	52,9	4 000	28,8	57,9	3 400	60,0
62,0				12,4	46,2	3 700	23,4	53,8	3 200	62,0
64,0							16,6	48,3	2 900	64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	74,0	87,8	15 300 *b							18,3
20,0	72,0	87,3	15 000 *b							20,0
22,0	69,7	86,6	14 500 *							22,0
24,0	67,3	85,8	13 700 *							24,0
26,0	64,9	84,9	12 900 *	67,9	85,7	13 900 *				26,0
28,0	62,4	83,9	12 200 *	65,5	84,9	13 200 *				28,0
30,0	59,9	82,8	11 500 *	63,0	83,9	12 500 *	65,3	84,5	13 000 *	30,0
32,0	57,3	81,6	10 800 *	60,5	82,8	11 700 *	62,8	83,5	12 400 *	32,0
34,0	54,6	80,2	10 100 *	57,9	81,6	11 100 *	60,3	82,4	11 700 *	34,0
36,0	51,8	78,7	9 500 *	55,3	80,3	10 400 *	57,7	81,2	11 000 *	36,0
38,0	49,0	77,1	8 900 *	52,5	78,9	9 700 *	55,1	79,9	10 400 *	38,0
40,0	46,0	75,3	8 300 *	49,7	77,3	9 100 *	52,3	78,4	9 700 *	40,0
42,0	42,8	73,2	7 700 *	46,7	75,5	8 500 *	49,5	76,8	9 100 *	42,0
44,0	39,4	70,9	7 300 *	43,6	73,5	8 000 *	46,5	75,0	8 500 *	44,0
46,0	35,8	68,3	6 700 *	40,3	71,3	7 400 *	43,4	73,0	8 000 *	46,0
48,0	31,9	65,3	6 200 *	36,8	68,7	6 900 *	40,1	70,8	7 500 *	48,0
50,0	27,4	61,8	5 700 *	32,9	65,9	6 400 *	36,5	68,2	7 000 *	50,0
52,0	22,1	57,5	5 200 *	28,6	62,5	5 800 *	32,6	65,3	6 500 *	52,0
54,0	15,2	51,6	4 700 *	23,5	58,4	5 300 *	28,2	61,9	5 800 *	54,0
56,0				17,1	53,0	4 800 *	23,1	57,8	5 300 *	56,0
58,0							16,6	52,2	4 800 *	58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			
	m	m	kg	m	m	kg	m
18,3							18,3
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0	61,7	82,3	10 000				36,0
38,0	59,1	81,1	9 300				38,0
40,0	56,5	79,9	8 700				40,0
42,0	53,8	78,5	8 100				42,0
44,0	51,0	77,0	7 600	55,1	78,2	6 700	44,0
46,0	48,1	75,2	7 100	52,4	76,7	6 300	46,0
48,0	45,1	73,4	6 700	49,5	75,1	5 900	48,0
50,0	41,8	71,2	6 300	46,6	73,3	5 500	50,0
52,0	38,4	68,9	6 000	43,4	71,3	5 200	52,0
54,0	34,7	66,2	5 600	40,1	69,1	4 800	54,0
56,0	30,6	63,1	5 200	36,6	66,5	4 500	56,0
58,0	25,9	59,3	4 900	32,7	63,6	4 200	58,0
60,0	20,3	54,6	4 600	28,3	60,2	3 900	60,0
62,0	12,4	47,8	4 300	23,2	56,1	3 700	62,0
64,0				16,7	50,6	3 400	64,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
9,8	74,8	61,6	40 700 *d							9,8
10,0	74,1	61,5	40 700 *d							10,0
12,0	68,4	60,8	40 700 *c							12,0
14,0	62,5	59,9	37 300 *c							14,0
16,0	56,2	58,8	33 700 *c	64,6	60,0	32 700 c				16,0
18,0	49,5	57,2	30 200 *b	58,5	58,9	29 100 b				18,0
20,0	42,0	55,3	27 500 *b	52,0	57,5	26 200 b	58,6	58,6	24 900 b	20,0
22,0	33,2	52,7	25 400 *	44,8	55,8	23 800	52,0	57,2	22 600 b	22,0
24,0	21,5	48,8	23 500	36,5	53,4	21 800	44,8	55,4	20 700	24,0
26,0				26,2	50,1	20 100	36,6	53,1	19 000	26,0
28,0							26,3	49,8	17 600	28,0
30,0										30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
9,8										9,8
10,0										10,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	56,4	57,4	18 900 b							24,0
26,0	49,6	55,8	17 300							26,0
28,0	42,1	53,9	16 100	53,8	55,7	14 600 b				28,0
30,0	33,4	51,3	14 800	46,8	54,1	13 500				30,0
32,0	21,7	47,5	13 600	39,0	51,9	12 400	50,8	53,7	11 200	32,0
34,0				29,4	49,0	11 400	43,5	51,8	10 300	34,0
36,0				15,2	44,1	10 500	35,0	49,4	9 500	36,0
38,0							24,1	45,9	8 800	38,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,0	73,7	64,4	37 200 *d							11,0
12,0	71,2	64,1	37 200 *d							12,0
14,0	66,2	63,3	35 700 *c							14,0
16,0	60,9	62,3	32 600 *c	68,0	63,3	32 000 c				16,0
18,0	55,4	61,1	29 900 *b	62,8	62,4	28 500 b				18,0
20,0	49,4	59,5	27 300 *b	57,4	61,3	25 700 b	62,8	62,1	24 400 b	20,0
22,0	42,9	57,6	25 000	51,6	59,8	23 300	57,4	60,9	22 100 b	22,0
24,0	35,5	55,2	22 900	45,3	58,1	21 300	51,6	59,5	20 200	24,0
26,0	26,3	51,8	21 100	38,3	55,8	19 700	45,4	57,7	18 600	26,0
28,0				29,9	52,9	18 200	38,3	55,5	17 200	28,0
30,0				18,3	48,4	16 800	29,9	52,6	16 000	30,0
32,0							18,5	48,1	14 700	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	55,5	59,7	16 900							26,0
28,0	49,5	58,1	15 600							28,0
30,0	43,0	56,2	14 500	53,2	58,0	13 100				30,0
32,0	35,6	53,8	13 500	47,1	56,4	12 200				32,0
34,0	26,5	50,5	12 400	40,3	54,3	11 300	50,6	56,0	10 100	34,0
36,0				32,4	51,6	10 400	44,2	54,2	9 300	36,0
38,0				22,1	47,7	9 600	37,0	51,8	8 600	38,0
40,0							28,3	48,7	8 000	40,0
42,0							15,7	43,8	7 400	42,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	74,3	67,4	34 000 *d							11,6
12,0	73,4	67,3	34 000 *d							12,0
14,0	68,9	66,6	33 700 *c							14,0
16,0	64,4	65,8	31 800 *c							16,0
18,0	59,7	64,7	29 200 *b	66,0	65,8	28 000 b				18,0
20,0	54,7	63,4	27 000 *b	61,4	64,8	25 200 b	66,1	65,5	24 000 b	20,0
22,0	49,4	61,8	24 500	56,5	63,6	22 900	61,4	64,5	21 700 b	22,0
24,0	43,6	59,9	22 500	51,3	62,1	20 900	56,5	63,3	19 900	24,0
26,0	37,2	57,6	20 700	45,7	60,4	19 300	51,4	61,8	18 300	26,0
28,0	29,6	54,6	19 200	39,6	58,2	17 800	45,8	60,1	16 900	28,0
30,0	19,5	50,2	17 600 *	32,5	55,5	16 600	39,6	57,9	15 700	30,0
32,0				23,6	51,7	15 400	32,5	55,1	14 600	32,0
34,0							23,6	51,4	13 500	34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,7	63,3	16 600							26,0
28,0	54,8	62,0	15 300							28,0
30,0	49,5	60,4	14 200							30,0
32,0	43,7	58,6	13 200	52,8	60,4	11 900				32,0
34,0	37,3	56,2	12 300	47,3	58,7	11 100				34,0
36,0	29,7	53,2	11 400	41,4	56,6	10 300	50,4	58,3	9 200	36,0
38,0	19,7	48,9	10 600	34,6	54,1	9 500	44,8	56,5	8 500	38,0
40,0				26,3	50,7	8 900	38,5	54,2	7 900	40,0
42,0				14,2	45,2	8 200	31,2	51,4	7 300	42,0
44,0							21,8	47,3	6 800	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
12,2	74,7	70,4	31 300 *d							12,2
14,0	71,1	69,9	31 100 *c							14,0
16,0	67,1	69,1	30 500 *c							16,0
18,0	63,0	68,2	28 300 *b							18,0
20,0	58,7	67,0	26 200 *b	64,5	68,2	24 700 b				20,0
22,0	54,1	65,7	24 100	60,2	67,2	22 400	64,5	67,9	21 300 b	22,0
24,0	49,4	64,1	22 000	55,8	65,9	20 500	60,2	66,8	19 400	24,0
26,0	44,2	62,3	20 300	51,1	64,4	18 900	55,8	65,6	17 800	26,0
28,0	38,5	60,0	18 700	46,1	62,7	17 400	51,1	64,1	16 500	28,0
30,0	32,0	57,2	17 100 *	40,6	60,6	16 200	46,1	62,4	15 300	30,0
32,0	24,0	53,4	15 600 *	34,4	58,0	15 100	40,6	60,2	14 200	32,0
34,0				27,1	54,6	14 100	34,5	57,6	13 300	34,0
36,0				17,0	49,6	13 000	27,1	54,3	12 400	36,0
38,0							17,1	49,4	11 500	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	58,7	65,6	14 900							28,0
30,0	54,2	64,3	13 800							30,0
32,0	49,4	62,8	12 800	57,0	64,1	11 600				32,0
34,0	44,3	60,9	12 000	52,4	62,7	10 700				34,0
36,0	38,6	58,6	11 200	47,5	61,0	10 000				36,0
38,0	32,1	55,8	10 400	42,2	59,0	9 300				38,0
40,0	24,1	52,0	9 700	36,2	56,5	8 700	45,2	58,8	7 700	40,0
42,0				29,3	53,4	8 000	39,6	56,6	7 100	42,0
44,0				20,3	49,1	7 500	33,3	53,9	6 600	44,0
46,0							25,7	50,4	6 100	46,0
48,0							14,8	44,9	5 700	48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	73,4	73,1	28 800 *c							13,7
14,0	72,9	73,1	28 700 *c							14,0
16,0	69,3	72,4	28 300 *c							16,0
18,0	65,6	71,5	27 100 *b							18,0
20,0	61,8	70,6	25 300 *b	66,9	71,6	24 300 b				20,0
22,0	57,8	69,4	23 500 *	63,1	70,6	22 100				22,0
24,0	53,7	68,0	21 700 *	59,2	69,5	20 200	63,2	70,3	19 200	24,0
26,0	49,3	66,4	20 000 *	55,2	68,3	18 600	59,3	69,2	17 600	26,0
28,0	44,6	64,6	18 300 *	50,9	66,7	17 200	55,2	67,9	16 300	28,0
30,0	39,5	62,4	16 800 *	46,3	65,0	16 000	50,9	66,4	15 100	30,0
32,0	33,8	59,7	15 400 *	41,4	62,9	14 900	46,4	64,7	14 100	32,0
34,0	27,1	56,3	14 100 *	35,9	60,4	13 900	41,4	62,6	13 100	34,0
36,0	18,2	51,5	13 000 *	29,6	57,3	13 000	36,0	60,1	12 300	36,0
38,0				21,7	53,1	12 200	29,7	57,0	11 500	38,0
40,0							21,8	52,8	10 700	40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	61,8	69,2	14 800							28,0
30,0	57,9	68,0	13 700							30,0
32,0	53,8	66,6	12 700							32,0
34,0	49,4	65,1	11 800	56,3	66,4	10 600				34,0
36,0	44,7	63,2	11 100	52,1	65,0	9 900				36,0
38,0	39,6	61,0	10 400	47,6	63,3	9 300				38,0
40,0	33,9	58,3	9 700	42,8	61,3	8 700	50,2	62,9	7 700	40,0
42,0	27,2	54,9	9 000	37,5	58,9	8 000	45,6	61,1	7 100	42,0
44,0	18,4	50,2	8 400	31,5	56,0	7 500	40,6	59,0	6 600	44,0
46,0				24,2	52,2	7 000	35,0	56,4	6 100	46,0
48,0				13,6	46,4	6 500	28,5	53,1	5 700	48,0
50,0							20,2	48,7	5 300	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,8	76,3	22 400 *c							13,7
14,0	74,4	76,2	22 400 *c							14,0
16,0	71,1	75,6	21 900 *c							16,0
18,0	67,7	74,9	21 300 *b							18,0
20,0	64,3	74,0	20 900 *b	68,9	74,9	21 700 *				20,0
22,0	60,8	72,9	20 400 *	65,5	74,0	21 300 *				22,0
24,0	57,1	71,7	19 900 *	62,0	73,0	19 900	65,6	73,7	18 800	24,0
26,0	53,3	70,3	18 700 *	58,4	71,9	18 300	62,1	72,7	17 200	26,0
28,0	49,3	68,7	17 400 *	54,7	70,6	16 800	58,5	71,6	15 900	28,0
30,0	45,0	66,9	16 100 *	50,7	69,0	15 600	54,7	70,2	14 700	30,0
32,0	40,4	64,7	14 800 *	46,6	67,3	14 600	50,8	68,7	13 700	32,0
34,0	35,3	62,1	13 700 *	42,1	65,2	13 600	46,6	67,0	12 800	34,0
36,0	29,4	59,0	12 700 *	37,2	62,8	12 700	42,1	64,9	12 000	36,0
38,0	22,2	54,9	11 800 *	31,6	59,9	12 000	37,2	62,5	11 200	38,0
40,0				25,0	56,2	11 200	31,7	59,6	10 600	40,0
42,0				16,1	50,9	10 400	25,1	55,9	9 800	42,0
44,0							16,2	50,6	9 200	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	60,8	71,5	13 300							30,0
32,0	57,2	70,3	12 300							32,0
34,0	53,4	68,9	11 500							34,0
36,0	49,4	67,4	10 800	55,7	68,7	9 600				36,0
38,0	45,1	65,5	10 100	51,9	67,3	9 000				38,0
40,0	40,5	63,3	9 500	47,7	65,6	8 400				40,0
42,0	35,4	60,8	8 800	43,4	63,6	7 800	50,1	65,2	6 900	42,0
44,0	29,5	57,6	8 300	38,6	61,3	7 300	45,9	63,4	6 400	44,0
46,0	22,4	53,5	7 700	33,2	58,6	6 800	41,3	61,3	6 000	46,0
48,0				27,0	55,1	6 400	36,3	58,8	5 600	48,0
50,0				19,0	50,4	5 900	30,6	55,8	5 200	50,0
52,0							23,8	51,9	4 800	52,0
54,0							14,1	46,1	4 500	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	73,7	79,0	20 700 *c							15,2
16,0	72,6	78,8	20 600 *c							16,0
18,0	69,5	78,1	20 100 *b							18,0
20,0	66,4	77,3	19 700 *b	70,6	78,1	20 300 *				20,0
22,0	63,2	76,4	19 300 *	67,5	77,3	20 100 *				22,0
24,0	59,9	75,3	18 800 *	64,4	76,4	19 400				24,0
26,0	56,5	74,1	17 700 *	61,1	75,4	17 900	64,4	76,1	16 900	26,0
28,0	53,0	72,7	16 600 *	57,7	74,2	16 500	61,1	75,1	15 600	28,0
30,0	49,3	71,0	15 400 *	54,3	72,9	15 400	57,8	73,9	14 500	30,0
32,0	45,3	69,2	14 400 *	50,6	71,4	14 300	54,3	72,6	13 400	32,0
34,0	41,1	67,1	13 400 *	46,8	69,6	13 300	50,6	71,0	12 500	34,0
36,0	36,5	64,6	12 400 *	42,6	67,6	12 500	46,8	69,3	11 700	36,0
38,0	31,3	61,6	11 600 *	38,2	65,2	11 700	42,7	67,2	11 000	38,0
40,0	25,2	57,9	10 700 *	33,2	62,4	11 100	38,2	64,9	10 400	40,0
42,0	17,2	52,7	10 100 *	27,5	59,0	10 400	33,3	62,1	9 700	42,0
44,0				20,4	54,5	9 700	27,6	58,7	9 100	44,0
46,0							20,4	54,2	8 500	46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000








55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	60,0	73,9	12 100							32,0
34,0	56,6	72,7	11 200							34,0
36,0	53,0	71,3	10 500							36,0
38,0	49,3	69,7	9 800	55,2	71,1	8 700				38,0
40,0	45,4	67,8	9 200	51,6	69,6	8 200				40,0
42,0	41,2	65,7	8 700	47,8	67,9	7 600				42,0
44,0	36,6	63,2	8 100	43,8	65,9	7 200	50,0	67,5	6 200	44,0
46,0	31,4	60,2	7 600	39,5	63,7	6 700	46,1	65,7	5 800	46,0
48,0	25,3	56,5	7 100	34,7	61,0	6 300	41,9	63,6	5 400	48,0
50,0	17,4	51,4	6 600	29,2	57,8	5 800	37,4	61,2	5 000	50,0
52,0				22,6	53,7	5 500	32,4	58,4	4 700	52,0
54,0				13,1	47,5	5 100	26,5	54,8	4 400	54,0
56,0							19,0	50,0	4 000	56,0

MLC165 S-2



EN 13000





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,9	82,2	19 400 *c							15,2
16,0	73,9	82,0	19 300 *c							16,0
18,0	71,1	81,4	18 800 *b							18,0
20,0	68,2	80,6	18 500 *b							20,0
22,0	65,3	79,8	18 100 *	69,2	80,6	18 600 *				22,0
24,0	62,3	78,8	17 500 *	66,3	79,8	18 400 *				24,0
26,0	59,2	77,7	16 600 *	63,3	78,9	17 500	66,3	79,5	16 500	26,0
28,0	56,0	76,4	15 600 *	60,3	77,8	16 200	63,4	78,5	15 300	28,0
30,0	52,7	75,0	14 700 *	57,2	76,6	15 000	60,3	77,5	14 100	30,0
32,0	49,3	73,3	13 800 *	53,9	75,2	14 000	57,2	76,2	13 100	32,0
34,0	45,6	71,5	12 900 *	50,5	73,7	13 000	53,9	74,9	12 200	34,0
36,0	41,7	69,4	12 100 *	46,9	71,9	12 200	50,5	73,3	11 400	36,0
38,0	37,5	67,0	11 300 *	43,1	69,9	11 400	46,9	71,6	10 700	38,0
40,0	32,8	64,2	10 500 *	39,0	67,6	10 800	43,2	69,6	10 000	40,0
42,0	27,5	60,7	9 800 *	34,6	64,9	10 100	39,1	67,3	9 400	42,0
44,0	20,9	56,3	9 200 *	29,5	61,7	9 500	34,6	64,6	8 900	44,0
46,0				23,5	57,7	8 900	29,5	61,4	8 400	46,0
48,0				15,4	52,0	8 300	23,5	57,4	7 800	48,0
50,0							15,4	51,8	7 300	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,3	77,4	11 700							32,0
34,0	59,2	76,3	10 900							34,0
36,0	56,1	75,0	10 200							36,0
38,0	52,8	73,6	9 500							38,0
40,0	49,3	72,0	8 900	54,8	73,4	7 800				40,0
42,0	45,7	70,1	8 400	51,5	71,9	7 300				42,0
44,0	41,8	68,0	7 800	47,9	70,2	6 900				44,0
46,0	37,6	65,6	7 400	44,2	68,3	6 400	49,9	69,8	5 500	46,0
48,0	32,9	62,8	6 900	40,2	66,1	6 100	46,3	68,0	5 200	48,0
50,0	27,6	59,4	6 500	35,8	63,5	5 700	42,5	66,0	4 800	50,0
52,0	21,1	54,9	6 100	31,0	60,5	5 300	38,3	63,6	4 500	52,0
54,0				25,3	56,7	4 900	33,8	60,9	4 200	54,0
56,0				18,0	51,7	4 600	28,6	57,6	3 900	56,0
58,0							22,3	53,4	3 600	58,0
60,0							13,6	47,2	3 300	60,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,0	84,9	17 800 *b							16,8
18,0	72,4	84,6	17 600 *b							18,0
20,0	69,7	83,9	17 300 *b							20,0
22,0	67,0	83,1	16 900 *							22,0
24,0	64,3	82,2	16 200 *	68,0	83,1	17 100 *				24,0
26,0	61,4	81,2	15 500 *	65,2	82,2	16 700 *				26,0
28,0	58,6	80,0	14 700 *	62,5	81,3	15 900 *	65,3	81,9	15 000	28,0
30,0	55,6	78,7	13 900 *	59,6	80,2	14 800	62,5	80,9	13 900	30,0
32,0	52,5	77,3	13 200 *	56,6	78,9	13 700	59,6	79,8	12 900	32,0
34,0	49,2	75,6	12 400 *	53,6	77,5	12 800	56,7	78,6	12 000	34,0
36,0	45,8	73,8	11 700 *	50,4	76,0	12 000	53,6	77,2	11 300	36,0
38,0	42,2	71,7	11 000 *	47,1	74,2	11 300	50,4	75,6	10 600	38,0
40,0	38,4	69,4	10 300 *	43,5	72,2	10 600	47,1	73,9	9 900	40,0
42,0	34,1	66,7	9 700 *	39,8	70,0	10 000	43,6	71,9	9 300	42,0
44,0	29,3	63,4	9 100 *	35,7	67,4	9 400	39,8	69,6	8 800	44,0
46,0	23,7	59,4	8 500 *	31,1	64,3	8 900	35,7	67,1	8 300	46,0
48,0	16,4	53,9	8 100 *	25,8	60,7	8 300	31,1	64,0	7 800	48,0
50,0				19,3	55,9	7 800	25,9	60,4	7 300	50,0
52,0							19,4	55,6	6 800	52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
16,8										16,8
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0										32,0
34,0	61,5	79,8	10 800							34,0
36,0	58,6	78,6	10 000							36,0
38,0	55,6	77,3	9 400							38,0
40,0	52,5	75,9	8 800							40,0
42,0	49,3	74,3	8 200	54,4	75,7	7 200				42,0
44,0	45,9	72,4	7 800	51,3	74,2	6 700				44,0
46,0	42,3	70,4	7 300	48,0	72,5	6 300				46,0
48,0	38,4	68,0	6 900	44,5	70,6	5 900	49,9	72,1	5 100	48,0
50,0	34,2	65,3	6 500	40,8	68,4	5 600	46,5	70,3	4 700	50,0
52,0	29,4	62,1	6 000	36,8	65,9	5 200	42,9	68,3	4 400	52,0
54,0	23,8	58,1	5 700	32,4	63,0	4 900	39,1	66,0	4 100	54,0
56,0	16,6	52,6	5 300	27,4	59,6	4 600	35,0	63,4	3 900	56,0
58,0				21,3	55,1	4 200	30,3	60,2	3 600	58,0
60,0				12,8	48,6	3 900	24,9	56,4	3 300	60,0
62,0							18,0	51,3	3 000	62,0
64,0							6,0	41,9	2 800	64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	73,1	87,7	16 300 *b							18,3
20,0	71,0	87,1	15 900 *b							20,0
22,0	68,5	86,4	15 400 *							22,0
24,0	66,0	85,6	14 800 *	69,4	86,4	15 800 *				24,0
26,0	63,4	84,6	14 100 *	66,9	85,6	15 100 *				26,0
28,0	60,7	83,5	13 400 *	64,3	84,7	14 400 *	66,9	85,2	14 700	28,0
30,0	58,0	82,4	12 600 *	61,7	83,7	13 700 *	64,3	84,3	13 600	30,0
32,0	55,2	81,0	11 900 *	59,0	82,5	13 000 *	61,7	83,3	12 600	32,0
34,0	52,3	79,6	11 300 *	56,2	81,2	12 300 *	59,0	82,2	11 700	34,0
36,0	49,2	77,9	10 600 *	53,3	79,8	11 600 *	56,2	80,9	11 000	36,0
38,0	46,0	76,1	10 000 *	50,3	78,3	11 000 *	53,3	79,5	10 200	38,0
40,0	42,7	74,1	9 400 *	47,2	76,5	10 300 *	50,3	77,9	9 600	40,0
42,0	39,1	71,8	8 800 *	43,9	74,5	9 700 *	47,2	76,2	9 000	42,0
44,0	35,2	69,1	8 300 *	40,4	72,3	9 100 *	43,9	74,2	8 500	44,0
46,0	30,9	66,0	7 700 *	36,6	69,8	8 500 *	40,4	72,0	8 000	46,0
48,0	25,9	62,3	7 300 *	32,5	66,9	8 000 *	36,6	69,5	7 500	48,0
50,0	19,9	57,6	6 900 *	27,8	63,5	7 500 *	32,5	66,6	7 100	50,0
52,0				22,2	59,2	7 100 *	27,8	63,2	6 700	52,0
54,0				14,8	53,2	6 700 *	22,3	58,9	6 300	54,0
56,0							14,9	52,9	5 900	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0







MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			
	 m	 m	 kg	 m	 m	 kg	
18,3							18,3
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0	60,8	82,1	9 700				36,0
38,0	58,0	81,0	9 100				38,0
40,0	55,2	79,6	8 500				40,0
42,0	52,3	78,2	7 900				42,0
44,0	49,3	76,6	7 500	54,1	78,0	6 500	44,0
46,0	46,1	74,7	7 000	51,1	76,5	6 100	46,0
48,0	42,7	72,7	6 600	48,1	74,8	5 700	48,0
50,0	39,1	70,4	6 200	44,8	72,9	5 300	50,0
52,0	35,3	67,7	5 900	41,4	70,8	5 000	52,0
54,0	31,0	64,7	5 500	37,7	68,3	4 700	54,0
56,0	26,0	61,0	5 100	33,7	65,5	4 400	56,0
58,0	20,0	56,3	4 800	29,1	62,3	4 100	58,0
60,0				23,9	58,3	3 800	60,0
62,0				17,2	52,9	3 500	62,0
64,0				4,9	42,6	3 300	64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
18,3	74,2	90,8	14 700 *b							18,3
20,0	72,2	90,3	14 400 *b							20,0
22,0	69,8	89,7	14 000 *							22,0
24,0	67,5	88,9	13 600 *							24,0
26,0	65,1	88,0	12 900 *	68,3	88,9	13 800 *				26,0
28,0	62,6	87,0	12 200 *	65,9	88,0	13 200 *				28,0
30,0	60,1	85,9	11 500 *	63,5	87,1	12 500 *	65,9	87,7	13 000 *	30,0
32,0	57,5	84,7	10 800 *	61,0	86,0	11 800 *	63,5	86,8	12 300 *	32,0
34,0	54,8	83,4	10 200 *	58,4	84,9	11 200 *	61,0	85,7	11 500 *	34,0
36,0	52,1	81,9	9 600 *	55,8	83,6	10 500 *	58,4	84,5	10 700 *	36,0
38,0	49,2	80,2	8 900 *	53,1	82,1	9 900 *	55,8	83,2	10 000 *	38,0
40,0	46,2	78,4	8 400 *	50,2	80,6	9 300 *	53,1	81,8	9 400 *	40,0
42,0	43,1	76,4	7 800 *	47,3	78,8	8 700 *	50,3	80,2	8 800 *	42,0
44,0	39,7	74,1	7 300 *	44,2	76,9	8 100 *	47,3	78,5	8 300 *	44,0
46,0	36,1	71,6	6 800 *	40,9	74,7	7 500 *	44,2	76,5	7 800 *	46,0
48,0	32,2	68,6	6 300 *	37,4	72,2	7 100 *	41,0	74,4	7 400 *	48,0
50,0	27,8	65,1	5 700 *	33,6	69,4	6 600 *	37,5	71,9	7 000 *	50,0
52,0	22,6	60,9	5 200 *	29,4	66,2	6 000 *	33,7	69,1	6 500 *	52,0
54,0	15,8	55,1	4 700 *	24,5	62,2	5 400 *	29,4	65,8	6 100 *	54,0
56,0				18,5	57,1	4 900 *	24,6	61,9	5 500 *	56,0
58,0							18,5	56,9	5 000 *	58,0
60,0										60,0
62,0										62,0
64,0										64,0
66,0										66,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			m
	m	m	kg	m	m	kg	
18,3							18,3
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0	60,1	84,5	8 800				38,0
40,0	57,5	83,3	8 200				40,0
42,0	54,9	82,0	7 700				42,0
44,0	52,1	80,5	7 300				44,0
46,0	49,3	78,9	6 800	53,8	80,3	5 800	46,0
48,0	46,3	77,0	6 400	51,0	78,8	5 400	48,0
50,0	43,1	75,0	6 000	48,1	77,1	5 100	50,0
52,0	39,8	72,7	5 600	45,1	75,2	4 800	52,0
54,0	36,2	70,2	5 300	41,9	73,1	4 500	54,0
56,0	32,3	67,2	5 000	38,4	70,7	4 200	56,0
58,0	27,8	63,8	4 700	34,7	68,0	3 900	58,0
60,0	22,6	59,5	4 400	30,6	64,9	3 700	60,0
62,0	16,0	53,8	4 100	25,9	61,2	3 500	62,0
64,0				20,3	56,5	3 200	64,0
66,0				12,5	49,7	2 900	66,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	73,5	64,4	38 900 *d							10,4
12,0	68,9	63,9	38 800 *d							12,0
14,0	63,0	63,0	36 300 *c							14,0
16,0	56,8	61,8	32 700 *c	65,7	63,1	31 800 c				16,0
18,0	50,1	60,4	29 400 *b	59,6	62,1	28 300 b				18,0
20,0	42,6	58,4	26 900 *b	53,2	60,8	25 500 b	60,2	61,8	24 100 b	20,0
22,0	34,0	55,9	24 900 *	46,1	59,1	23 200	53,8	60,5	21 900 b	22,0
24,0	22,6	52,2	23 000	38,1	56,9	21 300	46,8	58,9	20 100	24,0
26,0				28,3	53,8	19 600	38,9	56,7	18 400	26,0
28,0							29,3	53,8	17 100	28,0
30,0							15,0	48,8	15 900	30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0	58,8	60,7	18 200 b							24,0
26,0	52,3	59,4	16 700 b							26,0
28,0	45,1	57,6	15 400							28,0
30,0	37,0	55,3	14 300	50,5	57,8	12 800				30,0
32,0	26,8	52,1	13 300	43,1	55,9	11 900				32,0
34,0				34,6	53,4	11 000	48,2	55,8	9 800	34,0
36,0				23,5	49,8	10 200	40,6	53,7	9 000	36,0
38,0							31,4	51,0	8 300	38,0



REFERENCE ONLY

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,0	74,1	67,4	35 700 *d							11,0
12,0	71,6	67,1	35 600 *d							12,0
14,0	66,6	66,4	34 700 *c							14,0
16,0	61,3	65,4	31 700 *c	68,9	66,4	31 100 c				16,0
18,0	55,8	64,2	29 100 *b	63,8	65,6	27 700 b				18,0
20,0	49,9	62,7	26 600 *b	58,4	64,5	25 000 b	64,2	65,3	23 600 b	20,0
22,0	43,5	60,8	24 400 *	52,7	63,1	22 700	58,9	64,2	21 400 b	22,0
24,0	36,1	58,4	22 500	46,5	61,4	20 800	53,2	62,9	19 600	24,0
26,0	27,1	55,1	20 700	39,6	59,2	19 200	47,1	61,2	18 000	26,0
28,0				31,5	56,4	17 800	40,2	59,1	16 700	28,0
30,0				20,9	52,4	16 500	32,3	56,4	15 500	30,0
32,0							22,0	52,5	14 500	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg








	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	57,7	63,1	16 300 b							26,0
28,0	51,9	61,7	15 000							28,0
30,0	45,6	59,9	13 900							30,0
32,0	38,6	57,7	12 900	50,3	60,1	11 500				32,0
34,0	30,3	54,8	12 000	43,9	58,2	10 700				34,0
36,0	19,1	50,4	11 200	36,6	55,9	10 000	48,3	58,1	8 800	36,0
38,0				27,8	52,7	9 200	41,7	56,1	8 100	38,0
40,0							34,0	53,5	7 500	40,0
42,0							24,4	49,9	7 000	42,0

REFERENCE ONLY

MLC165 S-2



EN 13000






	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6	74,6	70,4	32 700 *d							11,6
12,0	73,7	70,3	32 600 *d							12,0
14,0	69,3	69,7	32 400 *c							14,0
16,0	64,8	68,8	30 900 *c							16,0
18,0	60,0	67,8	28 400 *b	66,9	68,9	27 200 b				18,0
20,0	55,1	66,5	26 200 *b	62,2	68,0	24 600 b	67,2	68,6	23 200 b	20,0
22,0	49,8	65,0	24 100 b	57,4	66,8	22 300	62,6	67,7	21 000 b	22,0
24,0	44,1	63,1	22 000 *	52,3	65,4	20 400	57,8	66,5	19 200	24,0
26,0	37,7	60,8	20 100 *	46,8	63,7	18 800	52,7	65,2	17 700	26,0
28,0	30,2	57,8	18 300 *	40,8	61,6	17 400	47,3	63,5	16 400	28,0
30,0	20,5	53,6	16 800 *	33,9	59,0	16 200	41,3	61,4	15 200	30,0
32,0				25,4	55,5	15 100	34,5	58,9	14 100	32,0
34,0							26,2	55,4	13 200	34,0
36,0							14,0	50,0	12 300	36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000







55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	61,6	66,6	15 900 b							26,0
28,0	56,7	65,4	14 700							28,0
30,0	51,6	64,0	13 600							30,0
32,0	46,0	62,2	12 700	55,4	63,9	11 200				32,0
34,0	39,9	60,1	11 800	50,2	62,4	10 500				34,0
36,0	32,8	57,4	11 000	44,5	60,5	9 700				36,0
38,0	24,1	53,7	10 300	38,2	58,3	9 100	48,4	60,4	8 000	38,0
40,0				30,8	55,4	8 500	42,6	58,4	7 400	40,0
42,0				21,2	51,3	7 900	35,9	56,0	6 900	42,0
44,0							28,1	52,8	6 400	44,0

MLC165 S-2



EN 13000





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
12,2	75,0	73,4	30 100 *d							12,2
14,0	71,4	72,9	29 900 *c							14,0
16,0	67,4	72,1	29 100 *c							16,0
18,0	63,3	71,2	27 100 *b							18,0
20,0	59,0	70,1	25 100 *b	65,2	71,4	24 000 b				20,0
22,0	54,5	68,8	23 200 *b	61,0	70,3	21 800	65,6	71,1	20 600 b	22,0
24,0	49,7	67,3	21 200 *	56,6	69,1	20 000	61,4	70,1	18 800	24,0
26,0	44,6	65,4	19 500 *	52,0	67,7	18 400	57,0	68,9	17 300	26,0
28,0	39,0	63,2	17 800 *	47,0	66,0	17 000	52,4	67,5	16 000	28,0
30,0	32,5	60,4	16 300 *	41,6	63,9	15 800	47,4	65,8	14 800	30,0
32,0	24,7	56,7	14 900 *	35,6	61,4	14 700	42,1	63,8	13 800	32,0
34,0				28,5	58,2	13 800	36,1	61,3	12 900	34,0
36,0				19,2	53,7	12 900	29,2	58,2	12 100	36,0
38,0							20,2	53,8	11 300	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000








55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	60,4	69,0	14 300							28,0
30,0	56,0	67,7	13 200							30,0
32,0	51,3	66,3	12 300							32,0
34,0	46,3	64,5	11 500	54,8	66,2	10 100				34,0
36,0	40,9	62,4	10 700	50,1	64,7	9 400				36,0
38,0	34,7	59,8	10 100	45,0	62,9	8 800				38,0
40,0	27,5	56,5	9 400	39,3	60,6	8 200	48,5	62,7	7 100	40,0
42,0	17,6	51,7	8 700	33,0	57,9	7 700	43,2	60,7	6 700	42,0
44,0				25,2	54,3	7 200	37,4	58,4	6 200	44,0
46,0							30,7	55,4	5 700	46,0
48,0							22,3	51,4	5 300	48,0

MLC165 S-2



EN 13000





	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
13,7	73,7	76,2	27 700 *c							13,7
14,0	73,2	76,1	27 600 *c							14,0
16,0	69,6	75,4	26 700 *c							16,0
18,0	65,9	74,6	25 200 *b							18,0
20,0	62,1	73,6	23 600 *b	67,6	74,7	23 700 b				20,0
22,0	58,1	72,5	22 000 *b	63,8	73,8	21 500				22,0
24,0	54,0	71,1	20 300 *	60,0	72,7	19 700	64,2	73,5	18 600	24,0
26,0	49,7	69,6	18 800 *	55,9	71,5	18 200	60,3	72,5	17 100	26,0
28,0	45,0	67,7	17 300 *	51,7	70,0	16 800	56,3	71,2	15 700	28,0
30,0	40,0	65,5	15 900 *	47,2	68,3	15 600	52,1	69,8	14 600	30,0
32,0	34,3	62,9	14 600 *	42,3	66,3	14 600	47,6	68,1	13 600	32,0
34,0	27,7	59,6	13 500 *	37,0	63,9	13 600	42,8	66,1	12 700	34,0
36,0	19,0	54,9	12 500 *	30,9	60,9	12 800	37,5	63,7	11 900	36,0
38,0				23,4	57,0	12 000	31,4	60,8	11 200	38,0
40,0							24,1	57,0	10 500	40,0
42,0							13,4	51,1	9 800	42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	59,4	71,4	13 100							30,0
32,0	55,4	70,1	12 200							32,0
34,0	51,1	68,6	11 300							34,0
36,0	46,6	66,8	10 600	54,3	68,5	9 300				36,0
38,0	41,7	64,8	9 900	50,0	67,0	8 700				38,0
40,0	36,2	62,3	9 300	45,3	65,2	8 200				40,0
42,0	30,0	59,2	8 700	40,3	63,0	7 600	48,5	65,0	6 600	42,0
44,0	22,2	55,1	8 200	34,7	60,4	7 200	43,8	63,1	6 200	44,0
46,0				28,1	57,1	6 700	38,6	60,8	5 700	46,0
48,0				19,7	52,6	6 200	32,7	58,0	5 300	48,0
50,0							25,7	54,4	5 000	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
15,2	72,6	78,9	21 500 *c							15,2
16,0	71,3	78,6	21 400 *c							16,0
18,0	68,0	77,9	20 900 *b							18,0
20,0	64,6	77,0	20 500 *b	69,5	78,0	21 200 *b				20,0
22,0	61,1	76,0	20 000 *	66,2	77,1	20 800 *				22,0
24,0	57,4	74,8	18 900 *	62,7	76,2	19 400				24,0
26,0	53,6	73,4	17 600 *	59,1	75,1	17 800	63,0	75,9	16 700	26,0
28,0	49,6	71,9	16 400 *	55,4	73,8	16 400	59,4	74,8	15 400	28,0
30,0	45,4	70,0	15 200 *	51,5	72,3	15 200	55,7	73,5	14 300	30,0
32,0	40,8	67,9	14 100 *	47,3	70,6	14 200	51,8	72,1	13 300	32,0
34,0	35,7	65,3	13 100 *	42,9	68,6	13 300	47,7	70,4	12 400	34,0
36,0	29,9	62,2	12 100 *	38,1	66,3	12 400	43,3	68,4	11 600	36,0
38,0	22,9	58,2	11 300 *	32,7	63,4	11 700	38,5	66,1	10 900	38,0
40,0				26,3	59,9	11 000	33,2	63,3	10 200	40,0
42,0				18,0	55,0	10 300	26,9	59,9	9 600	42,0
44,0							18,9	55,2	9 000	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000







55 110 kg
+
16 010 kg



m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	58,6	73,7	11 800							32,0
34,0	54,9	72,4	11 000							34,0
36,0	50,9	70,9	10 300							36,0
38,0	46,8	69,1	9 600	53,9	70,9	8 400				38,0
40,0	42,3	67,1	9 000	49,9	69,3	7 800				40,0
42,0	37,4	64,7	8 500	45,6	67,5	7 300				42,0
44,0	31,9	61,8	8 000	41,1	65,4	6 900	48,6	67,3	5 800	44,0
46,0	25,4	58,2	7 500	36,1	62,8	6 500	44,2	65,4	5 500	46,0
48,0	16,6	52,9	7 000	30,3	59,8	6 100	39,5	63,1	5 100	48,0
50,0				23,4	55,8	5 600	34,3	60,5	4 800	50,0
52,0							28,3	57,2	4 500	52,0
54,0							20,7	52,8	4 100	54,0

MLC165 S-2



EN 13000





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,0	82,1	20 200 *c							15,2
16,0	72,8	81,9	20 100 *c							16,0
18,0	69,8	81,2	19 700 *b							18,0
20,0	66,7	80,4	19 300 *b							20,0
22,0	63,5	79,4	18 800 *b	68,1	80,5	19 600 *				22,0
24,0	60,2	78,4	17 800 *	64,9	79,6	18 900				24,0
26,0	56,8	77,2	16 700 *	61,7	78,6	17 400	65,2	79,3	16 400	26,0
28,0	53,3	75,8	15 700 *	58,4	77,4	16 100	62,0	78,3	15 100	28,0
30,0	49,6	74,2	14 600 *	54,9	76,1	15 000	58,7	77,2	14 000	30,0
32,0	45,7	72,3	13 700 *	51,3	74,6	13 900	55,2	75,9	13 000	32,0
34,0	41,5	70,2	12 700 *	47,5	72,9	13 000	51,6	74,4	12 100	34,0
36,0	36,9	67,8	11 800 *	43,4	70,9	12 200	47,8	72,7	11 300	36,0
38,0	31,7	64,8	11 000 *	39,0	68,6	11 500	43,8	70,7	10 600	38,0
40,0	25,7	61,2	10 300 *	34,2	66,0	10 800	39,4	68,5	10 000	40,0
42,0	17,9	56,2	9 700 *	28,6	62,7	10 200	34,6	65,8	9 400	42,0
44,0				21,8	58,4	9 600	29,1	62,6	8 900	44,0
46,0							22,5	58,5	8 400	46,0
48,0							13,0	52,2	7 800	48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	61,3	77,2	11 500							32,0
34,0	57,9	76,1	10 700							34,0
36,0	54,4	74,7	10 000							36,0
38,0	50,8	73,2	9 400							38,0
40,0	47,0	71,4	8 800	53,5	73,2	7 600				40,0
42,0	42,9	69,4	8 200	49,8	71,6	7 100				42,0
44,0	38,4	67,1	7 800	45,9	69,8	6 700				44,0
46,0	33,5	64,3	7 300	41,7	67,7	6 200	48,6	69,6	5 300	46,0
48,0	27,8	61,0	6 900	37,2	65,3	5 900	44,6	67,7	4 900	48,0
50,0	20,8	56,5	6 400	32,1	62,4	5 500	40,3	65,5	4 600	50,0
52,0				26,1	58,8	5 200	35,6	62,9	4 300	52,0
54,0				18,5	53,9	4 800	30,3	59,9	4 000	54,0
56,0							24,0	56,0	3 700	56,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,0	84,8	18 600 *b							16,8
18,0	71,3	84,4	18 400 *b							18,0
20,0	68,4	83,7	18 000 *b							20,0
22,0	65,5	82,8	17 400 *b	69,7	83,7	18 200 *				22,0
24,0	62,5	81,8	16 600 *	66,8	82,9	18 000 *				24,0
26,0	59,4	80,7	15 700 *	63,9	82,0	17 100	67,1	82,6	16 000	26,0
28,0	56,3	79,5	14 900 *	60,9	81,0	15 700	64,1	81,7	14 700	28,0
30,0	53,0	78,1	14 000 *	57,7	79,8	14 600	61,1	80,7	13 700	30,0
32,0	49,5	76,5	13 100 *	54,5	78,4	13 600	58,0	79,5	12 700	32,0
34,0	45,9	74,6	12 300 *	51,1	76,9	12 700	54,8	78,2	11 800	34,0
36,0	42,0	72,6	11 500 *	47,6	75,2	11 900	51,4	76,7	11 000	36,0
38,0	37,8	70,2	10 700 *	43,8	73,2	11 100	47,9	75,0	10 300	38,0
40,0	33,2	67,4	10 000 *	39,8	71,0	10 500	44,2	73,1	9 700	40,0
42,0	27,9	64,0	9 400 *	35,4	68,4	9 900	40,2	70,9	9 100	42,0
44,0	21,5	59,6	8 800 *	30,5	65,3	9 300	35,8	68,3	8 600	44,0
46,0				24,7	61,5	8 800	30,9	65,3	8 100	46,0
48,0				17,1	56,3	8 300	25,2	61,5	7 700	48,0
50,0							17,9	56,4	7 200	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			m
	m	m	kg	m	m	kg	
16,8							16,8
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0	60,4	79,6	10 400				34,0
36,0	57,3	78,4	9 700				36,0
38,0	54,1	77,0	9 100				38,0
40,0	50,7	75,5	8 500	56,5	76,9	7 300	40,0
42,0	47,1	73,7	8 000	53,2	75,5	6 800	42,0
44,0	43,3	71,8	7 500	49,8	73,9	6 400	44,0
46,0	39,2	69,5	7 000	46,1	72,1	6 000	46,0
48,0	34,8	66,8	6 600	42,3	70,0	5 600	48,0
50,0	29,8	63,7	6 200	38,1	67,7	5 300	50,0
52,0	23,8	59,7	5 900	33,5	64,9	5 000	52,0
54,0	15,9	54,1	5 500	28,3	61,6	4 600	54,0
56,0				22,0	57,3	4 300	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,2	88,0	17 500 *c							16,8
18,0	72,6	87,6	17 200 *b							18,0
20,0	69,9	86,9	16 600 *b							20,0
22,0	67,2	86,2	16 000 *b							22,0
24,0	64,5	85,3	15 400 *	68,5	86,2	16 800 *				24,0
26,0	61,7	84,2	14 700 *	65,7	85,4	16 500 *				26,0
28,0	58,8	83,1	13 900 *	63,0	84,4	15 600	66,0	85,1	14 600	28,0
30,0	55,8	81,8	13 200 *	60,1	83,3	14 400	63,2	84,1	13 400	30,0
32,0	52,7	80,4	12 500 *	57,2	82,1	13 400	60,4	83,1	12 500	32,0
34,0	49,5	78,8	11 800 *	54,1	80,7	12 500	57,4	81,9	11 600	34,0
36,0	46,1	76,9	11 100 *	51,0	79,2	11 700	54,4	80,5	10 900	36,0
38,0	42,5	74,9	10 400 *	47,7	77,5	11 000	51,3	79,0	10 200	38,0
40,0	38,7	72,6	9 800 *	44,2	75,6	10 300	48,0	77,3	9 500	40,0
42,0	34,5	69,9	9 200 *	40,5	73,4	9 700	44,5	75,4	9 000	42,0
44,0	29,7	66,7	8 600 *	36,4	70,8	9 200	40,8	73,2	8 500	44,0
46,0	24,2	62,7	8 100 *	32,0	67,9	8 700	36,8	70,7	8 000	46,0
48,0	17,1	57,4	7 700 *	26,9	64,4	8 200	32,4	67,8	7 500	48,0
50,0				20,7	59,8	7 700	27,3	64,3	7 100	50,0
52,0							21,2	59,9	6 700	52,0
54,0							12,6	53,3	6 300	54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			m
	m	m	kg	m	m	kg	
16,8							16,8
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0	59,7	82,0	9 500				36,0
38,0	56,8	80,7	8 900				38,0
40,0	53,7	79,3	8 300				40,0
42,0	50,6	77,8	7 800	56,0	79,2	6 700	42,0
44,0	47,2	76,0	7 300	52,9	77,8	6 200	44,0
46,0	43,7	74,1	6 900	49,7	76,2	5 800	46,0
48,0	40,0	71,8	6 500	46,3	74,4	5 500	48,0
50,0	35,9	69,3	6 100	42,8	72,4	5 200	50,0
52,0	31,3	66,3	5 800	38,9	70,0	4 800	52,0
54,0	26,1	62,6	5 500	34,7	67,4	4 500	54,0
56,0	19,7	57,9	5 100	30,1	64,2	4 300	56,0
58,0				24,6	60,4	4 000	58,0
60,0				17,6	55,2	3 700	60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg




	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
18,3	73,3	90,7	15 500 *b							18,3
20,0	71,2	90,2	15 100 *b							20,0
22,0	68,7	89,4	14 600 *b							22,0
24,0	66,2	88,6	14 100 *							24,0
26,0	63,6	87,7	13 600 *	67,3	88,7	15 100 *				26,0
28,0	60,9	86,6	13 000 *	64,8	87,8	14 400 *				28,0
30,0	58,2	85,4	12 400 *	62,2	86,8	13 800 *	65,0	87,5	13 100	30,0
32,0	55,4	84,1	11 800 *	59,5	85,7	13 100 *	62,4	86,5	12 200	32,0
34,0	52,5	82,7	11 200 *	56,7	84,4	12 200	59,7	85,4	11 300	34,0
36,0	49,5	81,1	10 600 *	53,8	83,1	11 400	56,9	84,2	10 600	36,0
38,0	46,3	79,2	10 000 *	50,9	81,5	10 700	54,1	82,8	9 900	38,0
40,0	42,9	77,2	9 400 *	47,8	79,8	10 000	51,1	81,3	9 300	40,0
42,0	39,4	74,9	8 800 *	44,5	77,9	9 400	48,0	79,6	8 700	42,0
44,0	35,5	72,3	8 300 *	41,0	75,7	8 900	44,8	77,7	8 200	44,0
46,0	31,2	69,3	7 800 *	37,3	73,3	8 400	41,3	75,5	7 700	46,0
48,0	26,4	65,6	7 400 *	33,3	70,4	7 900	37,7	73,1	7 300	48,0
50,0	20,4	61,0	6 900 *	28,7	67,1	7 500	33,6	70,3	6 900	50,0
52,0				23,3	63,0	7 100	29,1	67,0	6 500	52,0
54,0				16,4	57,5	6 700	23,8	63,0	6 100	54,0
56,0							17,1	57,7	5 800	56,0
58,0										58,0
60,0										60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg



m	75°			70°			m
	m	m	kg	m	m	kg	
18,3							18,3
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0							36,0
38,0	59,1	84,3	8 600				38,0
40,0	56,3	83,1	8 100				40,0
42,0	53,4	81,7	7 500				42,0
44,0	50,5	80,1	7 100	55,6	81,5	6 000	44,0
46,0	47,3	78,3	6 600	52,7	80,1	5 600	46,0
48,0	44,1	76,4	6 200	49,7	78,5	5 200	48,0
50,0	40,6	74,2	5 800	46,5	76,7	4 900	50,0
52,0	36,8	71,7	5 500	43,2	74,7	4 500	52,0
54,0	32,7	68,8	5 200	39,6	72,4	4 300	54,0
56,0	28,0	65,4	4 900	35,8	69,8	4 000	56,0
58,0	22,5	61,2	4 600	31,5	66,8	3 700	58,0
60,0	15,3	55,3	4 300	26,7	63,2	3 500	60,0
62,0				20,9	58,7	3 300	62,0
64,0				12,7	52,1	3 000	64,0

MLC165 S-2


EN 13000




55 110 kg
+
16 010 kg




360°



42,0 m



51,8 m





9 m/s



m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	74,3	93,9	14 000 *b							18,3
20,0	72,4	93,4	13 700 *b							20,0
22,0	70,0	92,7	13 300 *b							22,0
24,0	67,7	91,9	13 000 *							24,0
26,0	65,2	91,0	12 500 *	68,7	92,0	13 400 *				26,0
28,0	62,8	90,1	12 100 *	66,4	91,2	13 200 *				28,0
30,0	60,3	89,0	11 500 *	63,9	90,2	12 500 *	66,6	90,9	12 600 *	30,0
32,0	57,7	87,8	10 800 *	61,4	89,2	11 900 *	64,1	90,0	11 900 *	32,0
34,0	55,0	86,5	10 200 *	58,9	88,1	11 300 *	61,6	88,9	11 100 *	34,0
36,0	52,3	85,0	9 600 *	56,3	86,8	10 600 *	59,1	87,8	10 400 *	36,0
38,0	49,4	83,4	9 000 *	53,6	85,4	10 000 *	56,5	86,5	9 600 *	38,0
40,0	46,5	81,6	8 400 *	50,8	83,8	9 400 *	53,8	85,1	9 000 *	40,0
42,0	43,3	79,5	7 800 *	47,8	82,1	8 800 *	51,0	83,6	8 500 *	42,0
44,0	40,0	77,3	7 300 *	44,8	80,2	8 200 *	48,1	81,9	8 000 *	44,0
46,0	36,4	74,8	6 900 *	41,5	78,1	7 700 *	45,0	80,0	7 500 *	46,0
48,0	32,5	71,8	6 400 *	38,1	75,7	7 200 *	41,8	77,9	7 100 *	48,0
50,0	28,1	68,4	5 800 *	34,3	72,9	6 700 *	38,4	75,5	6 700 *	50,0
52,0	23,0	64,2	5 300 *	30,2	69,8	6 200 *	34,7	72,8	6 300 *	52,0
54,0	16,4	58,7	4 800 *	25,5	66,0	5 600 *	30,6	69,7	6 000 *	54,0
56,0				19,7	61,2	5 000 *	25,9	66,0	5 600 *	56,0
58,0							20,3	61,3	5 100 *	58,0
60,0							12,4	54,4	4 700 *	60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°		
m		m	kg
18,3			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0	61,1	87,8	8 400
40,0	58,5	86,7	7 800
42,0	55,9	85,4	7 300
44,0	53,2	84,0	6 800
46,0	50,4	82,4	6 400
48,0	47,4	80,6	6 000
50,0	44,4	78,7	5 700
52,0	41,1	76,5	5 300
54,0	37,6	74,1	5 000
56,0	33,8	71,3	4 700
58,0	29,6	68,1	4 400
60,0	24,8	64,2	4 100
62,0	18,8	59,2	3 900
64,0	9,9	51,4	3 700




REFERENCE ONLY!

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	73,9	67,5	37 200 *d							10,4
12,0	69,3	66,9	37 100 *d							12,0
14,0	63,4	66,1	35 400 *c							14,0
16,0	57,3	64,9	31 700 *c	66,8	66,3	31 100 c				16,0
18,0	50,6	63,5	28 600 *b	60,8	65,3	27 700 b				18,0
20,0	43,2	61,6	26 100 *b	54,4	64,0	25 000 b	61,8	65,1	23 500 b	20,0
22,0	34,7	59,1	24 200 *	47,5	62,4	22 700	55,5	63,9	21 400 b	22,0
24,0	23,7	55,5	22 500 *	39,7	60,3	20 800	48,7	62,3	19 500	24,0
26,0				30,3	57,4	19 200	41,0	60,3	18 000	26,0
28,0							32,0	57,6	16 600	28,0
30,0							19,7	53,4	15 500	30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	54,9	62,8	16 100 b							26,0
28,0	48,0	61,2	14 900							28,0
30,0	40,3	59,2	13 800	54,0	61,4	12 300 b				30,0
32,0	31,1	56,4	12 800	47,0	59,7	11 400				32,0
34,0	18,1	52,0	12 000	39,1	57,6	10 600				34,0
36,0				29,6	54,7	9 900	45,5	57,8	8 700	36,0
38,0				15,6	49,9	9 100	37,4	55,5	8 100	38,0
40,0							27,4	52,4	7 400	40,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,0	74,5	70,5	34 200 *d							11,0
12,0	72,0	70,2	34 100 *d							12,0
14,0	67,0	69,4	33 700 *c							14,0
16,0	61,8	68,5	31 000 *c							16,0
18,0	56,3	67,3	28 300 *b	64,7	68,7	27 100 b				18,0
20,0	50,4	65,8	25 800 *b	59,4	67,6	24 400 b	65,5	68,5	23 000 b	20,0
22,0	44,0	63,9	23 700 *	53,8	66,3	22 200	60,3	67,4	20 900 b	22,0
24,0	36,7	61,6	21 600 *	47,7	64,7	20 300	54,7	66,2	19 100	24,0
26,0	27,9	58,4	19 700 *	40,9	62,6	18 800	48,7	64,6	17 600	26,0
28,0				33,1	60,0	17 400	42,1	62,6	16 200	28,0
30,0				23,2	56,3	16 200	34,5	60,1	15 100	30,0
32,0							25,0	56,6	14 100	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,8	66,4	15 700 b							26,0
28,0	54,2	65,1	14 500							28,0
30,0	48,1	63,5	13 400							30,0
32,0	41,5	61,5	12 500	53,4	63,7	11 000				32,0
34,0	33,8	58,9	11 600	47,3	62,0	10 300				34,0
36,0	24,0	55,3	10 900	40,5	60,0	9 600				36,0
38,0	5,4	47,7	10 100	32,6	57,3	9 000	46,0	60,1	7 700	38,0
40,0				22,4	53,4	8 300	39,0	57,9	7 200	40,0
42,0							30,8	55,1	6 700	42,0
44,0							19,8	50,8	6 200	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6	74,9	73,5	31 300 *d							11,6
12,0	74,0	73,4	31 300 *d							12,0
14,0	69,6	72,7	31 000 *c							14,0
16,0	65,1	71,9	29 200 *c							16,0
18,0	60,4	70,8	27 000 *b	67,7	72,0	26 600 b				18,0
20,0	55,5	69,6	24 900 *b	63,1	71,1	24 000 b				20,0
22,0	50,2	68,1	22 800 *b	58,3	70,0	21 800 b	63,8	70,9	20 500 b	22,0
24,0	44,6	66,2	20 800 *	53,2	68,6	20 000	59,1	69,8	18 800	24,0
26,0	38,3	64,0	19 000 *	47,8	67,0	18 400	54,1	68,5	17 300	26,0
28,0	30,9	61,1	17 400 *	41,9	65,0	17 000	48,7	66,9	15 900	28,0
30,0	21,4	57,0	16 000 *	35,2	62,5	15 800	42,9	64,9	14 800	30,0
32,0				27,1	59,2	14 800	36,4	62,5	13 800	32,0
34,0							28,6	59,4	12 900	34,0
36,0							18,0	54,7	12 100	36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	58,6	68,8	14 200 b							28,0
30,0	53,6	67,4	13 200							30,0
32,0	48,2	65,8	12 200	58,0	67,4	10 700				32,0
34,0	42,3	63,8	11 400	52,9	66,0	10 000				34,0
36,0	35,7	61,4	10 700	47,5	64,3	9 300				36,0
38,0	27,8	58,1	10 000	41,5	62,3	8 700				38,0
40,0	16,7	53,2	9 300	34,7	59,7	8 200	46,3	62,4	7 000	40,0
42,0				26,5	56,4	7 600	40,2	60,3	6 600	42,0
44,0				14,6	51,0	7 100	33,2	57,6	6 100	44,0
46,0							24,6	54,0	5 700	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	72,3	76,0	28 800 *c							13,7
14,0	71,8	75,9	28 500 *c							14,0
16,0	67,7	75,2	27 000 *c							16,0
18,0	63,6	74,3	25 300 *b							18,0
20,0	59,3	73,2	23 500 *b	66,0	74,5	23 500 b				20,0
22,0	54,9	71,9	21 700 *b	61,8	73,5	21 400	66,6	74,3	20 100 b	22,0
24,0	50,1	70,4	20 000 *	57,4	72,3	19 500	62,5	73,3	18 300	24,0
26,0	45,0	68,5	18 300 *	52,8	70,9	18 000	58,1	72,2	16 900	26,0
28,0	39,4	66,3	16 900 *	47,9	69,3	16 600	53,6	70,8	15 600	28,0
30,0	33,1	63,6	15 500 *	42,7	67,3	15 500	48,8	69,2	14 400	30,0
32,0	25,4	60,0	14 200 *	36,8	64,9	14 400	43,5	67,3	13 400	32,0
34,0				29,9	61,9	13 500	37,8	64,9	12 500	34,0
36,0				21,2	57,7	12 700	31,1	62,0	11 800	36,0
38,0							22,8	58,1	11 100	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
13,7									13,7	
14,0									14,0	
16,0									16,0	
18,0									18,0	
20,0									20,0	
22,0									22,0	
24,0									24,0	
26,0									26,0	
28,0									28,0	
30,0	57,7	71,1	12 800						30,0	
32,0	53,2	69,8	11 900						32,0	
34,0	48,3	68,1	11 100						34,0	
36,0	43,0	66,2	10 300	52,5	68,3	9 000			36,0	
38,0	37,2	63,8	9 700	47,6	66,6	8 400			38,0	
40,0	30,5	60,8	9 100	42,3	64,6	7 900	51,6	66,4	6 700	40,0
42,0	21,9	56,7	8 500	36,3	62,2	7 400	46,6	64,7	6 300	42,0
44,0	6,7	48,9	7 900	29,4	59,1	6 900	41,2	62,6	5 800	44,0
46,0				20,5	54,8	6 500	35,1	60,1	5 500	46,0
48,0							27,9	56,8	5 100	48,0
50,0							18,3	52,1	4 700	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,0	79,2	26 300 *c							13,7
14,0	73,5	79,1	26 100 *c							14,0
16,0	69,9	78,5	24 900 *c							16,0
18,0	66,2	77,6	23 600 *b							18,0
20,0	62,4	76,7	22 100 *b	68,3	77,8	23 200 b				20,0
22,0	58,5	75,6	20 600 *b	64,5	76,9	21 100				22,0
24,0	54,3	74,2	19 200 *	60,7	75,9	19 300	65,1	76,7	18 100	24,0
26,0	50,0	72,7	17 700 *	56,7	74,7	17 800	61,3	75,7	16 600	26,0
28,0	45,4	70,9	16 400 *	52,5	73,3	16 400	57,3	74,5	15 400	28,0
30,0	40,4	68,7	15 100 *	48,0	71,6	15 300	53,2	73,1	14 300	30,0
32,0	34,8	66,1	13 900 *	43,3	69,6	14 200	48,8	71,5	13 300	32,0
34,0	28,2	62,8	12 900 *	38,0	67,3	13 300	44,1	69,6	12 400	34,0
36,0	19,8	58,3	12 000 *	32,1	64,4	12 500	38,9	67,3	11 600	36,0
38,0				24,9	60,8	11 800	33,1	64,6	10 900	38,0
40,0							26,2	61,1	10 300	40,0
42,0							16,8	56,0	9 700	42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	61,0	74,7	12 700							30,0
32,0	57,0	73,5	11 700							32,0
34,0	52,8	72,1	10 900							34,0
36,0	48,4	70,4	10 200							36,0
38,0	43,6	68,5	9 600	52,2	70,6	8 300				38,0
40,0	38,4	66,2	9 000	47,7	68,9	7 700				40,0
42,0	32,5	63,4	8 500	42,9	67,0	7 300				42,0
44,0	25,5	59,8	8 000	37,6	64,6	6 800	46,8	67,0	5 800	44,0
46,0	15,7	54,4	7 400	31,6	61,7	6 400	41,9	65,0	5 400	46,0
48,0				24,3	57,9	6 000	36,5	62,5	5 100	48,0
50,0				13,9	52,2	5 600	30,3	59,5	4 700	50,0
52,0							22,6	55,5	4 400	52,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	72,9	81,9	21 000 *c							15,2
16,0	71,6	81,7	20 800 *c							16,0
18,0	68,3	81,0	20 400 *b							18,0
20,0	64,9	80,1	19 900 *b	70,2	81,1	20 700 *b				20,0
22,0	61,3	79,1	19 000 *	66,8	80,3	20 300 *				22,0
24,0	57,7	77,9	17 800 *	63,3	79,3	19 000				24,0
26,0	53,9	76,5	16 600 *	59,8	78,3	17 400	63,9	79,1	16 200	26,0
28,0	49,9	75,0	15 500 *	56,1	77,0	16 100	60,4	78,1	15 000	28,0
30,0	45,7	73,2	14 400 *	52,2	75,6	14 900	56,7	76,8	13 900	30,0
32,0	41,1	71,0	13 400 *	48,1	73,9	13 900	52,8	75,4	12 900	32,0
34,0	36,1	68,5	12 400 *	43,8	72,0	13 000	48,8	73,8	12 100	34,0
36,0	30,4	65,5	11 500 *	39,0	69,7	12 200	44,5	71,9	11 300	36,0
38,0	23,5	61,6	10 800 *	33,7	67,0	11 400	39,8	69,7	10 600	38,0
40,0				27,6	63,6	10 800	34,6	67,1	9 900	40,0
42,0				19,8	59,0	10 200	28,7	63,8	9 400	42,0
44,0							21,2	59,5	8 900	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	60,0	77,0	11 400							32,0
34,0	56,3	75,8	10 600							34,0
36,0	52,5	74,4	9 900							36,0
38,0	48,4	72,7	9 200							38,0
40,0	44,1	70,8	8 700	51,9	72,9	7 500				40,0
42,0	39,4	68,6	8 200	47,8	71,2	7 000				42,0
44,0	34,1	65,9	7 700	43,5	69,3	6 500				44,0
46,0	28,1	62,6	7 200	38,7	67,0	6 200	47,0	69,3	5 100	46,0
48,0	20,4	58,1	6 800	33,4	64,2	5 800	42,5	67,3	4 800	48,0
50,0	7,4	50,1	6 300	27,1	60,8	5 400	37,7	64,9	4 500	50,0
52,0				19,2	56,1	5 100	32,2	62,1	4 200	52,0
54,0							25,7	58,5	3 900	54,0
56,0							17,2	53,4	3 600	56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,2	85,1	19 800 *c							15,2
16,0	73,1	84,9	19 600 *c							16,0
18,0	70,0	84,2	19 200 *b							18,0
20,0	66,9	83,4	18 700 *b							20,0
22,0	63,7	82,5	17 700 *b	68,7	83,6	19 100 *				22,0
24,0	60,5	81,4	16 800 *	65,5	82,7	18 500				24,0
26,0	57,1	80,2	15 800 *	62,3	81,7	17 000	66,0	82,5	15 900	26,0
28,0	53,6	78,9	14 800 *	59,0	80,6	15 700	62,8	81,5	14 700	28,0
30,0	49,9	77,3	13 900 *	55,5	79,3	14 600	59,5	80,4	13 600	30,0
32,0	46,0	75,5	13 000 *	52,0	77,9	13 600	56,1	79,2	12 700	32,0
34,0	41,8	73,4	12 100 *	48,2	76,2	12 700	52,6	77,7	11 800	34,0
36,0	37,2	71,0	11 300 *	44,2	74,3	11 900	48,8	76,1	11 000	36,0
38,0	32,2	68,1	10 500 *	39,9	72,1	11 200	44,8	74,2	10 400	38,0
40,0	26,2	64,5	9 800 *	35,1	69,4	10 500	40,6	72,1	9 700	40,0
42,0	18,7	59,7	9 200 *	29,7	66,3	9 900	35,9	69,5	9 200	42,0
44,0				23,2	62,3	9 400	30,6	66,5	8 700	44,0
46,0							24,4	62,6	8 200	46,0
48,0							16,0	57,2	7 700	48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
15,2										15,2
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	62,5	80,5	11 100							32,0
34,0	59,2	79,4	10 300							34,0
36,0	55,8	78,1	9 700							36,0
38,0	52,2	76,7	9 000							38,0
40,0	48,5	75,0	8 500	55,3	76,7	7 200				40,0
42,0	44,5	73,1	7 900	51,7	75,2	6 800				42,0
44,0	40,2	70,9	7 400	47,9	73,5	6 300				44,0
46,0	35,5	68,4	7 000	43,9	71,6	5 900	51,0	73,4	4 900	46,0
48,0	30,1	65,2	6 600	39,6	69,4	5 600	47,2	71,6	4 600	48,0
50,0	23,7	61,3	6 300	34,8	66,7	5 200	43,1	69,6	4 300	50,0
52,0	15,0	55,6	5 900	29,3	63,5	4 900	38,6	67,3	4 000	52,0
54,0				22,7	59,4	4 600	33,7	64,6	3 700	54,0
56,0				13,4	53,3	4 300	28,1	61,2	3 500	56,0
58,0							21,2	56,9	3 200	58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,2	87,8	18 200 *b							16,8
18,0	71,5	87,4	17 800 *b							18,0
20,0	68,6	86,7	17 200 *b							20,0
22,0	65,7	85,9	16 400 *b							22,0
24,0	62,7	84,9	15 600 *	67,4	86,0	17 600 *				24,0
26,0	59,7	83,8	14 800 *	64,4	85,1	16 700	67,8	85,8	15 500	26,0
28,0	56,5	82,6	14 000 *	61,4	84,1	15 400	64,9	84,9	14 300	28,0
30,0	53,2	81,2	13 200 *	58,3	83,0	14 300	61,9	83,9	13 200	30,0
32,0	49,8	79,6	12 400 *	55,1	81,7	13 300	58,8	82,8	12 300	32,0
34,0	46,2	77,8	11 700 *	51,8	80,2	12 400	55,6	81,5	11 500	34,0
36,0	42,3	75,7	10 900 *	48,2	78,5	11 600	52,3	80,0	10 700	36,0
38,0	38,2	73,4	10 200 *	44,5	76,6	10 900	48,8	78,4	10 100	38,0
40,0	33,6	70,6	9 500 *	40,6	74,4	10 200	45,2	76,5	9 400	40,0
42,0	28,4	67,3	9 000 *	36,2	71,9	9 600	41,2	74,4	8 900	42,0
44,0	22,1	63,0	8 500 *	31,4	68,9	9 100	37,0	71,9	8 300	44,0
46,0				25,8	65,2	8 600	32,2	69,0	7 900	46,0
48,0				18,7	60,3	8 200	26,8	65,5	7 500	48,0
50,0							20,0	60,9	7 000	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			m
	m	m	kg	m	m	kg	
16,8							16,8
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0	61,6	82,9	10 000				34,0
36,0	58,5	81,8	9 300				36,0
38,0	55,3	80,5	8 700				38,0
40,0	52,0	79,0	8 200				40,0
42,0	48,5	77,3	7 600	54,9	79,0	6 500	42,0
44,0	44,8	75,4	7 200	51,5	77,5	6 000	44,0
46,0	40,9	73,3	6 700	48,0	75,8	5 700	46,0
48,0	36,6	70,8	6 300	44,3	73,9	5 300	48,0
50,0	31,8	67,8	6 000	40,3	71,7	4 900	50,0
52,0	26,2	64,2	5 600	35,9	69,2	4 600	52,0
54,0	19,3	59,5	5 300	31,1	66,2	4 300	54,0
56,0	7,8	51,2	4 900	25,4	62,4	4 100	56,0
58,0				18,1	57,4	3 800	58,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,4	91,0	16 600 *c							16,8
18,0	72,8	90,6	16 300 *b							18,0
20,0	70,1	90,0	15 800 *b							20,0
22,0	67,4	89,2	15 200 *b							22,0
24,0	64,7	88,3	14 600 *	69,0	89,3	16 400 *				24,0
26,0	61,9	87,3	13 900 *	66,2	88,5	16 200 *				26,0
28,0	59,0	86,2	13 200 *	63,5	87,6	15 200	66,7	88,3	14 100	28,0
30,0	56,0	84,9	12 600 *	60,6	86,5	14 100	63,9	87,3	13 100	30,0
32,0	53,0	83,5	11 900 *	57,7	85,3	13 100	61,1	86,3	12 200	32,0
34,0	49,7	81,9	11 200 *	54,7	84,0	12 200	58,2	85,1	11 300	34,0
36,0	46,4	80,1	10 500 *	51,6	82,5	11 400	55,2	83,8	10 600	36,0
38,0	42,8	78,0	9 900 *	48,3	80,8	10 700	52,1	82,3	9 900	38,0
40,0	39,0	75,7	9 300 *	44,8	78,9	10 100	48,8	80,7	9 300	40,0
42,0	34,8	73,1	8 700 *	41,2	76,8	9 500	45,4	78,8	8 700	42,0
44,0	30,1	69,9	8 200 *	37,2	74,3	8 900	41,8	76,7	8 200	44,0
46,0	24,7	66,1	7 800 *	32,8	71,4	8 500	37,9	74,3	7 700	46,0
48,0	17,8	60,9	7 400 *	27,9	68,0	8 000	33,6	71,6	7 300	48,0
50,0				21,9	63,7	7 600	28,7	68,2	6 900	50,0
52,0							23,0	64,1	6 500	52,0
54,0							15,3	58,4	6 200	54,0
56,0										56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			m
	m	m	kg	m	m	kg	
16,8							16,8
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0	60,8	85,3	9 200				36,0
38,0	57,9	84,1	8 600				38,0
40,0	54,9	82,8	8 000				40,0
42,0	51,8	81,3	7 500				42,0
44,0	48,5	79,6	7 000	54,5	81,3	5 900	44,0
46,0	45,1	77,7	6 600	51,4	79,8	5 500	46,0
48,0	41,4	75,6	6 200	48,1	78,1	5 200	48,0
50,0	37,5	73,2	5 900	44,6	76,2	4 800	50,0
52,0	33,2	70,4	5 500	40,9	74,1	4 500	52,0
54,0	28,2	67,0	5 200	36,9	71,6	4 300	54,0
56,0	22,4	62,8	4 900	32,5	68,7	4 000	56,0
58,0	14,4	56,8	4 600	27,5	65,2	3 700	58,0
60,0				21,5	60,9	3 500	60,0
62,0				13,0	54,4	3 300	62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	73,5	93,8	14 700 *b							18,3
20,0	71,4	93,2	14 400 *b							20,0
22,0	68,9	92,5	13 900 *b							22,0
24,0	66,4	91,7	13 400 *							24,0
26,0	63,8	90,7	12 900 *	67,8	91,8	14 600 *				26,0
28,0	61,1	89,7	12 400 *	65,2	90,9	14 400 *				28,0
30,0	58,4	88,5	11 800 *	62,6	90,0	13 700	65,7	90,7	12 800	30,0
32,0	55,6	87,2	11 200 *	60,0	88,9	12 800	63,1	89,7	11 800	32,0
34,0	52,7	85,8	10 600 *	57,2	87,6	11 900	60,4	88,7	11 000	34,0
36,0	49,7	84,2	10 100 *	54,4	86,3	11 100	57,7	87,5	10 300	36,0
38,0	46,5	82,4	9 500 *	51,4	84,8	10 400	54,8	86,1	9 600	38,0
40,0	43,2	80,4	9 000 *	48,3	83,1	9 800	51,9	84,6	9 000	40,0
42,0	39,7	78,1	8 500 *	45,1	81,2	9 200	48,8	83,0	8 400	42,0
44,0	35,8	75,5	8 000 *	41,7	79,1	8 700	45,6	81,1	7 900	44,0
46,0	31,6	72,5	7 600 *	38,0	76,7	8 200	42,3	79,1	7 500	46,0
48,0	26,8	68,9	7 200 *	34,0	73,9	7 700	38,6	76,7	7 000	48,0
50,0	21,0	64,4	6 800 *	29,6	70,7	7 300	34,7	74,0	6 700	50,0
52,0				24,4	66,8	6 900	30,3	70,9	6 300	52,0
54,0				17,9	61,6	6 600	25,3	67,1	6 000	54,0
56,0							19,1	62,2	5 600	56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°		
m	m	m	kg
18,3			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0	60,1	87,7	8 300
40,0	57,4	86,5	7 700
42,0	54,6	85,1	7 200
44,0	51,6	83,6	6 800
46,0	48,6	81,9	6 300
48,0	45,3	80,1	5 900
50,0	41,9	78,0	5 600
52,0	38,3	75,6	5 300
54,0	34,3	72,9	4 900
56,0	29,9	69,7	4 700
58,0	24,8	65,8	4 400
60,0	18,4	60,8	4 100
62,0	8,2	52,3	3 900

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	87°			83°			80°			
	m	m	kg	m	m	kg	m	kg	m	
18,3	74,5	96,9	13 400 *b						18,3	
20,0	72,5	96,4	13 100 *b						20,0	
22,0	70,2	95,7	12 700 *b						22,0	
24,0	67,8	95,0	12 300 *						24,0	
26,0	65,4	94,1	11 900 *	69,2	95,1	12 900 *			26,0	
28,0	63,0	93,1	11 500 *	66,8	94,3	12 800 *			28,0	
30,0	60,5	92,1	11 000 *	64,4	93,4	12 500 *			30,0	
32,0	57,9	90,9	10 500 *	61,9	92,4	11 900 *	64,8	93,1	11 600	32,0
34,0	55,2	89,5	10 000 *	59,3	91,2	11 300 *	62,3	92,1	10 700	34,0
36,0	52,5	88,1	9 600 *	56,7	90,0	10 700 *	59,8	91,0	10 000	36,0
38,0	49,7	86,5	9 100 *	54,1	88,6	10 100 *	57,2	89,8	9 400	38,0
40,0	46,7	84,7	8 500 *	51,3	87,1	9 500 *	54,5	88,5	8 800	40,0
42,0	43,6	82,7	7 900 *	48,4	85,4	8 900 *	51,7	87,0	8 200	42,0
44,0	40,3	80,5	7 400 *	45,3	83,5	8 300 *	48,9	85,3	7 700	44,0
46,0	36,7	77,9	6 900 *	42,1	81,4	7 800 *	45,8	83,5	7 300	46,0
48,0	32,8	75,1	6 400 *	38,7	79,1	7 300 *	42,7	81,4	6 800	48,0
50,0	28,5	71,7	5 900 *	35,1	76,4	6 800 *	39,3	79,1	6 500	50,0
52,0	23,4	67,6	5 300 *	31,0	73,3	6 300 *	35,7	76,5	6 100	52,0
54,0	17,0	62,2	4 800 *	26,4	69,7	5 700 *	31,7	73,5	5 700	54,0
56,0				20,9	65,1	5 200 *	27,2	69,9	5 500	56,0
58,0							21,9	65,6	5 200	58,0
60,0							14,8	59,5	4 800 *	60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°		
	m	m	kg
18,3			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0	59,5	90,0	7 500
42,0	56,9	88,8	7 000
44,0	54,2	87,4	6 500
46,0	51,5	85,9	6 100
48,0	48,6	84,2	5 800
50,0	45,6	82,4	5 400
52,0	42,4	80,3	5 000
54,0	39,0	78,0	4 800
56,0	35,3	75,3	4 500
58,0	31,3	72,3	4 200
60,0	26,7	68,7	4 000
62,0	21,3	64,2	3 700
64,0	14,0	57,9	3 500

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	74,4	70,5	35 300 *d							10,4
12,0	69,8	70,0	35 100 *d							12,0
14,0	63,9	69,2	33 400 *c							14,0
16,0	57,8	68,0	30 600 *c	67,8	69,4	30 200 d				16,0
18,0	51,2	66,6	27 800 *b	61,9	68,5	26 900 b				18,0
20,0	43,9	64,8	25 500 *b	55,6	67,3	24 300 b	63,4	68,3	22 800 c	20,0
22,0	35,4	62,4	23 300 *b	48,8	65,7	22 100 b	57,2	67,2	20 700 b	22,0
24,0	24,7	58,9	21 300 *	41,2	63,7	20 300	50,5	65,7	18 900	24,0
26,0				32,2	61,0	18 700	43,1	63,8	17 400	26,0
28,0				20,0	56,9	17 400	34,6	61,4	16 100	28,0
30,0							23,5	57,7	15 000	30,0
32,0										32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0

MLC165 S-2

EN 13000







55 110 kg
+
16 010 kg



	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	57,4	66,3	15 400 b							26,0
28,0	50,8	64,8	14 200 b							28,0
30,0	43,4	62,9	13 200							30,0
32,0	34,9	60,5	12 300	50,7	63,5	10 700 b				32,0
34,0	24,0	57,0	11 500	43,3	61,6	10 000				34,0
36,0				34,8	59,1	9 300				36,0
38,0				23,8	55,6	8 700	42,7	59,8	7 400	38,0
40,0							34,1	57,3	6 900	40,0
42,0							22,8	53,6	6 400	42,0

MLC165 S-2



EN 13000





	87°			83°			80°			
	m	m	kg	m	m	kg	m	m	kg	m
11,0	74,9	73,5	32 700 *d							11,0
12,0	72,4	73,2	32 600 *d							12,0
14,0	67,4	72,5	31 200 *c							14,0
16,0	62,2	71,6	28 900 *c							16,0
18,0	56,7	70,4	26 600 *b	65,7	71,9	26 400 b				18,0
20,0	50,9	68,9	24 300 *b	60,4	70,9	23 800 b	66,9	71,7	22 300 c	20,0
22,0	44,5	67,1	22 300 *	54,8	69,6	21 600 b	61,7	70,7	20 200 b	22,0
24,0	37,4	64,8	20 300 *	48,8	68,0	19 800	56,2	69,5	18 500	24,0
26,0	28,7	61,7	18 600 *	42,2	66,0	18 300	50,3	68,0	17 000	26,0
28,0	16,5	56,9	17 200 *	34,7	63,5	16 900	43,9	66,2	15 700	28,0
30,0				25,3	60,1	15 800	36,6	63,8	14 600	30,0
32,0				9,5	53,7	14 700	27,8	60,6	13 600	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
11,0										11,0
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	61,9	69,8	15 000 b							26,0
28,0	56,4	68,6	13 800 b							28,0
30,0	50,6	67,1	12 800							30,0
32,0	44,2	65,3	11 900	56,3	67,2	10 300 b				32,0
34,0	36,9	62,9	11 100	50,5	65,8	9 600				34,0
36,0	28,2	59,8	10 400	44,1	63,9	9 000				36,0
38,0	15,5	54,8	9 800	36,8	61,6	8 400				38,0
40,0				28,1	58,4	7 800	43,6	62,1	6 600	40,0
42,0				15,3	53,4	7 300	36,2	59,7	6 200	42,0
44,0							27,3	56,5	5 800	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
12,2	74,0	76,3	30 000 *d							12,2
14,0	70,0	75,8	28 900 *c							14,0
16,0	65,5	74,9	27 000 *c							16,0
18,0	60,8	73,9	25 100 *b							18,0
20,0	55,9	72,7	23 200 *b	63,9	74,3	23 400 b				20,0
22,0	50,7	71,2	21 300 *b	59,2	73,2	21 200 b	65,1	74,1	19 900 b	22,0
24,0	45,0	69,4	19 600 *	54,2	71,9	19 500	60,4	73,1	18 200 b	24,0
26,0	38,8	67,2	17 900 *	48,9	70,3	17 900	55,4	71,8	16 700	26,0
28,0	31,5	64,3	16 400 *	43,0	68,4	16 600	50,2	70,3	15 400	28,0
30,0	22,3	60,4	15 200 *	36,5	66,0	15 400	44,5	68,5	14 300	30,0
32,0	3,4	51,6	14 100 *	28,8	62,8	14 400	38,2	66,2	13 300	32,0
34,0				18,3	58,3	13 500	30,8	63,3	12 500	34,0
36,0							21,2	59,2	11 700	36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	60,5	72,2	13 600 b							28,0
30,0	55,6	70,9	12 600							30,0
32,0	50,4	69,4	11 700							32,0
34,0	44,7	67,6	10 900	55,6	69,6	9 400				34,0
36,0	38,4	65,3	10 200	50,3	68,1	8 700				36,0
38,0	31,1	62,4	9 500	44,6	66,2	8 100				38,0
40,0	21,7	58,4	9 000	38,3	64,0	7 700	49,9	66,3	6 400	40,0
42,0				31,0	61,1	7 200	44,2	64,4	6 000	42,0
44,0				21,5	57,0	6 700	37,8	62,1	5 600	44,0
46,0							30,4	59,2	5 200	46,0
48,0							20,6	55,0	4 900	48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	72,6	79,1	26 700 *c							13,7
14,0	72,1	79,0	26 500 *c							14,0
16,0	68,1	78,3	25 100 *c							16,0
18,0	64,0	77,4	23 500 *b							18,0
20,0	59,7	76,3	21 900 *b	66,7	77,6	22 900 b				20,0
22,0	55,2	75,0	20 300 *b	62,6	76,7	20 800 b				22,0
24,0	50,5	73,5	18 700 *	58,2	75,6	19 000	63,6	76,5	17 700 b	24,0
26,0	45,4	71,7	17 300 *	53,7	74,2	17 500	59,3	75,4	16 300	26,0
28,0	39,9	69,5	15 900 *	48,9	72,6	16 200	54,8	74,2	15 000	28,0
30,0	33,6	66,9	14 600 *	43,7	70,7	15 000	50,1	72,6	13 900	30,0
32,0	26,1	63,4	13 600 *	37,9	68,4	14 100	45,0	70,8	13 000	32,0
34,0	15,4	58,1	12 600 *	31,3	65,5	13 100	39,4	68,6	12 100	34,0
36,0				23,0	61,6	12 300	33,0	65,8	11 300	36,0
38,0				9,6	54,8	11 600	25,2	62,2	10 700	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	59,4	74,5	12 200							30,0
32,0	55,0	73,2	11 300							32,0
34,0	50,2	71,7	10 500							34,0
36,0	45,2	69,9	9 800	54,9	71,9	8 400				36,0
38,0	39,6	67,7	9 200	50,2	70,4	7 800				38,0
40,0	33,2	65,0	8 600	45,1	68,6	7 300				40,0
42,0	25,6	61,4	8 100	39,5	66,4	6 800	49,8	68,6	5 700	42,0
44,0	14,6	56,0	7 700	33,2	63,6	6 400	44,7	66,7	5 300	44,0
46,0				25,5	60,1	6 000	39,0	64,5	4 900	46,0
48,0				14,4	54,6	5 600	32,6	61,7	4 600	48,0
50,0							24,8	58,1	4 300	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	74,3	82,3	22 100 *c							13,7
14,0	73,7	82,2	22 000 *c							14,0
16,0	70,2	81,5	21 500 *c							16,0
18,0	66,5	80,7	21 000 *b							18,0
20,0	62,7	79,8	20 200 *b	68,9	80,9	21 500 *b				20,0
22,0	58,8	78,7	18 900 *b	65,2	80,1	20 700 b				22,0
24,0	54,7	77,3	17 700 *	61,4	79,1	18 800				24,0
26,0	50,4	75,8	16 400 *	57,4	77,9	17 300	62,3	78,9	16 100	26,0
28,0	45,8	74,0	15 200 *	53,3	76,5	16 000	58,4	77,8	14 900	28,0
30,0	40,8	71,9	14 100 *	48,9	74,9	14 900	54,3	76,5	13 800	30,0
32,0	35,2	69,3	13 100 *	44,2	73,0	13 900	50,0	74,9	12 800	32,0
34,0	28,8	66,1	12 200 *	39,0	70,8	13 000	45,3	73,1	12 000	34,0
36,0	20,6	61,8	11 300 *	33,2	68,0	12 200	40,3	70,9	11 200	36,0
38,0	5,3	53,1	10 800 *	26,3	64,5	11 500	34,7	68,3	10 600	38,0
40,0				17,1	59,5	10 800	28,1	65,0	9 900	40,0
42,0							19,7	60,5	9 400	42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
13,7										13,7
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0										30,0
32,0	58,5	76,9	11 200							32,0
34,0	54,5	75,6	10 400							34,0
36,0	50,1	74,0	9 700							36,0
38,0	45,5	72,2	9 100	54,4	74,2	7 700				38,0
40,0	40,5	70,1	8 600	50,1	72,7	7 300				40,0
42,0	34,9	67,5	8 000	45,5	70,9	6 800				42,0
44,0	28,4	64,2	7 600	40,4	68,7	6 300	49,7	70,9	5 200	44,0
46,0	20,1	59,8	7 100	34,8	66,1	6 000	45,1	69,1	4 800	46,0
48,0				28,3	62,9	5 600	40,0	66,9	4 600	48,0
50,0				19,9	58,4	5 300	34,4	64,2	4 300	50,0
52,0							27,8	60,9	4 000	52,0
54,0							19,2	56,3	3 700	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	73,1	85,0	20 400 *c							15,2
16,0	71,9	84,8	20 200 *c							16,0
18,0	68,5	84,0	19 800 *b							18,0
20,0	65,1	83,2	18 800 *b							20,0
22,0	61,6	82,2	17 800 *b	67,4	83,4	19 700 *b				22,0
24,0	58,0	81,0	16 700 *	64,0	82,5	18 500				24,0
26,0	54,2	79,7	15 600 *	60,4	81,5	16 900	64,8	82,3	15 700	26,0
28,0	50,3	78,1	14 600 *	56,8	80,2	15 700	61,3	81,3	14 500	28,0
30,0	46,1	76,3	13 600 *	52,9	78,8	14 500	57,7	80,1	13 400	30,0
32,0	41,5	74,2	12 700 *	48,9	77,2	13 500	53,9	78,8	12 500	32,0
34,0	36,5	71,8	11 800 *	44,6	75,3	12 600	49,9	77,2	11 600	34,0
36,0	30,9	68,8	11 000 *	39,9	73,1	11 800	45,6	75,4	10 900	36,0
38,0	24,1	64,9	10 300 *	34,8	70,5	11 100	41,1	73,3	10 200	38,0
40,0	14,7	59,3	9 700 *	28,8	67,3	10 500	36,1	70,8	9 600	40,0
42,0				21,4	63,0	9 900	30,3	67,7	9 100	42,0
44,0				9,7	55,8	9 400	23,4	63,8	8 600	44,0
46,0										46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			m
	m	m	kg	m	m	kg	
15,2							15,2
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0	61,4	80,4	10 800				32,0
34,0	57,8	79,2	10 100				34,0
36,0	54,0	77,9	9 400				36,0
38,0	50,0	76,3	8 800				38,0
40,0	45,8	74,5	8 200	54,0	76,5	6 900	40,0
42,0	41,3	72,4	7 700	50,0	75,0	6 500	42,0
44,0	36,3	69,9	7 300	45,8	73,2	6 100	44,0
46,0	30,6	66,9	6 800	41,2	71,1	5 700	46,0
48,0	23,7	63,0	6 400	36,2	68,6	5 300	48,0
50,0	14,0	57,1	6 100	30,5	65,5	5 000	50,0
52,0				23,6	61,6	4 700	52,0
54,0				13,8	55,7	4 400	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,4	88,2	19 200 *c							15,2
16,0	73,3	87,9	19 000 *c							16,0
18,0	70,3	87,3	18 300 *b							18,0
20,0	67,2	86,5	17 500 *b							20,0
22,0	64,0	85,6	16 700 *b	69,2	86,7	18 600 *b				22,0
24,0	60,7	84,6	15 700 *	66,1	85,9	18 000				24,0
26,0	57,3	83,4	14 800 *	62,9	84,9	16 600	66,9	85,7	15 400	26,0
28,0	53,8	82,0	13 900 *	59,6	83,8	15 300	63,7	84,8	14 200	28,0
30,0	50,2	80,4	13 100 *	56,2	82,6	14 200	60,4	83,7	13 200	30,0
32,0	46,3	78,6	12 200 *	52,6	81,1	13 200	57,0	82,5	12 200	32,0
34,0	42,1	76,6	11 400 *	48,9	79,5	12 400	53,5	81,1	11 400	34,0
36,0	37,6	74,2	10 700 *	44,9	77,6	11 600	49,8	79,5	10 700	36,0
38,0	32,6	71,3	10 000 *	40,7	75,5	10 900	45,9	77,7	10 000	38,0
40,0	26,7	67,8	9 400 *	36,0	73,0	10 300	41,7	75,6	9 400	40,0
42,0	19,4	63,1	8 800 *	30,8	69,9	9 600	37,2	73,2	8 800	42,0
44,0	6,3	54,4	8 400 *	24,5	66,1	9 100	32,1	70,3	8 300	44,0
46,0				16,2	60,7	8 600	26,1	66,7	7 900	46,0
48,0							18,5	61,8	7 500	48,0
50,0										50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			
	m	m	kg	m	m	kg	m
15,2							15,2
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0	60,5	82,8	9 800				34,0
36,0	57,2	81,6	9 200				36,0
38,0	53,6	80,2	8 600				38,0
40,0	50,0	78,6	8 000	57,1	80,2	6 700	40,0
42,0	46,1	76,8	7 500	53,6	78,9	6 300	42,0
44,0	41,9	74,7	7 100	49,9	77,3	5 800	44,0
46,0	37,4	72,3	6 600	46,0	75,5	5 500	46,0
48,0	32,3	69,5	6 300	41,8	73,4	5 100	48,0
50,0	26,4	65,9	5 900	37,3	71,0	4 800	50,0
52,0	18,9	61,1	5 500	32,2	68,1	4 500	52,0
54,0				26,3	64,5	4 200	54,0
56,0				18,8	59,7	3 900	56,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	73,5	90,9	17 100 *c							16,8
18,0	71,7	90,5	16 800 *b							18,0
20,0	68,9	89,8	16 200 *b							20,0
22,0	66,0	89,0	15 500 *b							22,0
24,0	63,0	88,0	14 700 *	67,9	89,2	17 100 *				24,0
26,0	59,9	86,9	14 000 *	65,0	88,3	16 200				26,0
28,0	56,8	85,7	13 200 *	62,0	87,3	15 000	65,7	88,1	13 800	28,0
30,0	53,5	84,3	12 500 *	58,9	86,2	13 900	62,7	87,2	12 800	30,0
32,0	50,1	82,7	11 700 *	55,7	84,9	12 900	59,6	86,1	11 900	32,0
34,0	46,5	80,9	11 000 *	52,4	83,4	12 100	56,5	84,8	11 100	34,0
36,0	42,7	78,9	10 300 *	48,9	81,8	11 300	53,2	83,4	10 400	36,0
38,0	38,5	76,6	9 700 *	45,2	79,9	10 600	49,8	81,8	9 700	38,0
40,0	34,0	73,8	9 100 *	41,3	77,8	9 900	46,1	80,0	9 100	40,0
42,0	28,8	70,6	8 600 *	37,1	75,4	9 400	42,3	78,0	8 500	42,0
44,0	22,6	66,4	8 100 *	32,3	72,5	8 800	38,1	75,6	8 000	44,0
46,0	14,1	60,4	7 700 *	26,9	69,0	8 400	33,5	72,8	7 600	46,0
48,0				20,2	64,4	7 900	28,3	69,5	7 200	48,0
50,0				9,8	56,9	7 500	22,0	65,2	6 800	50,0
52,0										52,0
54,0										54,0
56,0										56,0
58,0										58,0
60,0										60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			m
	m	m	kg	m	m	kg	
16,8							16,8
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0							34,0
36,0	59,8	85,1	8 800				36,0
38,0	56,6	83,9	8 200				38,0
40,0	53,3	82,5	7 700				40,0
42,0	49,9	80,9	7 200	56,6	82,6	5 900	42,0
44,0	46,3	79,1	6 800	53,3	81,2	5 500	44,0
46,0	42,4	77,1	6 300	49,8	79,6	5 200	46,0
48,0	38,3	74,7	6 000	46,2	77,8	4 800	48,0
50,0	33,7	72,0	5 600	42,4	75,7	4 500	50,0
52,0	28,5	68,7	5 300	38,2	73,4	4 200	52,0
54,0	22,3	64,4	5 000	33,7	70,6	3 900	54,0
56,0	13,5	58,2	4 700	28,5	67,3	3 700	56,0
58,0				22,2	63,1	3 400	58,0
60,0				13,4	56,8	3 200	60,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
16,8	74,6	94,1	15 600 *c							16,8
18,0	73,0	93,7	15 300 *b							18,0
20,0	70,3	93,0	14 900 *b							20,0
22,0	67,7	92,3	14 300 *b							22,0
24,0	64,9	91,4	13 700 *	69,4	92,5	15 700 *				24,0
26,0	62,1	90,4	13 100 *	66,7	91,7	15 400 *				26,0
28,0	59,2	89,3	12 500 *	64,0	90,7	14 800				28,0
30,0	56,3	88,0	11 800 *	61,2	89,7	13 700	64,7	90,6	12 600	30,0
32,0	53,2	86,6	11 200 *	58,3	88,5	12 700	61,9	89,6	11 700	32,0
34,0	50,0	85,0	10 600 *	55,3	87,2	11 900	59,0	88,4	10 900	34,0
36,0	46,7	83,2	10 000 *	52,2	85,8	11 100	56,0	87,1	10 200	36,0
38,0	43,1	81,2	9 400 *	48,9	84,1	10 400	52,9	85,7	9 600	38,0
40,0	39,3	78,9	8 800 *	45,5	82,3	9 800	49,7	84,1	9 000	40,0
42,0	35,1	76,3	8 300 *	41,9	80,2	9 200	46,3	82,3	8 400	42,0
44,0	30,5	73,2	7 800 *	38,0	77,8	8 700	42,8	80,3	7 900	44,0
46,0	25,2	69,4	7 400 *	33,7	75,0	8 200	38,9	78,0	7 500	46,0
48,0	18,4	64,4	7 100 *	28,8	71,7	7 800	34,7	75,3	7 000	48,0
50,0	7,0	55,5	6 700 *	23,1	67,6	7 400	30,1	72,1	6 600	50,0
52,0				15,5	61,9	7 000	24,6	68,3	6 300	52,0
54,0							17,6	63,1	6 000	54,0
56,0										56,0
58,0										58,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°		
m	m	m	kg
16,8			
18,0			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0	59,1	87,5	8 100
40,0	56,1	86,2	7 600
42,0	53,0	84,8	7 100
44,0	49,8	83,2	6 600
46,0	46,5	81,4	6 200
48,0	42,9	79,4	5 800
50,0	39,1	77,1	5 500
52,0	34,9	74,4	5 200
54,0	30,3	71,3	4 900
56,0	24,8	67,5	4 600
58,0	18,0	62,4	4 300




REFERENCE ONLY!

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	73,7	96,8	14 000 *b							18,3
20,0	71,6	96,3	13 600 *b							20,0
22,0	69,1	95,6	13 200 *b							22,0
24,0	66,6	94,7	12 700 *							24,0
26,0	64,0	93,8	12 200 *	68,3	95,0	14 000 *				26,0
28,0	61,3	92,8	11 700 *	65,7	94,1	13 700 *				28,0
30,0	58,6	91,6	11 100 *	63,1	93,2	13 300	66,3	93,9	12 300	30,0
32,0	55,8	90,3	10 600 *	60,5	92,1	12 400	63,8	93,0	11 400	32,0
34,0	52,9	88,9	10 100 *	57,7	90,9	11 600	61,1	91,9	10 600	34,0
36,0	49,9	87,3	9 500 *	54,9	89,5	10 800	58,4	90,8	9 900	36,0
38,0	46,8	85,5	9 000 *	52,0	88,1	10 100	55,6	89,5	9 200	38,0
40,0	43,5	83,6	8 600 *	48,9	86,4	9 500	52,7	88,0	8 600	40,0
42,0	40,0	81,3	8 100 *	45,7	84,6	9 000	49,7	86,4	8 100	42,0
44,0	36,1	78,8	7 700 *	42,3	82,5	8 400	46,5	84,6	7 600	44,0
46,0	31,9	75,8	7 200 *	38,7	80,2	8 000	43,2	82,6	7 200	46,0
48,0	27,2	72,3	6 800 *	34,8	77,5	7 500	39,6	80,3	6 800	48,0
50,0	21,5	67,8	6 500 *	30,4	74,4	7 100	35,8	77,8	6 400	50,0
52,0	13,7	61,5	6 200 *	25,4	70,6	6 700	31,5	74,7	6 000	52,0
54,0				19,2	65,7	6 400	26,7	71,2	5 700	54,0
56,0				9,8	58,0	6 100	20,9	66,6	5 400	56,0
58,0										58,0
60,0										60,0
62,0										62,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg





	75°		
m	m	m	kg
18,3			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0	58,5	89,9	7 300
42,0	55,7	88,6	6 800
44,0	52,8	87,1	6 300
46,0	49,8	85,5	6 000
48,0	46,6	83,7	5 600
50,0	43,3	81,7	5 200
52,0	39,8	79,5	4 900
54,0	35,9	76,9	4 600
56,0	31,7	73,9	4 300
58,0	26,9	70,3	4 100
60,0	21,1	65,8	3 800
62,0	13,1	59,4	3 600




REFERENCE ONLY!

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
18,3	74,7	100,0	12 700 *b							18,3
20,0	72,7	99,5	12 400 *b							20,0
22,0	70,4	98,8	12 100 *b							22,0
24,0	68,0	98,0	11 700 *							24,0
26,0	65,6	97,2	11 300 *	69,6	98,2	12 400 *				26,0
28,0	63,2	96,2	10 800 *	67,2	97,4	12 300 *				28,0
30,0	60,7	95,2	10 400 *	64,8	96,5	12 200 *				30,0
32,0	58,1	94,0	10 000 *	62,3	95,5	11 900 *	65,4	96,4	11 200	32,0
34,0	55,5	92,7	9 500 *	59,8	94,4	11 300 *	62,9	95,4	10 300	34,0
36,0	52,7	91,2	9 100 *	57,2	93,2	10 600	60,4	94,3	9 700	36,0
38,0	49,9	89,6	8 600 *	54,6	91,9	9 900	57,9	93,1	9 000	38,0
40,0	46,9	87,8	8 200 *	51,8	90,4	9 300	55,2	91,8	8 400	40,0
42,0	43,8	85,9	7 800 *	48,9	88,7	8 700	52,5	90,3	7 900	42,0
44,0	40,5	83,7	7 400 *	45,9	86,9	8 200	49,6	88,7	7 400	44,0
46,0	37,0	81,2	7 000 *	42,8	84,8	7 700	46,7	86,9	7 000	46,0
48,0	33,1	78,3	6 500 *	39,4	82,5	7 300	43,5	84,9	6 600	48,0
50,0	28,9	75,0	6 000 *	35,8	79,9	6 900	40,2	82,7	6 200	50,0
52,0	23,9	71,0	5 400 *	31,8	76,9	6 400 *	36,7	80,2	5 800	52,0
54,0	17,6	65,7	4 900 *	27,3	73,4	5 800 *	32,8	77,3	5 500	54,0
56,0	7,4	56,7	4 500 *	22,0	69,0	5 300 *	28,4	73,9	5 200	56,0
58,0				15,0	63,1	4 800 *	23,4	69,8	4 900	58,0
60,0							16,9	64,3	4 600	60,0
62,0										62,0
64,0										64,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°		kg
	m	m	
18,3			
20,0			
22,0			
24,0			
26,0			
28,0			
30,0			
32,0			
34,0			
36,0			
38,0			
40,0	60,5	93,4	7 100
42,0	58,0	92,2	6 600
44,0	55,3	90,9	6 200
46,0	52,6	89,4	5 700
48,0	49,7	87,8	5 400
50,0	46,8	86,0	5 000
52,0	43,6	84,0	4 700
54,0	40,3	81,8	4 400
56,0	36,8	79,3	4 100
58,0	32,9	76,4	3 900
60,0	28,6	73,1	3 600
62,0	23,6	69,0	3 400
64,0	17,2	63,6	3 200

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4	74,8	73,6	33 600 *d							10,4
12,0	70,2	73,0	33 200 *d							12,0
14,0	64,4	72,2	31 000 *c							14,0
16,0	58,3	71,1	28 500 *c							16,0
18,0	51,7	69,7	26 200 *b	63,0	71,6	26 200 b				18,0
20,0	44,5	67,9	23 900 *b	56,8	70,5	23 600 b	64,9	71,5	22 000 c	20,0
22,0	36,2	65,6	21 900 *b	50,1	69,0	21 500 b	58,8	70,4	20 000 b	22,0
24,0	25,7	62,2	20 000 *	42,7	67,1	19 700	52,3	69,1	18 300 b	24,0
26,0				34,0	64,6	18 200	45,1	67,3	16 900	26,0
28,0				22,7	60,8	16 900	37,0	65,0	15 600	28,0
30,0							26,8	61,8	14 500	30,0
32,0							9,4	55,7	13 600	32,0
34,0										34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	75°			70°			65°			m
	m	m	kg	m	m	kg	m	m	kg	
10,4										10,4
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0	59,8	69,6	14 700 b							26,0
28,0	53,4	68,3	13 600 b							28,0
30,0	46,4	66,6	12 600							30,0
32,0	38,4	64,4	11 700	54,2	67,1	10 100 b				32,0
34,0	28,7	61,4	10 900	47,2	65,4	9 400 b				34,0
36,0	13,8	56,3	10 200	39,4	63,3	8 700				36,0
38,0				29,9	60,4	8 100	47,5	63,7	6 800	38,0
40,0							39,7	61,7	6 300	40,0
42,0							30,4	58,8	5 900	42,0
44,0							17,0	54,2	5 500	44,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
11,6	73,8	76,4	30 800 *d							11,6
12,0	72,8	76,3	30 500 *d							12,0
14,0	67,8	75,5	28 800 *c							14,0
16,0	62,6	74,6	26 800 *c							16,0
18,0	57,1	73,5	24 700 *b	66,6	75,0	25 600 c				18,0
20,0	51,4	72,0	22 700 *b	61,4	74,0	23 100 b				20,0
22,0	45,0	70,2	20 800 *b	55,9	72,8	21 100 b	63,1	73,9	19 500 b	22,0
24,0	38,0	68,0	19 100 *	50,0	71,3	19 300	57,6	72,8	17 900 b	24,0
26,0	29,5	65,0	17 600 *	43,5	69,4	17 800	51,9	71,4	16 400	26,0
28,0	17,7	60,4	16 300 *	36,2	67,0	16 500	45,6	69,6	15 200	28,0
30,0				27,2	63,8	15 300	38,6	67,4	14 100	30,0
32,0				13,7	58,4	14 300	30,3	64,5	13 200	32,0
34,0							19,0	60,1	12 300	34,0
36,0										36,0
38,0										38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			65°			
	m	m	kg	m	m	kg	m	m	kg	m
11,6										11,6
12,0										12,0
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0	58,6	72,0	13 200 b							28,0
30,0	52,9	70,6	12 200							30,0
32,0	46,7	68,9	11 400							32,0
34,0	39,8	66,8	10 600	53,5	69,4	9 000 b				34,0
36,0	31,8	64,0	9 900	47,4	67,7	8 400				36,0
38,0	21,3	60,0	9 300	40,7	65,7	7 800				38,0
40,0				32,8	63,0	7 300	47,7	66,1	6 000	40,0
42,0				22,7	59,2	6 800	41,0	64,0	5 600	42,0
44,0							33,2	61,4	5 200	44,0
46,0							23,2	57,6	4 800	46,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
12,2	74,3	79,4	27 900 *d							12,2
14,0	70,3	78,8	26 600 *c							14,0
16,0	65,8	78,0	25 000 *c							16,0
18,0	61,2	77,0	23 300 *b							18,0
20,0	56,3	75,8	21 600 *b	64,8	77,4	22 700 b				20,0
22,0	51,1	74,3	20 000 *b	60,1	76,4	20 700 b	66,2	77,3	19 200 b	22,0
24,0	45,5	72,5	18 400 *	55,1	75,1	18 900	61,6	76,3	17 500 b	24,0
26,0	39,3	70,4	16 900 *	49,9	73,6	17 400	56,7	75,1	16 100	26,0
28,0	32,1	67,6	15 600 *	44,1	71,7	16 200	51,6	73,7	14 900	28,0
30,0	23,1	63,7	14 400 *	37,8	69,4	15 000	46,0	71,9	13 800	30,0
32,0	7,0	56,3	13 300 *	30,3	66,5	14 000	39,9	69,8	12 900	32,0
34,0				20,6	62,2	13 100	32,8	67,1	12 100	34,0
36,0							24,1	63,4	11 300	36,0
38,0							9,6	56,7	10 600	38,0
40,0										40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





	75°			70°			65°			
	m	m	kg	m	m	kg	m	kg	m	
12,2										12,2
14,0										14,0
16,0										16,0
18,0										18,0
20,0										20,0
22,0										22,0
24,0										24,0
26,0										26,0
28,0										28,0
30,0	57,5	74,3	12 000							30,0
32,0	52,4	72,9	11 100							32,0
34,0	47,0	71,2	10 300							34,0
36,0	40,9	69,1	9 700	53,0	71,7	8 200				36,0
38,0	34,1	66,5	9 100	47,6	70,0	7 600				38,0
40,0	25,7	63,1	8 500	41,7	68,0	7 100				40,0
42,0	13,1	57,4	8 000	34,9	65,5	6 700	47,9	68,4	5 400	42,0
44,0				26,8	62,1	6 300	41,9	66,3	5 000	44,0
46,0							35,2	63,8	4 700	46,0
48,0							27,2	60,5	4 400	48,0
50,0							15,7	55,4	4 100	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
13,7	72,9	82,1	24 700 *c							13,7
14,0	72,4	82,0	24 500 *c							14,0
16,0	68,4	81,3	23 300 *c							16,0
18,0	64,3	80,4	21 900 *b							18,0
20,0	60,0	79,4	20 400 *b	67,5	80,8	22 200 b				20,0
22,0	55,6	78,1	19 000 *b	63,3	79,9	20 200 b				22,0
24,0	50,9	76,6	17 600 *	59,0	78,8	18 500	64,6	79,7	17 100 b	24,0
26,0	45,9	74,8	16 300 *	54,5	77,4	17 000	60,4	78,7	15 700	26,0
28,0	40,4	72,7	15 000 *	49,8	75,9	15 800	56,0	77,5	14 500	28,0
30,0	34,1	70,1	13 900 *	44,6	74,0	14 700	51,3	76,0	13 500	30,0
32,0	26,7	66,7	12 900 *	39,0	71,8	13 700	46,3	74,2	12 500	32,0
34,0	16,5	61,6	12 000 *	32,6	69,0	12 800	40,9	72,1	11 700	34,0
36,0				24,7	65,4	12 000	34,7	69,6	10 900	36,0
38,0				13,1	59,5	11 300	27,4	66,2	10 300	38,0
40,0							17,6	61,4	9 700	40,0
42,0										42,0
44,0										44,0
46,0										46,0
48,0										48,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			
	m	m	kg	m	m	kg	m
13,7							13,7
14,0							14,0
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0	56,7	76,6	10 700				32,0
34,0	52,1	75,2	10 000				34,0
36,0	47,2	73,5	9 300				36,0
38,0	41,8	71,5	8 700	52,6	74,0	7 300	38,0
40,0	35,8	69,0	8 200	47,7	72,3	6 800	40,0
42,0	28,8	65,8	7 700	42,4	70,3	6 300	42,0
44,0	19,6	61,4	7 200	36,5	67,9	5 900	44,0
46,0				29,6	64,8	5 600	46,0
48,0				20,8	60,6	5 200	48,0

MLC165 S-2

EN 13000




55 110 kg
+
16 010 kg






	87°			83°			80°			
m	m	m	kg	m	m	kg	m	m	kg	m
13,7	74,5	85,3	21 400 *c							13,7
14,0	74,0	85,2	21 300 *c							14,0
16,0	70,4	84,6	20 900 *c							16,0
18,0	66,8	83,8	20 100 *b							18,0
20,0	63,0	82,8	18 900 *b	69,6	84,0	20 900 *b				20,0
22,0	59,1	81,7	17 700 *b	65,9	83,2	20 100 b				22,0
24,0	55,0	80,4	16 600 *	62,1	82,2	18 300				24,0
26,0	50,7	78,9	15 500 *	58,2	81,1	16 900	63,3	82,1	15 500	26,0
28,0	46,2	77,2	14 300 *	54,0	79,8	15 600	59,4	81,1	14 300	28,0
30,0	41,2	75,1	13 300 *	49,7	78,2	14 500	55,4	79,8	13 300	30,0
32,0	35,7	72,5	12 400 *	45,1	76,3	13 500	51,1	78,3	12 400	32,0
34,0	29,3	69,4	11 600 *	40,0	74,2	12 600	46,6	76,5	11 600	34,0
36,0	21,3	65,2	10 800 *	34,3	71,5	11 800	41,7	74,5	10 800	36,0
38,0	7,7	57,5	10 300 *	27,7	68,2	11 100	36,2	72,0	10 200	38,0
40,0				19,1	63,6	10 500	30,0	68,9	9 500	40,0
42,0							22,2	64,8	9 000	42,0
44,0							9,7	57,8	8 600	44,0
46,0										46,0
48,0										48,0
50,0										50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






	75°			70°			
	m	m	kg	m	m	kg	m
13,7							13,7
14,0							14,0
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0	60,1	80,2	10 600				32,0
34,0	56,1	79,0	9 900				34,0
36,0	51,8	77,5	9 200				36,0
38,0	47,3	75,8	8 600				38,0
40,0	42,5	73,8	8 100	52,3	76,3	6 700	40,0
42,0	37,2	71,4	7 600	47,9	74,6	6 300	42,0
44,0	31,1	68,5	7 200	43,1	72,7	5 800	44,0
46,0	23,6	64,6	6 700	37,8	70,3	5 500	46,0
48,0	12,6	58,5	6 400	31,8	67,4	5 100	48,0
50,0				24,6	63,7	4 800	50,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	73,4	88,0	19 700 *c							15,2
16,0	72,1	87,8	19 400 *c							16,0
18,0	68,8	87,1	18 500 *b							18,0
20,0	65,4	86,2	17 600 *b							20,0
22,0	61,9	85,2	16 700 *b	68,0	86,5	19 100 *b				22,0
24,0	58,3	84,1	15 700 *	64,6	85,7	17 900				24,0
26,0	54,5	82,8	14 700 *	61,1	84,6	16 400	65,7	85,5	15 100	26,0
28,0	50,6	81,2	13 800 *	57,4	83,4	15 200	62,2	84,5	14 000	28,0
30,0	46,4	79,5	12 900 *	53,6	82,1	14 100	58,6	83,4	13 000	30,0
32,0	41,9	77,4	12 000 *	49,6	80,5	13 200	54,9	82,1	12 100	32,0
34,0	37,0	75,0	11 200 *	45,4	78,7	12 300	50,9	80,6	11 200	34,0
36,0	31,4	72,0	10 400 *	40,8	76,5	11 500	46,8	78,8	10 500	36,0
38,0	24,7	68,3	9 800 *	35,7	74,0	10 800	42,3	76,8	9 900	38,0
40,0	15,6	62,8	9 200 *	30,0	70,9	10 200	37,4	74,4	9 300	40,0
42,0				22,9	66,9	9 600	31,9	71,5	8 700	42,0
44,0				12,7	60,6	9 100	25,4	67,9	8 300	44,0
46,0							16,6	62,6	7 800	46,0
48,0										48,0
50,0										50,0
52,0										52,0
54,0										54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg






m	75°			70°			m
	m	m	kg	m	m	kg	
15,2							15,2
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0	62,8	83,7	10 300				32,0
34,0	59,2	82,6	9 500				34,0
36,0	55,5	81,3	8 900				36,0
38,0	51,6	79,8	8 300				38,0
40,0	47,5	78,1	7 800	55,9	80,1	6 400	40,0
42,0	43,1	76,1	7 300	52,0	78,6	5 900	42,0
44,0	38,3	73,8	6 800	48,0	76,9	5 600	44,0
46,0	32,9	71,0	6 400	43,6	75,0	5 200	46,0
48,0	26,5	67,5	6 100	38,8	72,7	4 900	48,0
50,0	18,3	62,7	5 700	33,5	70,0	4 600	50,0
52,0				27,3	66,6	4 300	52,0
54,0				19,4	61,9	4 000	54,0

MLC165 S-2

EN 13000





55 110 kg
+
16 010 kg





m	87°			83°			80°			m
	m	m	kg	m	m	kg	m	m	kg	
15,2	74,7	91,2	18 000 *c							15,2
16,0	73,5	91,0	17 800 *c							16,0
18,0	70,5	90,3	17 200 *b							18,0
20,0	67,4	89,6	16 400 *b							20,0
22,0	64,2	88,7	15 600 *b	69,8	89,8	18 000 *b				22,0
24,0	61,0	87,6	14 800 *	66,7	89,0	17 400				24,0
26,0	57,6	86,4	14 000 *	63,5	88,1	16 100	67,7	88,8	14 800	26,0
28,0	54,1	85,1	13 100 *	60,2	87,0	14 900	64,5	88,0	13 700	28,0
30,0	50,5	83,5	12 300 *	56,8	85,8	13 800	61,3	86,9	12 700	30,0
32,0	46,6	81,8	11 600 *	53,3	84,4	12 900	57,9	85,8	11 800	32,0
34,0	42,5	79,7	10 800 *	49,6	82,8	12 000	54,4	84,4	11 000	34,0
36,0	38,0	77,4	10 100 *	45,7	81,0	11 300	50,8	82,9	10 300	36,0
38,0	33,0	74,6	9 500 *	41,5	78,9	10 600	46,9	81,1	9 600	38,0
40,0	27,2	71,1	8 900 *	36,9	76,4	9 900	42,8	79,1	9 000	40,0
42,0	20,0	66,5	8 400 *	31,8	73,5	9 400	38,4	76,8	8 500	42,0
44,0	8,1	58,6	7 900 *	25,8	69,8	8 900	33,5	74,0	8 000	44,0
46,0				18,0	64,9	8 400	27,8	70,7	7 600	46,0
48,0							20,8	66,2	7 100	48,0
50,0							9,8	58,9	6 800	50,0
52,0										52,0
54,0										54,0
56,0										56,0

MLC165 S-2

EN 13000



55 110 kg
+
16 010 kg



	75°			70°			
	m	m	kg	m	m	kg	m
15,2							15,2
16,0							16,0
18,0							18,0
20,0							20,0
22,0							22,0
24,0							24,0
26,0							26,0
28,0							28,0
30,0							30,0
32,0							32,0
34,0	61,8	86,1	9 300				34,0
36,0	58,5	84,9	8 700				36,0
38,0	55,0	83,6	8 100				38,0
40,0	51,4	82,1	7 600				40,0
42,0	47,6	80,4	7 100	55,4	82,4	5 700	42,0
44,0	43,5	78,5	6 700	51,8	80,9	5 300	44,0
46,0	39,2	76,2	6 200	48,0	79,2	5 000	46,0
48,0	34,3	73,5	5 800	44,0	77,3	4 700	48,0
50,0	28,8	70,3	5 500	39,7	75,1	4 300	50,0
52,0	22,1	66,1	5 200	34,9	72,4	4 100	52,0
54,0	12,3	59,6	4 900	29,5	69,3	3 800	54,0
56,0				22,9	65,2	3 600	56,0